Nikon Green Procurement Standards

Separate Volume: Corresponding Chemical Substance Lists



Effective November 1, 2022 (2.3 edition)

NIKON CORPORATION

3
3
31 37
41 41 48
60
60 60 60 61
62 62
63 63 74 74

Revision History

75

I. Procurement Items

I -1. Prohibited Chemical Substances

The following table shows the chemical substances prohibited to be contained in procured items (finished products, parts and materials, packaging materials) and their maximum allowable concentration (threshold values). If multiple thresholds are written in a single threshold field, all of them must be satisfied.

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
1 Cadmium/cadmium Compounds	 RoHS Directive 2011/65/EU ANNEX XVII Entry 23 of REACH Regulation (EC) No 1907/2006 	All except the below applications	0.01% by weight (100 ppm) of cadmium in homogeneous material	Pigment, anti-corrosion surface treatment, optical glass, stabilizer, plating, fluorescent, electrode, solder, electric contact, contact point, zinc plating plastic stabilizer	
		 EU Directive 94/62/EC on Packaging and Packaging Waste US State Toxics in Packaging (TPCH Model Legislation) 	Packaging materials	 Intentionally added⁽¹⁾ 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material 	Pigment, paint, plastic stabilizer
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of cadmium in homogeneous material	Pigment, dye
		•EU Batteries Directive (2006/66/EC) •Korea "Quality Management and Industrial Products Safety Management Enforcement Ordinances"	Zinc-carbon batteries, alkaline manganese batteries, and nickel-metal hydride (Ni-MH) secondary batteries (except Button cells)	0.001% by weight (10ppm) of cadmium in a battery	
		Taiwan Waste Disposal Act (Regulation on heavy metal)	Batteries, other than the batteries listed above (except for emergency and alarm systems, including emergency lighting, and medical equipment)	0.002% by weight (20ppm) of cadmium in a battery	
		Representative examp	les of relevant substand	æ	
		Substance name			CAS No.
		Cadmium			7440-43-9
		Cadmium oxide			1306-19-0
		Cadmium sulfide			1306-23-6
		Cadmium chloride Cadmium sulfate			10108-64-2 10124-36-4
		Cadmium suitate Cadmium fluoride			7790-79-6
					110010-0

		Key Legal and			
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
2	Chromium VI Compounds	RoHS Directive 2011/65/EU	All except the below applications	0.1% by weight (1,000 ppm) of chromium VI in homogeneous material	Pigment, paint, ink, catalyst, plating, anticorrosion surface treatment, dye
		ANNEX XVII Entry 47 of REACH Regulation (EC) No 1907/2006	Leather articles or articles containing leather parts coming into contact with the skin	0.0003 % by weight (3ppm) of the total dry weight of the leather	Tanning agent for leather goods
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of chromium VI in homogeneous material	Pigment, dye
		 EU Directive 94/62/EC on Packaging and Packaging Waste US State Toxics in Packaging (TPCH Model Legislation) 	Packaging materials	 Intentionally added⁽¹⁾ 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material 	Pigment, paint, plastic stabilizer
		_Representative examp	les of relevant substand	ce	
		Substance name			CAS No.
		Chromium (VI) oxide		1333-82-0	
		Barium chromate			10294-40-3
		Calcium chromate	13765-19-0		
		Lead (II) chromate			7758-97-6
		Lead chromate molybo	· · · · · · · · · · · · · · · · · · ·		12656-85-8
		Lead sulfochromate ye	llow		1344-37-2
		Sodium chromate			7775-11-3 10588-01-9
		Sodium dichromate Strontium chromate			7789-06-2
		Potassium dichromate			7778-50-9
		Potassium chromate			7789-00-6
		Zinc chromate			13530-65-9
		Pentazinc chromate oc	tahydroxide		49663-84-5
			aoxodizincatedichromat	e	11103-86-9
		Ammonium Dichromate	е		7789-09-5
		Chromium(VI)			18540-29-9
		Ammonium Dichromate			7789-09-5

N	Substance/	Key Legal and		Three balls	Even de chi
No.	Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
3	3 Lead/lead compounds	RoHS Directive 2011/65/EU	All except the below applications	0.1% by weight (1,000 ppm) of lead in homogeneous material	Rubber hardener, pigment, paint, lubricant, plastic stabilizer, freemachining
		ANNEX XVII Entry 63 ⁽¹¹⁾ of REACH Regulation (EC) No 1907/2006	Articles or accessible parts thereof which may be placed in the mouth by children	0.05% by weight (500 ppm) of lead in article or accessible part thereof $0.05 \mu g/cm^2 /h$ (equivalent to $0.05 \mu g/g/h$) in the rate of lead release from an article or any accessible part thereof	alloy, freecutting steel, optical material, X-ray shielding in CRT glass, solder material, curing agent, vulcanizing agent, ferroelectrics, plating, metal alloy
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of lead in homogeneous material	Pigment, dye
		U.S. Consumer Product Safety Improvement Act (CPSIA)	Consumer products designed or intended primarily for children 12 years of age or younger	0.01% by weight (100 ppm) of lead in the children's product	Pigment, paint, stabilizer, colorant
		U.S. Consumer Product Safety Improvement Act (CPSIA)	Paint and similar surface coatings of toys and other articles intended for use by children	0.009% by weight (90 ppm) of lead in surface coating	Pigment, paint, stabilizer, colorant
		US/CA Proposition 65 Case law	Cables/cords with thermoset or thermoplastic coatings	 Intentionally added ⁽¹⁾ 0.03% by weight (300 ppm) of lead in surface coating 	Pigment, paint, stabilizer, colorant
		 EU Directive 94/62/EC on Packaging and Packaging Waste US State Toxics in Packaging (TPCH Model Legislation) 	packaging materials	 Intentionally added ⁽¹⁾ 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material 	Pigment, paint, plastic stabilizer
		 Brazilian Batteries Regulation National Environmental Council Resolution 401 Chinese National 	Zinc–carbon batteries Alkaline manganese batteries	0.1% by weight (1,000ppm) of lead in a battery 0.004% by weight (40ppm)	
		Standards regarding the limit of hazardous substances in batteries (GB24427-2021)	Nickel-metal hydride (Ni-MH) secondary batteries (except Button cells)	of lead in a battery 0.4% by weight (4,000ppm) of lead in a battery	
		 Korea "Quality Management and 	Zinc silver oxide button batteries	0.02% by weight (200ppm) of lead in a battery	

Lead/lead	Industrial Products	Alkaline zinc oxygen	0.05% by weight	
compounds	Safety Management	button batteries	(500ppm)	
(continued)	Enforcement		of lead in a battery	
	Ordinances"			
	Representative exam	ples of relevant substand	e	
	Substance name			CAS No.
	Lead			7439-92-1
	Lead (II) sulfate			7446-14-2
	Lead (II) carbonate			598-63-0
	Lead (II) chromate			7758-97-6
	Lead chromate molyb	date sulphate red		12656-85-8
	Lead hydrocarbonate			
	Lead acetate			301-04-2
	Lead (II) acetate, trihydrate			6080-56-4
	Lead phosphate			7446-27-7
	Lead selenide			12069-00-0
	Lead (IV) oxide			1309-60-0
	Lead (II,IV) oxide			1314-41-6
	Lead (II) sulfide			1314-87-0
	Lead (II) oxide			1317-36-8
	Lead (II) carbonate ba	asic		1319-46-6
	Lead hydroxidcarbona	ate		1344-36-1
	Lead (II) phosphate			7446-27-7
	Lead sulfochromate y	ellow		1344-37-2
	Lead (II) titanate			12060-00-3
	Lead sulfate, sulphuri	c acid, lead salt		15739-80-7
	Lead sulphate, tribasi	С		12202-17-4
	Lead stearate			1072-35-1
	Lead oxide			1335-25-7
	Lead (II) fluoride			7783-46-2

		Key Legal and			
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
4	4 Mercury/mercury compounds	RoHS Directive 2011/65/EU ANNEX XVII Entry 18, 18a of REACH Regulation (EC) No 1907/2006	All except the below applications	 Intentionally added⁽¹⁾ 0.1% by weight (1,000 ppm) of mercury in homogeneous material 	Fluorescent bulb, contact point material, pigment, anti-corrosion, switches, antibacterial treatment
		 EU Directive 94/62/EC on Packaging and Packaging Waste US State Toxics in Packaging (TPCH Model Legislation) 	Packaging materials	 Intentionally added⁽¹⁾ 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material 	Pigment, paint, plastic stabilizer
		 EU Batteries Directive (2006/66/EC) USA Federal Mercury- Containing and Rechargeable Battery Management Act (MRBM) Canada Products containing Mercury Regulations SOR/2014-254 Chinese National Standards regarding the limit of hazardous substances in batteries (GB24427-2021) Korea "Quality Management and Industrial Products Safety Management Enforcement Ordinances" Taiwan Waste Disposal Act (Regulation on heavy metal) 	 Zinc–carbon batteries Alkaline manganese batteries Nickel–metal hydride (Ni-MH) secondary batteries (except Button cells) Batteries, other than the batteries listed above 	 Intertial Intentionally added⁽¹⁾ 0.0001% by weight (1ppm) of mercury in a battery 0.0005% by weight (5ppm) of mercury in homogeneous material 0.0001% by weight (1ppm) of mercury in a battery 0.0005% by weight (5ppm) of mercury in homogeneous material 0.0005% by weight (5ppm) of mercury in homogeneous material 	
		Representative exampl Substance name Mercury Mercuric chloride Mercury (II) chloride Mercuric sulfate Mercuric nitrate Mercuric (II) oxide Mercuric sulfide	les of relevant substance		CAS No. 7439-97-6 33631-63-9 7487-94-7 7783-35-9 10045-94-0 21908-53-2 1344-48-5

	ombited chemical St	ubstances (continued)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshol	d Level	Examples of Use
5	Polybrominated biphenyls (PBBs)	RoHS Directive 2011/65/EU	All	0.1% by w (1,000 ppr homogene material	m) in	Flame retardant
		Representative examp Substance name Polybrominated Bipher Dibromobiphenyl 2-Bromobiphenyl 3-Bromobiphenyl 4-Bromobiphenyl Tribromobiphenyl Tetrabromobiphenyl Pentabromobiphenyl	ples of relevant substance			CAS No. 59536-65-1 92-86-4 2052-07-5 2113-57-7 92-66-0 59080-34-1 40088-45-7 56307-79-0
		Hexabromobiphenyl Hexabromo-1,1-biphen Firemaster FF-1 Heptabromobiphenyl Octabromobiphenyl Nonabromobiphenyl Decabromobiphenyl	yl			59080-40-9 36355-01-8 67774-32-7 35194-78-6 61288-13-9 27753-52-2 13654-09-6
6	Polybrominated diphenyl ethers (PBDEs)	RoHS Directive 2011/65/EU Japan Law concerning the evaluation of chemical substances EU Revised POPs Regulation	Electrical and electronic products (Including accessories) All except the above	Intentiona added ⁽¹⁾ O.1% by (1,000 pp in homog material Intentiona added ⁽¹⁾	weight om) jeneous ally	Flame retardant
		(EŬ)2019/1021	A.II.	•0.05% by (500 ppm for the su PBDEs ⁽⁷ article	/ weight n) um of ¹⁰⁾ in	
		US Toxic Substances Control Act (TSCA) PBT Rules	All	Intentiona added ⁽¹⁾ (Only Dec	•	
		Substance name Bromodiphenyl ether Dibromodiphenyl ether Tribromodiphenyl ether Tetrabromodiphenyl et Pentabromodidphenyl et (note: Commercially av	r her ether vailable PeBDPO is a comp ning a variety of brominate her ther ner		1 20 49 40 32 (CAS nu commerc PeBDPC 36 68 32 63	AS No. 01-55-3 050-47-7 690-94-0 088-47-9 534-81-9 mber used for cial grades of 0) 483-60-0 928-80-3 536-52-0 936-56-1 163-19-5

		ibstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
7	Polychlorinated biphenyls (PCBs) and specific substitutes	 Japan Law concerning the evaluation of chemical substances ANNEX XVII Entry 24-26 of REACH Regulation (EC) No 1907/2006 US TSCA 	All	Intentionally added ⁽¹⁾	Insulation oil, Iubricant oil, electrical insulation medium, solvent, electrolytic solution, plasticizer, flame retardant, dielectric sealant, printing ink, carbonless copying paper
		Representative exampl	les of relevant substanc	e I	
		Substance name Polychlorinated Biphen	wle (all isomore and co	agopore)	CAS No. 1336-36-3
		Monomethyl-tetrachlor			76253-60-6
		Monomethyl-dichloro-d			81161-70-8
		Monomethyl-dibromo-d	liphenyl methane (DBB	T)	99688-47-8
8	Polychlorinated	ANNEX XVII Entry 1	All	0.005% by weight	Insulation oil,
8	Polychiofinated terphenyls (PCTs)	ANNEX XVII Entry 1 of REACH Regulation (EC) No 1907/2006 Representative exampl Substance name Polychlorinated Terphe	es of relevant substanc	(50 ppm) in material	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution, plasticizer, flame retardant, coatings for electrical wire and cable, dielectric sealant printing ink, carbonless copying paper
		Polychionnated refphe	enyis (all isomers and co	ongeners)	01700-33-0
9	Polychlorinated naphthalenes (PCNs)	 Japan Law concerning the evaluation of chemical substances EU Revised POPs regulation (EU) 2019/1021 	All	Intentionally added ⁽¹⁾	Lubricant, paint, stabilizer (electric haracteristic, flame-resistant, waterresistant) insulator, flame retardant, antiseptics, mildew repellent
		Representative exampl	es of relevant substance	ce .	
		Substance name			CAS No.
		Polychlorinated naphth	alenes		70776-03-3

FI	ombited chemical St	ibstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
10	Shortchain	•EU Revised POPs	All	Intentionally	Plasticizer for PVC,
	chlorinated	regulation		added ⁽¹⁾	flame retardant
	paraffins (C10 –13)	(EU)2019/1021		44464	
	(SCCPs)	Japan Law concerning		•0.15% by weight	
		the evaluation of		(1,500 ppm)	
		chemical substances		in article	
		Representative exampl	es of relevant substand	ce	
		Substance name			CAS No.
		Alkanes, C10-13, chlor	0		85535-84-8
		Alkanes, C10-12, chlor	0		108171-26-2
		Alkanes, C12-13, chlor	0		71011-12-6
11	Tri-substituted	ANNEX XVII Entry 20	All	Intentionally	Stabilizer,
	organostannic	of REACH Regulation		added ⁽¹⁾	antioxidant,
	compounds	(EC) No 1907/2006			antibacterial and
		 Japan Law concerning 		 0.1% by weight 	antifungal agent,
		the evaluation of		(1,000 ppm)	antifoulant,
		chemical substances		of tin in a part	antiseptic,
					paint, pigment,
					antistaining
		Representative example	es of relevant substanc	е	
		Substance name			CAS No.
		Triphenyltin-N, N-dimeth	nyldithiocarbamate		1803-12-9
		Triphenyltinfluoride			379-52-2
		Triphenyltinacetate			900-95-8
		Triphenyltinchloride			639-58-7
		Triphenyltinhydroxide	(4 4) 1()		76-87-9
		Triphenyltin fattyacid ((9	-11) sait)		18380-71-7 18380-72-8
					47672-31-1
					94850-90-5
		Triphenyltinchloroacetat	e		7094-94-2
		Tributyltinmethacrylate	-		2155-70-6
		Bis(tributyltin)fumalate			6454-35-9
		Tributyltinfluoride			1983-10-4
		Bis(tributyltin)2,3-dibrom	nosuccinate		31732-71-5
		Tributyltinacetate			56-36-0
		Tributyltinlaurate			3090-36-6
		Bis(tributyltin)phthalate			4782-29-0
		Coplymer of alkyl (c=8)	acrylate, methyl metha	crylate and	67772-01-4
		tributyltin methacrylate Tributyltinsulfamate			6517-25-5
		Bis(tributyltin)maleate			14275-57-1
		Tributyltinchloride			1461-22-9
		Thousynnichionae			7342-38-3
		Tributyltin cyclopentane	carbonate – mixture		85409-17-2
		Tributyltin-1,2,3,4,4a,4b		-7-isoplopyl-1 4a-	
		dimethyl-1-phenanthren			26239-64-5

Pr	ohibited Chemical Su	ubstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
12	Tributyl tin oxide (TBTO)	Japan Law concerning the evaluation of chemical substances	All	Intentionally added ⁽¹⁾	Antiseptic, antifungal agent, paint, pigment, antistaining, refrigerant, foaming agent, extinguishant, solvent cleaner, stabilizer for PVC, curing catalyst for silicone resin and urethane resin
		Substance name			CAS No.
		Tributyl tin oxide (TBT)	<u>)</u>		56-35-9
			- /		
13	Dibutyltin (DBT) compounds	ANNEX XVII Entry 20 of REACH Regulation (EC) No 1907/2006	All	•0.1% by weight (1,000 ppm) of tin in a part	Plasticizer, ink, stabilizer for PVC, curing catalyst for silicone resin and urethane resin
		Representative examp	les of relevant substand	e.	
		Substance name	CAS No.		
		Dibutyltin oxide			818-08-6
		Dibutyltin diacetate			1067-33-0
		Dibutyltin dilaurate Dibutyltin maleate			77-58-7
		Dibutyltin dichloride			78-04-6 683-18-1
		Dibutytan diomondo			
	Dioctyltin (DOT) compounds	ANNEX XVII Entry 20 of REACH Regulation (EC) No 1907/2006	 (a) textile and leather articles intended to come into contact with the skin, (b) childcare articles (c) wocomponent room temperature vulcanisation moulding kits (RTV-2 moulding kits) 	•0.1% by weight (1,000 ppm) of tin in a part	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin
		Representative examp	les of relevant substand	ce	
		Substance name			CAS No.
		Dioctyl Tin Oxide Dioctyltin dilaurate			870-08-6 3648-18-8
					3040-10-0
I		1			

tances (continued) _ hihi ad Ch ical Sub

		ubstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
15	Ozone depleting substances	Montreal Protocol	All	Intentionally	Refrigerant,
	substances	•EU EC No. 2037/2000		added (1)	foaming agent,
		•EC 1005/2009			extinguishant,
		•US Clean Air Act			solvent cleaner
		Representative examp	les of relevant substand	ce	
		Substance name			CAS No.
		Trichlorofluoromethane	e (CFC-11)		75-69-4
		Dichlorodifluoromethar			75-71-8
		Chlorotrifluoromethane			75-72-9
		Pentachlorofluoroethar	ne (CFC-111)		354-56-3
		Tetrachlorodifluoroetha	$ne(CEC_{-}112)$		76-12-0
		1,1,1,2-Tetrachloro-2,2		12a)	28605-74-5 76-11-9
					76-13-1
		Trichlorotrifluoroethane			26523-64-8
		1,1,1-Trichloro-2,2,2 tri	fluoroethane (CFC-113	a)	354-58-5
		Dichlorotetrafluoroetha	ne (CFC-114)		76-14-2
		Monochloropentafluoro	ethane (CFC-115)		76-15-3
		Heptachlorofluoropropa			422-78-6
					135401-87-5
		1,1,1,2,2,3,3-Heptachlo			422-78-6
		1,1,1,2,3,3,3-Heptachlo		-C-211ba)	422-81-1
		Hexachlorodifluoroprop	pane (CFC-212)		3182-26-1
		Pentachlorotrifluoropropane (CFC-213)			2354-06-5
					134237-31-3
		Tetrachlorotetrafluoropropane (CFC-214) 1,2,2,3-Tetrachloro-1,1,3,3-tetrafluoropropane (CFC-214aa)			29255-31-0 677-68-9
		1,2,2,3- I etrachloro-1,1,3,3-tetrafluoropropane (CFC-214aa) 1,1,1,3-Tetrachloro-2,2,3,3-tetrafluoropropane (CFC-214cb)			2268-46-4
		Trichloropentafluoropropane (CFC-215)			
		1,2,2-Trichloropentaflu	1599-41-3 1599-41-3		
		1,2,3-Trichloropentaflu			76-17-5
		1,1,2-Trichloropentaflu			-
		1,1,3-Trichloropentaflu	oropropane (CFC-215c	a)	-
		1,1,1-Trichloropentaflu	oropropane (CFC-215c	b)	4259-43-2
		Dichlorohexafluoropropane (CFC-216)			661-97-2
		Chloroheptafluoropropane (CFC-217)			422-86-6
		Bromochloromethane (/		74-97-5
		Dibromodifluoromethar	· · · ·		75-61-6
		Bromochlorodifluorome			353-59-3
		Bromotrifluoromethane	· · · · ·		75-63-8
		Dibromotetrafluoroetha			124-73-2
		Tetrachloromethane (c	,		56-23-5
		1,1,1-Trichloroethane (Bromomethane (methy	, , ,		71-55-6 74-83-9
		Bromoethane (nethyl bro			74-83-9
		1-Bromopropane (n-pro	/		106-94-5
		Trifluoroiodomethane (2314-97-8
		Chloromethane (methy	• • •		74-87-3
		Dibromofluoromethane	1		1868-53-7
		Bromodifluoromethane	· · · ·		1511-62-2
		Bromofluoromethane (373-52-4
		Tetrabromofluoroethan	1		306-80-9
		Tribromodifluoroethane Dibromotrifluoroethane	1 /		 354-04-1
		Bromotetrafluoroethan			124-72-1
		Tribromofluoroethane	· · ·		-
		Dibromodifluoroethane	,		75-82-1
		Bromotrifluoroethane (421-06-7
		Dibromofluoroethane (/		358-97-4
		Bromodifluoroethane (I	/		420-47-3
		Bromofluoroethane (H	/		762-49-2

Ozone depleting	Hexabromofluoropropane (HBFC-221 B6)	
substances (continued)	Pentabromodifluoropropane (HBFC-222 B5)	-
(continued)	Tetrabromotrifluoropropane (HBFC-223 B4)	_
	Tribromotetrafluoropropane (HBFC-224 B3)	-
	Dibromopentafluoropropane (HBFC-225 B2)	431-78-7
	Bromohexafluoropropane (HBFC-226 B1)	2252-78-0
	Pentabromofluoropropane (HBFC-231 B5)	-
	Tetrabromodifluoropropane (HBFC-232 B4)	-
	Tribromotrifluoropropane (HBFC-233 B3)	_
	Dibromotetrafluoropropane (HBFC-234 B2)	_
	Bromopentafluoropropane (HBFC-235 B1)	460-88-8
	Tetrabromofluoropropane (HBFC-241 B4)	
	Tribromodifluoropropane (HBFC-242 B3)	70192-80-2
	Dibromotrifluoropropane (HBFC-243 B2)	431-21-0
	Bromotetrafluoropropane (HBFC-244 B1)	679-84-5
	Tribromofluoropropane (HBFC-251 B3)	75372-14-4
	Dibromodifluoropropane (HBFC-252 B2)	460-25-3
	Bromotrifluoropropane (HBFC-253 B1)	421-46-5
	Dibromofluoropropane (HBFC-261 B2)	51584-26-0
	Bromodifluoropropane (HBFC-262 B1)	-
	Bromofluoropropane (HBFC-271 B1)	1871-72-3
	Dichlorofluoromethane (HCFC-21)	75-43-4
	Chlorodifluoromethane (HCFC-22)	75-45-6
	Chlorofluoromethane (HCFC-31)	593-70-4
	Tetrachlorofluoroethane (HCFC-121)	134237-32-4
	1,1,1,2-Tetrachloro-2-fluoroethane (HCFC-121a)	354-14-3
		354-11-0
	Trichlorodifluoroethane (HCFC-122)	41834-16-6 354-21-2
	1,1,2-Trichloro-1,2-difluoroethane (HCFC-122a)	354-21-2
	1,1,1-Trichloro-2,2-difluoroethane (HCFC-122b)	354-12-1
		34077-87-7
	Dichlorotrifluoroethane (HCFC-123) 1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a)	306-83-2
	1,1-Dichloro-1,2,2-trifluoroethane (HCFC-123a)	354-23-4
	1,1-Dichloro-1,2,2-thildoroethane (1101-0-1200)	812-04-4
	Chlorotetrafluoroethane (HCFC-124)	63938-10-3
	1-chloro-1,1,2,2-tetrafluoroethane (HCFC-124a)	2837-89-0
	Trichlorofluoroethane (HCFC-131)	<u>354-25-6</u> 27154-33-2;
		134237-34-6
	1,1,2-Trichloro-2-fluoroethane (HCFC-131)	359-28-4
	1,1,2-Trichloro-1-fluoroethane (HCFC131a)	811-95-0
	1,1,1-Trichloro-2-fluoroethane (HCFC-131b)	2366-36-1
	Dichlorodifluoroethane (HCFC-132)	25915-78-0
	1,1-Dichloro-2,2-difluoroethane (HCFC-132)	431-06-1
	1,2-Dichloro-1,1-difluoroethane (HCFC-132b)	471-43-2
	1,1-Dichloro-1,2-difluoroethane (HCFC-132c)	1649-08-7
		1842-05-3
	Chlorotrifluoroethane (HCFC-133)	1330-45-6 431-07-2
	2-Chloro-1,1,1-trifluoroethane (HCFC-133a)	431-07-2 75-88-7
	1-Chloro-1,1,2-trifluoroethane (HCFC-133b)	421-04-5
	Dichlorofluoroethane(HCFC-141)	25167-88-8
		430-57-9
	1,1-Dichloro-2-fluoroethane (HCFC-141a)	430-53-5
	1,1-Dichloro-1-fluoroethane (HCFC-141b)	1717-00-6
	Chlorodifluoroethane (HCFC-142)	25497-29-4
	1-Chloro-1,1-difluoroethane (HCFC-142)	338-65-8
	1-Chloro-1,2-difluoroethane (HCFC-142a)	75-68-3
		338-64-7
	Chlorofluoroethane (HCFC-151)	110587-14-9
	1-Chloro-1-fluoroethane (HCFC-151a)	762-50-5
	Hexachlorofluoropropane (HCFC-221)	<u> </u>
		29470-94-8
	1,1,1,2,2,3-Hexachloro-3-fluoropropane (HCFC-221ab)	422-26-4

Ozone depleting	Pentachlorodifluoropropane (HCFC-222)	134237-36-8
substances	1,1,1,3,3-pentachloro-2,2-difluoropropane (HCFC-222ca))	422-49-1
(continued)	1,2,2,3,3-pentachloro-1,1-difluoropropane (HCFC-222aa)	422-30-0
	Tetrachlorotrifluoropropane (HCFC-223)	134237-37-9
	1,1,3,3-Tetrachloro-1,2,2-trifluoropropane (HCFC-223ca)	422-52-6
	1,1,1,3-Tetrachloro-2,2,3-trifluoropropane (HCFC-223cb)	422-50-4
	Trichlorotetrafluoropropane (HCFC-224)	134237-38-0
	1,3,3-Trichloro-1,1,2,2-tetrafluoropropane (HCFC-224ca)	422-54-8
	1,1,3-Trichloro-1,2,2,3-tetrafluoropropane (HCFC-224cb)	422-53-7
	1,1,1-Trichloro-2,2,3,3-tetrafluoropropane (HCFC-224cc)	422-51-7
	Dichloropentafluoropropane (HCFC-225) 2,2-Dichloro-1,1,1,3,3-pentafluoropropane (HCFC-225aa)	127564-92-5 128903-21-9
	2,3-Dichloro-1,1,1,2,3-pentafluoropropane (HCFC-225ba)	422-48-0
	1,2-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225bb)	422-44-6
	3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca)	422-56-0
	1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)	507-55-1
	1,1-Dichloro-1,2,2,3,3-pentafluoropropane (HCFC-225cc)	13474-88-9
	1,2-Dichloro-1,1,3,3,3-pentafluoropropane (HCFC-225da)	431-86-7
	1,3-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225ea)	136013-79-1
	1,1-Dichloro-1,2,3,3,3-pentafluoropropane (HCFC-225eb)	111512-56-2
	Chlorohexafluoropropane (HCFC-226)	134308-72-8
	2-Chloro-1,1,1,3,3,3-hexafluoro-propane (HCFC-226da)	431-87-8
	Pentachlorofluoropropane (HCFC-231)	134190-48-0
	1,1,1,2,3-pentachloro-2-fluoro-propane (HCFC-231bb)	421-94-3
	Tetrachlorodifluoropropane (HCFC-232)	134237-39-1
	1,1,1,3-Tetrachloro-3,3-difluoropropane (HCFC-232fc)	460-89-9
	Trichlorotrifluoropropane (HCFC-233)	134237-40-4
	1,1,1-Trichloro-3,3,3-trifluoropropane (HCFC-233fb) Dichlorotetrafluoropropane (HCFC-234)	7125-83-9
	1,2-Dichloro-1,2,3,3-tetrafluoropropane (HCFC-234db)	425-94-5
	Chloropentafluoropropane (HCFC-235)	134237-41-5
	1-Chloro-1,1,3,3,3-pentafluoropropane (HCFC-235fa)	460-92-4
	Tetrachlorofluoropropane (HCFC-241)	134190-49-1
	1,1,2,3-Tetrachloro-1-fluoropropane (HCFC-241db)	666-27-3
	Trichlorodifluoropropane (HCFC-242)	134237-42-6
	1,3,3,Trichloro-1,1-difluoropropane (HCFC-242fa)	460-63-9
	Dichlorotrifluoropropane (HCFC-243)	134237-43-7
	1,1-Dichloro-1,2,2-trifluoropropane (HCFC-243cc)	7125-99-7
	2,3-Dichloro-1,1,1-trifluoropropane (HCFC-243db)	338-75-0
	3,3-Dichloro-1,1,1-trifluoropropane (HCFC-243fa)	460-69-5
	Chlorotetrafluoropropane (HCFC-244)	134190-50-4
	3-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244ca)	679-85-6
	1-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244cc) Trichlorofluoropropane (HCFC-251)	<u>421-75-0</u> 134190-51-5
	1,1,3-Trichloro-1-fluoropropane (HCFC-251fb)	818-99-5
	1,1,2-Trichloro-1-fluoropropane (HCFC-251ldc)	421-41-0
	Dichlorodifluoropropane (HCFC-252)	134190-52-6
	1,3-Dicloro-1,1-difluoropropane (HCFC-252fb)	819-00-1
	Chlorotrifluoropropane (HCFC-253)	134237-44-8
	3-Chloro-1,1,1-trifluoropropane (HCFC-253fb)	460-35-5
	Dichlorofluoropropane (HCFC-261)	134237-45-9
	1,1-Dichloro-1-fluoropropane (HCFC-261fc)	7799-56-6
	1,2-Dichloro-2-fluoro-propane (HCFC-261ba)	420-97-3
	Chlorodifluoropropane (HCFC-262)	134190-53-7
	1-Chloro-2,2-difluoropropane (HCFC-262ca)	420-99-5
	2-Chloro-1,3-difluoropropane (HCFC-262da)	102738-79-4
	1-Chloro-1,1-difluoropropane (HCFC-262fc)	421-02-3
	Chlorofluoropropane (HCFC-271)	134190-54-8
	2-Chloro-2-fluoropropane (HCFC-271ba)	420-44-0
	1-Chloro-1-fluoropropane (HCFC-271fb	430-55-7
	Note: These substances may contain further isomers that are no Isomers with CAS numbers have been included when av	

		Key Legal and			
No.	Substance/	Regulatory	Application(s)	Threshold Level	Examples of Use
	Category	or Industry Standard	, approution(c)		
16	Radioactive	•EU-D 96/29/Euratom	All	Intentionally	Optical properties
_	substances	•Act on the Regulation		added (1)	(thorium),
		of Nuclear Source			measuring device,
		Material, Nuclear Fuel			gauges,
		Material, and Reactors			detector
		 Japan Law oncerning 			
		Prevention from			
		Radiation Hazards			
				L	
		Representative examp	les of relevant substand	e	
		Substance name			CAS No.
		Uranium-238			7440-61-1
		Radon	10043-92-2		
		Americium-241	14596-10-2		
		Thorium-232	7440-29-1		
		Cesium-137			10045-97-3
		Strontium-90	10098-97-2		
				T	
17	Asbestos	 ANNEX XVII Entry 6 	All	Intentionally	Insulator,
		of REACH Regulation		added (1)	filler,
		(EC) No 1907/2006			pigment,
		•US TSCA			paint, talc.
					heat insulating
					material
					material
		Representative examp	les of relevant substand	e	
		Substance name		-	CAS No.
		Asbestos			1332-21-4
		Actinolite			77536-66-4
		Amosite (Grunerite)			12172-73-5
		Anthophyllite			77536-67-5
		Chrysotile			12001-29-5
		Crocidolite			12001-28-4
		Tremolite			77536-68-6

Key Legal and Substance/ No. **Examples of Use** Regulatory Application(s) **Threshold Level** Category or Industry Standard 18 Azocolourants ANNEX XVII Entry 43 Textiles 0.003% by weight Pigment, (30 ppm)⁽³⁾ and azodyes which of REACH Regulation and leather dye, of the finished form certain colorant (EC) No 1907/2006 aromatic amines (3) textile/leather product Relevant aromatic amines CAS No. Substance name Biphenyl-4-ylamine 92-67-1 92-87-5 Benzidine 4-chloro-o-toluidine 95-69-2 91-59-8 2-naphthylamine 97-56-3 o-aminoazotoluene 5-nitro-o-toluidine 99-55-8 4-chloroaniline 106-47-8 4-methoxy-m-phenylenediamine 615-05-4 4,4'-methylenedianiline 101-77-9 3,3'-dichlorobenzidine 91-94-1 3,3'-dimethoxybenzidine 119-90-4 3,3'-dimethylbenzidine 119-93-7 4,4'-methylenedi-o-toluidine 838-88-0 6-methoxy-m-toluidine 120-71-8 4,4'-methylene-bis(2-chloroaniline) 101-14-4 101-80-4 4,4'-oxydianiline 4,4'-thiodianiline 139-65-1 o-toluidine 95-53-4 4-methyl-m-phenylenediamine 95-80-7 2,4,5-trimethylaniline 137-17-7 o-anisidine 90-04-0 4-amino azobenzene 60-09-3 Note: The European Community's ban applies to azocolourants and azodyes that by reductive cleavage of azo groups may release one of the above 22 aromatic amines. 19 Polyvinyl chloride 0.1% total chlorine •JS709 Packaging Insulator, (PVC)/ content by weight cable coating, materials **PVC** compounds (1,000 ppm) film, tube, carrying bag, tamperproof labels. in plastic material pouch clam-shell packs If customers specify use of PVC packaging materials, above prohibitions shall not apply. Applications other than the above shall apply to controlled chemical substances. Representative examples of relevant substance Substance name CAS No. Polyvinyl chloride (PVC) 9002-86-2

	Prohibited Chemical Substances (continued)									
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use					
20	Perfluorooctane sulfonate (PFOS) and its salts	• EU POPs Regulation (EU)2019/1021 • Canadian Environmental Protection Act 1999 • Japan Law concerning the evaluation of chemical substances	All	 Intentionally added ⁽¹⁾ 0.1% by weight (1,000 ppm) in a part 1 µg/m2 in textiles or coated material 	Photoresist, anti-reflection coating agent, film, paper, photos coating, plating mist inhibitor, lubricating oil used in the electroplating process					
		Representative exampl Substance name Perfluoroctane Sulfona Ammonium heptadecafl Dotassium heptadecafluor Bis(2-hydroxyethyl) am Perfluorooctane-1-sulfo 2-(N-Ethylperfluoroocta N-Ethyl-N-(2-hydroxyethyl)-N-r N-Ethyl perfluoro octan N-Methyl perfluoroocta	te (PFOS) fluoro-1-octanesulfonate uoro-1-octanesulfonate o-1-octanesulfonate monium perfluorooctan onyl fluoride (PFOSF) anesulfonamido) ethyl n thyl) perfluorooctylsulph nethylperfluorooctanesu	e esulfonate nethacrylate ionamide	CAS No. 1763-23-1 29081-56-9 2795-39-3 29457-72-5 70225-14-8 307-35-7 376-14-7 1691-99-2 24448-09-7 4151-50-2 31506-32-8					
21	Dimethyl fumarate (DMF)	ANNEX XVII Entry 61 of REACH Regulation (EC) No 1907/2006	All IF)	0.00001% by weight (0.1 ppm) in a part	Biocide, mold treatment of electronic leather seat including recliner, massage chair CAS No. 624-49-7					
22	Phenol, 2-(2H-benzotriazol-2- yl)-4,6-bis(1,1-dimet hylethyl)	Japan Law concerning the evaluation of chemical substances	All	Intentionally added ⁽¹⁾	Adhesive, paint, printing ink, plastics, inked ribbon, putty, caulking or sealing filler					
		Substance name Phenol,2-(2H-benzo	otriazol-2-yl)-4,6-bis(1,1							

Prohibited Chemical Substances (continued) Key Legal and Substance/ No. Regulatory Application(s) **Threshold Level** Examples of Use Category or Industry Standard 23 Hexabromocyclodod All Flame retardant Japan Law Intentionally ecane added (1) mainly used for concerning the (HBCD (4)) and expanded evaluation of all major polystyrene and chemical substances 0.01% by weight diastereoisomers some types of fiber • EU POPs Regulation (100 ppm) in an article (EU)2019/1021 Representative examples of relevant substance Substance name CAS No. Hexabromocyclododecane (HBCD) 25637-99-4 3194-55-6 α-hexabromocyclododecane 134237-50-6 β-hexabromocyclododecane 134237-51-7 y-hexabromocyclododecane 134237-52-8 rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane 4736-49-6 65701-47-5 rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane 138257-17-7 138257-18-8 (1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane 138257-19-9 (1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane 169102-57-2 (1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane 678970-15-5 (1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane 678970-16-6 (1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane 678970-17-7 24 Perfluorooctanoic All Intentionally Extinguishing agent, Japan Law acid (PFOA), water repellent, added (1) concerning the its salts and surface-active agent, evaluation of **PFOA-related** anti-rust, etching chemical substances •0.0000025% by substances (7) solution, weight (25 ppb) antireflection coating, • EU POPs Regulation of PFOA photoresist. (EU)2019/1021 and including its salts plating solution, in a mixture or an (EU)2020/784 (9) article (8) activator, coating, solder, lubricant, adhesive, •0.0001% by paint, ink weight (1000ppb) surface treating, of one or a agent for paper, combination of resin modifier PFOA-related substances in a mixture or an article⁽⁸⁾ The above standards shall apply to the items supplied to Nikon after January 4, 2020. **Applications exempted** In principle, the following exempted uses shall be apply to the above standards from one year prior to the following exemption deadline. (a) photolithography or etch processes in semiconductor manufacturing, until 4 July 2025; (b) photographic coatings applied to films, until 4 July 2025; (c) textiles for oil- and water-repellency for the protection of workers from dangerous liquids that comprise risks to their health and safety, until 4 July 2023; (d) invasive and implantable medical devices, until 4 July 2025; (2) PFOA and its salts and/or PFOA-related compounds equal to or below 0,0002 % by weight (2ppm) contained in medical devices other than invasive devices and implantable devices.

Perfluorooctanoic acid (PFOA),	Representative examples of relevant substance PFOA and its salts	CAS No.
its salts and	Perfluorooctanoic acid; PFOA	335-67-1
PFOA-related substances ⁽⁷⁾	Ammonium pentadecafluorooctanoate; APFO	3825-26-1
(continued)	Sodium perfluorooctanoate	335-95-5
	Potassium perfluorooctanoate	2395-00-8
	Silver perfluorooctanoate	335-93-3
	Tris(pentadecafluorooctanoic acid)chromium(III) salt	68141-02-6
	Ethanaminium, N, N, N-triethyl-, salt with pentadecafluorooctanoic acid (1:1)	98241-25-9
	Hexanoic acid, 2,3,3,4,4,5,5,6,6,6-decafluoro- 2-(1,1,2,2,2- pentafluoroethyl)-, ammonium salt (1:1)	13058-06-5
	PFOA-related substances	CAS No.
	Pentadecafluorooctyl fluoride	335-66-0
	Methyl perfluorooctanoate	376-27-2
	Ethyl perfluorooctanoate	3108-24-5
	Triethoxy-1H,1H,2H,2H-perfluorodecylsilane	101947-16-4
	1,3-Propanediol, 2,2-bis[[(γ-ω-perfluoro-C4-10-alkyl) thio] methyl] derivs., phosphates, ammonium salts	148240-85-1
	1,3-Propanediol, 2,2-bis[[(γ-ω-perfluoro-C6-12-alkyl) thio] methyl] derivs., phosphates, ammonium salts	148240-87-3
	2-Propenoic acid, C16-18-alkyl esters, polymers with 3,3,4,4,5,5, 6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl acrylate	160336-09-4
	2-(Perfluorooctyl)ethyl methacrylate	1996-88-9
	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-Heptadecafluoro-10-iododecane	2043-53-0
	Cyclotetrasiloxane, 2-(4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heptadecafluoroundecyl)-2,4,6,8-tetramethyl-, Si-[3- (oxiranylmethoxy)propyl] derivs	206886-57-9
	1H,1H,2H-Perfluoro-1-decene	21652-58-4
	3,4-bis [(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1- oxooctyl) amino] benzenesulphonyl chloride	
	2H,2H-Perfluorodecanoic acid	27854-31-5
	1H,1H,2H,2H-Heptadecafluorodecyl acrylate	27905-45-9
	1H,1H,2H,2H-Perfluorodecylmethyldichlorosilane	3102-79-2
	Tris [4-(1H,1H,2H,2H- perfluorodecyl) phenyl] phosphine	325459-92-5
	Bis[tris(4-(1H,1H,2H,2H-perfluorodecyl) phenyl) phosphine] palladium (II) dichloride	326475-46-1
	Perfluorooctanoic anhydride	33496-48-9
	2-carboxyethylbis(2-hydroxyethyl)-3- [(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1- oxooctyl) amino] propylammonium hydroxide	39186-68-0
	Perfluorooctyl phosphonic acid; C8-PFPA	40143-78-0
	Bis(heptadecafluorooctyl)phosphinic acid, C8/C8-PFPIA	40143-79-1
	N-[3-[bis(2-hydroxyethyl) amino] propyl] -2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanamide	41358-63-8
	Perfluorooctyl iodide	507-63-1
	2-Propenoic acid, 2-methyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctyl ester, polymer with 2-propenoic acid	53515-73-4
	1-Propanaminium, N,N,N-trimethyl-3-[(2,2,3,3,4,4,5,5,6,6,7,7, 8,8,8-pentadecafluoro-1-oxooctyl)amino]-, chloride	53517-98-9
	Mono[2-(perfluorooctyl)ethyl] phosphate	57678-03-2
	Bis(perfluorooctyl) phosphinic acid; C6/C8-PFPIA	610800-34-5
	Poly(difluoromethylene), α -fluoro- ω - [2- [[2-(trimethylammonio) ethyl] thio] ethyl]-, methyl sulfate	65530-57-6
	Poly(difluoromethylene), α -fluoro- ω -[2-(phosphonooxy)ethyl]-	65530-61-2
	Poly(difluoromethylene), α, α'- [phosphinicobis (oxy-2,1-ethanediyl)] bis [ω-fluoro-	65530-62-3
	1H,1H,2H,2H-Perfluoro-1-decanol	678-39-7
	Bis[2-(perfluorooctyl)ethyl] phosphate	678-41-1

Perfluorooctanoic	Fatty acids, C7-13, perfluoro	68333-92-6
acid (PFOA), its salts and	Fatty acids, C7-13, perfluoro, compds. with ethylamine	69278-80-4
PFOA-related substances ⁽⁷⁾	2-Decenoic acid,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- hexadecafluoro-	70887-84-2
(continued)	Pentanoic acid, 4,4-bis((gamma-omega-perfluoro-C8-20-alkyl) thio) derivs., compds. with diethanolamine	71608-61-2
	Fatty acids, C6-18, perfluoro, ammonium salts	72623-77-9
	Carboxylic acids, C7-13, perfluoro, ammonium salts	72968-38-8
	1H,1H,2H,2H-Perfluorodecyldimethylchlorosilane	74612-30-9
	1H,1H,2H,2H-Perfluorodecyltrichlorosilane	78560-44-8
	Poly(difluoromethylene), a-fluoro-w-(2-sulfoethyl)-	80010-37-3
	Trimethoxy(1H,1H,2H,2H-heptadecafluorodecyl) silane	83048-65-1
	Heptadecafluoro-1-[(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluor ooctyl) oxy] nonene	84029-60-7
	N-(3-aminopropyl)-2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoroo ctanamide	85938-56-3
	1-Propanesulfonic acid, 3-[ethyl(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-1-oxooctyl)amino] -, sodium salt	89685-61-0
	Octanoic acid, pentadecafluoro-, mixed esters with 2,2'-[1,4-butanediylbis(oxymethylene)] bis[oxirane] and 2,2'-[1,6-hexanediylbis(oxymethylene)] bis[oxirane]	90480-57-2
	Amides, C7-19, alpha-perfluoro-N, N -bis(hydroxyethyl)	90622-99-4
	Fatty acids, C7-19, perfluoro	91032-01-8
	Poly(oxy-1,2-ethanediyl), a-[2-[(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1-oxooctyl) amino] ethyl] -w-hydroxy-	93480-00-3
	Diammonium 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- heptadecafluorodecyl phosphate	93857-44-4
	Diammonium 4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heptadecafluoro-2-hydroxyundecyl phosphate	94200-45-0
	Carbamic acid, [2-(sulfothio)ethyl]-, C-(γ-ω-perfluoro- C6-9-alkyl) esters, monosodium salts	95370-51-7

		Key Legal and			
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
25	Polycyclic-aromatic hydrocarbons (PAH)	•ANNEX XVII Entry 50 of REACH Regulation (EC) No 1907/2006	Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity Rubber or plastic components in toys, including activity toys, and childcare articles, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	0.0001% by weight (1 ppm) of any one of following PAHs in rubber or plastic component 0.00005% by weight (0.5 ppm) In rubber or plastic component	Rubber, plasticizer, colored pigment for plastic
		•ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of any one of following PAHs in homogeneous material	
		Relevant substance Substance name Benzo[a]pyrene (BaP) Benzo[a]anthracene (B Chrysen (CHR) Benzo[b]fluoranthene (Benzo[j]fluoranthene (Benzo[k]fluoranthene (Dibenzo[a,h]anthracen	BbFA) BjFA) BkFA)		CAS No. 50-32-8 192-97-2 56-55-3 218-01-9 205-99-2 205-82-3 207-08-9 53-70-3

	Prohibited Chemical Substances (continued)						
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
26	Selected four Phthalates ·Bis (2-ethylhexyl) phthalate (DEHP)	Commission Delegated Directive (EU) 2015/863 amending Annex II to RoHS Directive 2011/65/EU	Electrical and electronic products (Including accessories)	0.1% by weight (1,000 ppm) of each phthalate in homogeneous material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant		
	 Dibutyl phthalate (DBP) Benzyl butyl phthalate (BBP) Diisobutyl 	ANNEX XVII Entry 51 of REACH Regulation (EC) No 1907/2006	All except the exemption of item 2 below	0.1% by weight (1,000 ppm) for the sum of each phthalate in plasticised material			
	phthalate (DIBP)	phthalate					

		Key Legal and				
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
27	Formaldehyde	•US Federal Law	Wood products or	Intentionally	Speaker box,	
	· · · · · · · · · · · · · · · · · · ·	40 CFR Part 770	parts using	added (1), (5)	rack	
		•Germany	plywood, particle			
		ChemVerbotsV	board, medium			
		 Denmark Dirctive 	density fiber board			
		No.289	or the like			
		ANNEX XVII	 Clothing or related 	0.0075% by	Adhesive,	
		Entry 72 ⁽¹²⁾	accessories	weight	paint	
		of REACH Regulation	 Textiles 	(75 ppm)		
		(EC) No 1907/2006	 Footwear 	In homogeneous material		
		Austria-BGBI		material		
		1990/194				
		Relevant substance			040.11	
		Substance name			CAS No.	
		Formaldehyde			50-00-0	
28	Arsenic/Arsenic	ANNEX XVII Entry 19	Wood	Intentionally	Preservative for	
	compounds	of REACH Regulation		added ⁽¹⁾	wood	
	-	(EC) No 1907/2006				
		ANNEX XVII	 Clothing or related 	0.0001% by		
		Entry 72 ⁽¹²⁾	accessories	weight (1 ppm)		
		of REACH Regulation	 Textiles 	of arsenic		
		(EC) No 1907/2006	 Footwear 	in homogeneous		
			Ontion along	material	Antifoaming agent,	
		—	Optical glass,Intentionallyfilter glassadded (1), (6)		decolorizer	
		Dennestative				
		Substance name	les of relevant substand		CAS No.	
		Arsenic			7440-38-2	
		Chromated copper ars	enate (CCA)		37337-13-6	
		Diarsenic pentoxide			1303-28-2	
		Diarsenic trioxide			1327-53-3	
		Triethyl arsenate			15606-95-8	
		Trilead diarsenate			3687-31-8	
		Calcium arsenate			7778-44-1	
				·		

Proh	ibited Chemical Sub						
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)) Threshold L	.evel	Exar	nples of Use
29	Fluorinated greenhouse gases (HFC, PFC, SF ₆)	EU Revised F-Gas Regulation (EU) No 517/2014	Refer to the followings as products, equipments	Intentionally added ⁽¹⁾	E e c	extingu cleanir	g agent, uishing agent, ng agent,
			and gases to be prohibited			nsulat	ing material, c gas
		Fluorinated greenhouse	e gases to be cont	rolled	040	NI -	GWP ^(%1)
		Substance name	Hydrofluoro	carbons(HFCs)	CAS	INO.	GWP
		Trifluoromethane (fluor			75-4	6-7	14,800
		Difluoromethane (HFC	-32)		75-1		675
		Methyl fluoride (methyl)	593-5		92
		Pentafluoroethane (HF			354-3		3,500
		1,1,2,2-Tetrafluoroetha			359-3		1,100
		1,1,1,2-Tetrafluoroetha 1,1,2-Trifluoroethane (I			811-9		1,430
		1,1,1-Trifluoroethane (I			430-6 420-4		353 4,470
		1,2-Difluoroethane (HF			624-7		53
		1,1-Difluoroethane (HF			75-3		124
		Fluoroethane (HFC-16			353-3		12
		1,1,1,2,3,3,3-Heptafluo		227ea)	431-8		3,220
			1,1,1,2,2,3-Hexafluoro-propane (HFC-236cb)			56-5	1,340
		1,1,1,2,3,3-Hexafluoro			431-6	63-0	1,370
			1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)			39-1	9,810
		1,1,2,2,3-Pentafluoropropane (HFC-245ca)			679-8		693
		1,1,1,3,3-Pentafluoropropane (HFC-245fa)			460-7		1,030
		1,1,1,3,3-Pentafluorobu			406-5		794
		1,1,1,2,2,3,4,5,5,5-Decafluoropentane (HFC-43-10mee) Perfluorocarbons (PFCs)				5-42-8	1,640
		Tetrafluoromethane (perfluoromethane, carbon tetrafluoride) (PFC-14) Hexafluoroethane (perfluoroethane) (PFC-116) Octafluoropropane (perfluoropropane) (PFC-218) Decafluorobutane (perfluorobutane) (PFC-31-10)			75-73	3-0	7,390
					76-1		12,200
					76-1		8,830
					355-2		8,860
		Dodecafluoropentane (perfluoropentane) (PFC-41-12) Tetradecafluorohexane (perfluorohexane) (PFC-51-14)				26-2	9,160
					355-4	12-0	9,300
		Octafluorocyclobutane (perfluorocyclobutane) (PFC-c318)				25-3	10,300
		Sulfur hexafluoride (SF		inated compounds	2551-	62-4	22,800
		(%1) GWP:global wa			2001	<u>.</u>	
		Products, equipments an Products and equipmer		ntrolled Gases	GWP	(※2)	Date of
		Non-refillable container		04363	0001		prohibition
		service, maintain or fill i air-conditioning or heat- equipment, fire protection switchgear, or for use a	refrigeration, -pump I on systems or	HFCs、PFCs、SF ₆	_		already prohibited
		Non-confined direct eva systems (Cooling syste	aporation	HFCs、PFCs			already prohibited
		Fire protection equipme		PFCs			already prohibited
				HFC-23			already prohibited
		Windows for domestic u	lse I	HFCs、PFCs、SF ₆			already prohibited
		Other windows	1	HFCs、PFCs、SF6	-		already prohibited

Fluorinated greenhouse gases	Footwear		HFCs, PFCs, SF ₆	_	already prohibited
(PFC, SF ₆ , HFC) (continued)	Tyres		HFCs, PFCs, SF ₆	—	already prohibited
	One-component foam required to meet nation standards		HFCs、PFCs、SF ₆	≧150	already prohibited
	Aerosol generators marketed and intended for sale to the general put for entertainment and decorative purposes, as listed in point 40 of Annex XVII to Regulation (EC) No 1907/2006, and signal horns	e general public decorative point 40 of tion (EC) No	HFCs	≧150	already prohibited
	Domestic refrigerators	s and freezers	HFCs	≧150	already prohibited
	Technical aerosols except when required to meet national safety standards or when used for medical applications		HFCs	≧150	already prohibited
	Refrigerators and freezers for commercial use (hermetically sealed		HFCs	≧2,500	already prohibited
	equipment)			≧150	Jan.1, 2022
	Stationary refrigeration equipment except equipment intended for application designed to cool products to temperatures below – 50°C		HFCs	≧2,500	already prohibited
	Multipack centralised systems for commerce rated capacity of 40 k except in the primary of cascade systems w greenhouse gases wit than 1,500 may be us	refrigeration ial use with a W or more refrigerant circuit /here fluorinated th a GWP of less	HFCs, PFCs, SF6	≧150	Jan.1, 2022
	Movable room air-con equipment (hermetica equipment which is m rooms by the end use	Movable room air-conditioning equipment (hermetically sealed equipment which is movable between		≧150	already prohibited
	Single split air-condition containing less than 3 greenhouse gases		HFCs, PFCs, SF ₆	≧750	Jan.1, 2025
	Foams except when required to meet national safety	Extruded polystyrene (XPS)	HFCs	≧150	already prohibited
	standards	Other foams			Jan.1, 2023
			g fluorinated greenhou nnex IV of (EU) No 51		all be

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Applica	ation(s)	Thre	shold Level	Examples of Use	
30	CMR substances listed in Annex XVII of REACH Regulation (Excluding	ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear		See table below		Strap, carrying bag, pouch, etc	
	substances already listed as prohibited	Relevant substances						
	chemical substances)	Substance name				Threshold Level (in homogeneous material)		
	cubctanocoj	Benzene	71-43-2		0.0005 wt%			
		α, α, α, 4-Tetrachlorotol p-Chlorobenzotrichlorid		5216-25-1	1	0.0001 wt%	(1 ppm)	
		α, α, α-Trichlorotoluene benzotrichloride		98-07-7		0.0001 wt%	(1 ppm)	
		α-Chlorotoluene; Benzyl chloride		100-44-7		0.0001 wt%	(1 ppm)	
		1,2-Benzenedicarboxyli Di-C 6-8-branched alkyl C 7-rich		71888-89	-6	0.1 wt% (10	00 ppm)	
		Bis(2-methoxyethyl) pht	halate	117-82-8		0.1 wt% (10	· · · · ·	
		Diisopentylphthalate		605-50-5		0.1 wt% (10		
		Di-n-pentyl phthalate (D Di-n-hexyl phthalate (Dr		131-18-0 84-75-3		0.1 wt% (10		
		N-Methyl-2-pyrrolidone;		872-50-4		0.1 wt% (1000 ppm) 0.3 wt% (3000 ppm)		
		(NMP)		407.40.5		0.0.0.040/ (20)	00	
		N, N-Dimethylacetamide N, N-Dimethylformamide Dimethyl formamide		127-19-5 68-12-2		0.3 wt% (30 0.3 wt% (30		
		1,4,5,8-Tetraaminoanth C.I. Disperse Blue 1	raquinone	2475-45-8	3	0.005 wt% (50 ppm)	
		Benzenamine, 4,4'-(4-iminocyclohexa-2 dienylidenemethylene) o hydrochloride C.I. Basic Red 9		569-61-9		0.005 wt% (50 ppm)	
		[4-[4,4'-Bis(dimethylami benzhydrylidene] cycloh exa-2,5-dien-1- ylidene] ammonium chloride; C.I. Basic Violet 3 with 2 Michler's ketone (EC no. 202-027-5)	dimethyl	548-62-9		0.005 wt% (50 ppm)	
		4-Chloro-o-toluidinium c	hloride	3165-93-3	3	0.003 wt% (
		2-Naphthylammoniuma		553-00-4	-	0.003 wt% (30 ppm)		
		4-Methoxy-m-phenylene diammonium sulphate; 2,4-Diaminoanisole sulp		39156-41	-7	0.003 wt% (30 ppm)	
		2,4,5-Trimethylaniline hydrochloride		21436-97	-5	0.003 wt% (30 ppm)		
		Quinoline		91-22-5		0.005 wt% (50 ppm)	

Key Legal and Substance/ No. **Examples of Use** Regulatory Application(s) **Threshold Level** Category or Industry Standard 31 Phenol, US TSCA PBT Rules All except the below Intentionally Flame retardant. Isopropylated added (1) applications plasticizer. Phosphate adhesive, sealant, PIP(3:1) lubricant The above standards shall apply to the items supplied to Nikon from November 1, 2023. However, the start date of application may be postponed depending on circumstances. Applications exempted (1) Hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements (2) Lubricants and greases (3) New and replacement parts for the automotive and aerospace industry (4) An intermediate in a closed system to produce cyanoacrylate adhesives (5) Specialized engine filters for locomotive and marine applications (6) Adhesives and sealants, until January 6, 2025 Relevant substance Substance name CAS No. Phenol, Isopropylated Phosphate 68937-41-7 PIP(3:1) US TSCA PBT Rules 32 2,4,6-tris(tert-butyl)p All except articles Intentionally Fuel additives, fuel henol added (1) injector cleaners (2,4,6-TTBP) and oil and lubricants Relevant substance Substance name CAS No. 2,4,6-tris(tert-butyl)phenol 732-26-3 (2,4,6-TTBP) 33 US TSCA PBT Rules Pentachlorothiophe All Intentionally Rubber kneading added (1) accelerator nol (PCTP) Relevant substance Substance name CAS No. Pentachlorothiophenol 133-49-3 (PCTP) Intentionally Hexachlorobutadien US TSCA PBT Rules All Solvents. 34 added (1) pesticides, (HCBD) hydraulic, heat transfer. or transformer fluid Relevant substance Substance name CAS No. Hexachlorobutadiene 87-68-3 (HCBD)

	Prohibited Chemical Substances (continued)							
Substance/ Category	Regulatory	Application(s)	Threshold Level	Examples of Use				
their salts and C9-C14 PFCA-related substances (13)of REACH Regulation 								
	The above standards shall apply to the items supplied to Nikon after August 25, 2022 (six months prior to the effective date).							
	 year prior to the following (a) Semiconductors on t (b) Semiconductors inconcent of the semiconductors of the semiconductors used on the market (2) For the sum of C9-C1 perfluoroalkoxy group (i) Containing less that (3) Polytetrafluoroethylen thermal degradation of the semiconductor of th	wing exempted uses shall be apply to the above standards from one ng exemption deadline. In their own; December 31, 2023 accorporated in semi-finished and finished electronic equipment; and the processes in semiconductor manufacturing; July 4, 2025 ings applied to films; July 4, 2025 antable medical devices; July 4, 2025 or liquid fuel vapour suppression and liquid fuel fire (Class B fires) systems, including both mobile and fixed systems, subject to the s; July 4, 2025 sed in spare or replacement parts for finished electronic equipment et before 31 December 2023; December 31, 2030 C14 PFCAs in fluoroplastics and fluoroelastomers that contain ups; nan 0.0002% by weight (2,000 ppb) ; Until August 25,2024 ene (PTFE) micro powders produced by ionising irradiation or by n containing less than 1,000 ppb for the sum of C9-C14 PFCAs;						
	Substance name Perfluorononanoic ac Sodium perfluoronon Ammonium perfluoro Perfluorodecanoic ac Sodium Perfluorodec Ammonium perfluoro Perfluoroundecanoic Perfluorododecanoic Perfluorotridecanoic	neCAnoic acid (PFNA: C9 PFCA)375prononanoate2104orononanoate414noic acid (PFDA: C10 PFCA)335prodecanoate383orodecanoate310canoic acid (PFUnDA: C11 PFCA)205canoic acid (PFDoDA: C12 PFCA)307anoic acid (PFTrDA: C13 PFCA)7262						
	Category C9-C14 PFCAs, their salts and C9-C14 PFCA-related	Category or Industry Standard C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances (13) • ANNEX XVII Entry 68 of REACH Regulation (EC) No 1907/2006 The above standards sha (six months prior to the Applications exempted (1) In principle, the following (a) Semiconductors in the (b) Semiconductors in the (c) Photolithography or (d) Photographic coating (e) Invasive and implant (f) fire-fighting foam for already installed in sy following conditions; . (g) semiconductors use placed on the market (2) For the sum of C9-C1 perfluoroalkoxy group (i) Containing less tha (ii) Containing less tha (iii) Perfluoronancic ac Sodium perfluoron Ammonium perfluoro Perfluorodecanoic Perfluorodecanoic Perfluorodecanoic Perfluorodecanoic Perfluorodecanoic	Substance/ Category Regulatory or Industry Standard Application(s) C9-C14 PFCAs, their salts and C9-C14 substances (13) -ANNEX XVII Entry 68 of REACH Regulation (EC) No 1907/2006 All except the below applications The above standards shall apply to the items sup (six months prior to the effective date). Applications exempted (1) In principle, the following exempted uses shall year prior to the following exempted uses shall year of the following exempted uses shall year prior to the stant price of the price shall be prive and implantable medical devices; J (f) fire-fighting foam for liquid fuel yapour supprival raready installed in systems, including both m following conditions; July 4, 2025 (g) semiconductors used in spare or replaceme placed on the market before 31 December 22 (i) Containing less than 0.0002% by weight (2 (ii) Containing less than 0.0002% by weight (2 (ii) Containing less than 0.0001% by weight (2 (ii) Containing less than 0.0001% by weight (2 (ii) Containing less than 0.0001% by weight (2 (ii) Containing perfluorodec	Substance/ Category Regulatory or Industry Standard Application(s) Threshold Level C9-C14 PFCAs, their salts and C9-C14 -ANNEX XVII Entry 68 of REACH Regulation (EC) No 1907/2006 All except the below applications -0.000025% by weight (25 ppb) for the sum of C9-C14 PFCAs and their salts in a mixture or an article PFCA-related substances ⁽¹³⁾ The above standards shall apply to the items supplied to Nikon after A (six months prior to the effective date). -0.000026% by weight (250ppb) for the sum of C9-C14 PFCA-related substances in a mixture or an article The above standards shall apply to the items supplied to Nikon after A (six months prior to the effective date). Applications exempted (1) In principle, Hollowing exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall be apply to the abov year prior to the following exempted uses shall deterr December 31, 2023 (b) Semiconductors incorporated in semi-finished and finished electro December 31, 2023 (c) Photolithography or etch processes in semiconductor manufacturi (d) Photolithography costings applied to films; July 4, 2025 (f) fire-fifting foan for liquid fuel apour suppression and liquid fuel alreacdy installed in systems, including bot mobile and fixe				

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
36	Perfluorohexanesul phonic acid (PFHxS), its salts and PFHxS-related substances	Substances for listing in Annex A (elimination) to the POPs Convention	All	Intentionally added ⁽²⁾	Carpets, leather, textile, paper, plating,electronic components
			nonic acid (PFHxS) anesulfonate nic acid potassium salt acid, 1,1,2,2,3,3,4,4,5		CAS No. 355-46-4 82382-12-5 3871-99-6 '' 55120-77-9 68259-08-5
37	Mineral oil aromatic Hydrocarbons (MOAH) comprising 1 to 7 aromatic rings	Frenchi Cricular Economy Law The above standards will The following standards effective date). • Mineral oil aromatic hy weights (1,000ppm) in ink • Mineral oil aromatic hy weights (1ppm) in ink	shall be apply from Jar ydrocarbons(MOAH) c	nuary 1, 2024 (From omprising 1 to 7 are	one year prior to the omatic rings:0.1 by

Notes:

(1) Intentionally added:

Intentionally added means that the corresponding substance or compound including the corresponding substance is intentionally added during manufacturing process, etc., irrespective of quantity. Ordinary impurities do not fall under this category.

The substance, for which "Intentionally added" is written in its threshold field, must not be intentionally added.

(2) Regulatory thresholds for substances in these applications are based on emission or exposure limits rather than the concentration in the product. The regulatory limit is:

Radioactive substances -a dose rate exceeding 1 μ Sv h–1 at a distance of 0,1 m

Because emission and exposure levels cannot be derived from actual concentration, a threshold level of "intentionally added" is indicated for reporting. Suppliers may choose to report a default concentration of 0.1% by weight in the product for these substances, in lieu of determining the exact concentrations in their products, to indicate that the substance is known to be present in their product, as the actual concentration in the product is not informative for regulatory compliance assessment.

- (3) The European Community's ban applies to azocolourants and azodyes that by reductive cleavage of azo groups may release one of the 22 aromatic amines listed. The threshold level given applies to these amines, not to the azocolourants and azodyes.
- (4) HBCD is also referred to as HBCDD. HBCD and HBCDD are the same substance.
- (5) Regulatory thresholds for substances in these applications are based on emission limits.
 - •Hardwood plywood (made with a veneer core or a composite core) 0.05 ppm
 - •Medium-density fiberboard (MDF) 0.11ppm
 - •Thin MDF 0.13ppm
 - Particleboard 0.09ppm
- (6) However, the use of arsenic is conditionally permitted when their substitutions are not available currently because of material technology and they are technically and scientifically essential to maintain the optical performance required in product designing.

- (7) PFOA related substances refer to substances (including its salts and polymers) having a linear or branched perfluoroheptyl group with the formula C7F15- or perfluorooctyl group with the formula C8F17-, as one of the structural elements. The following substances are excluded.
 - C8F17-X, where X= F, Cl, Br.
 - Fluoropolymers that are covered by CF3[CF2] n-R', where R'=any group, n> 16;
 - Perfluoroalkyl carboxylic acids (including their salts, esters, halides and anhydrides) with ≥ 8 perfluorinated carbons;
 - Perfluoroalkane sulfonic acids and perfluoro phosphonic acids (including their salts, esters, halides and anhydrides) with ≥ 9 perfluorinated carbons;
 - Perfluorooctane sulfonic acid and its derivatives (PFOS), as listed in Annex I of POPs Reguration.
- (8) When PFOAs are contained in mixtures applied to the article, we have determined that the denominator for calculating the concentration may be the total mass of articles and mixtures (after volatilization / after reaction) with reference to "Guidance on requirements for substances in articles" issued by ECHA. However, this interpretation may be changed due to revisions of laws and regulations.
- (9) For equipments used to manufacture semi-conductors, latex printing inks, and medical devices other than implantable medical devices, which were allowed to be excluded for a certain period of time, the exclusion deadline has changed as follows due to the shift from REACH Regulation to POPs Regulation.
 - latex printing inks; until 3 Dec 2020
 - medical devices other than implantable ones, within the scope of Regulation (EU) 2017/745; until 3 Dec 2020
 - equipments used to manufacture semi-conductors; no exclusion
- (10) This PBDEs refer to tetra BDE (tetrabromodiphenyl ether), penta BDE, hexa BDE, hepta BDE, and deca BDE.
- (11) "ANNEX XVII Entry 63 of REACH Regulation (EC) No 1907/2006" shall not apply to the following articles. (Refer to the Official Journal of the European Union / COMMISSION REGULATION (EU) 2015/628 for more information.)
 - (1) Articles placed on the market for the first time before 1 June 2016
 - (2) Articles within the scope of Directive 2011/65/EU of the European Parliament and of the Council
- (12) "ANNEX XVII Entry 72 of REACH Regulation (EC) No 1907/2006" shall not apply to the following uses.
 - (1) Clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide
 - (2) Non-textile fasteners and non-textile decorative attachments
 - (3) Second-hand clothing, related accessories, textiles other than clothing or footwear
 - (4) Wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners
 - (5) Personal protective equipment within the scope of Regulation (EU) 2016/425 and medical devices within the scope of Regulation (EU) 2017/745
 - (6) Disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
- (13) The following substances are covered.
 - (1) Linear and branched perfluorocarboxylic acids of the formula CnF2n +1-C(= O)OH where n = 8, 9, 10, 11, 12, or 13 (C9-C14 PFCAs), including their salts, and any combinations.
 - (2) Any C9-C14 PFCA-related substance having a perfluoro group with the formula CnF2n +1- directly attached to another carbon atom, where n = 8, 9, 10, 11, 12, or 13, including their salts and any combinations.
 - (3) Any C9-C14 PFCA-related substance having a perfluoro group with the formula CnF2n +1- that it is not directly attached to another carbon atom, where n = 9, 10, 11, 12, 13 or 14 as one of the structural elements, including their salts and any combinations.
 - The following substances are excluded.
 - -CnF2n + 1-X, where X = F, CI, or Br
 - where n = 9, 10, 11, 12, 13 or 14, including any combinations thereof,
 - -CnF2n + 1-C(= O)OX' where n> 13 and X'=any group, including salts.

Annex 1. Applications exempted from the RoHS Directive Annex III

The following table lists the applications exempted from the RoHS Directive as of September 1, 2022. As a principle, these applications are exempted from Section I-1, "Prohibited Chemical Substances".

However, the Annex to RoHS Directive is subject to continual revision, and suppliers should be responsible for ensuring that they refer to the latest information when necessary. Please make sure to check the European Commission website for the latest information.

https://environment.ec.europa.eu/topics/waste-and-recycling/rohs-directive/implementation-rohs-directive_en

		Expiration date ^{(1), (2)}				
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)	
1	Mercury in single capped (compact) fluorescent lamps	s not exceedin	g (per burner):			
1(a)	For general lighting purposes < 30 W : 2.5mg	February 24, 2023				
1(b)	For general lighting purposes ≥ 30 W and < 50 W : 3.5mg	February 24, 2023				
1(c)	For general lighting purposes ≥ 50 W and < 150 W : 5mg	February 24, 2023				
1(d)	For general lighting purposes ≥ 150 W : 15mg	February 24, 2023				
1(e)	For general lighting purposes with circular or square structural shape and tube diameter ≤ 17 mm : 7mg	February 24, 2023				
1(f)-I	For lamps designed to emit mainly light in the ultraviolet spectrum: 5 mg		February	/ 24, 2027		
1(f)-II	For special purposes : 5mg		February	/ 24, 2025		
1(g)	For general lighting purposes < 30 W with a lifetime equal or above 20,000 h : 3.5mg	August 24, 2023				
2(a)	Mercury in double-capped linear fluorescent lamps for	general lighti	ng purposes n	ot exceeding	(per lamp):	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2) : 4mg	February 24, 2023				
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5) : 3mg	February 24, 2023				
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8) : 3.5mg	February 24, 2023				
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e.g. T12) : 3.5mg	February 24, 2023				
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25,000 h) : 5mg	February 24, 2023				
2(b)	Mercury in other fluorescent lamps not exceeding (per			~	~	
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9) : 15mg	February 24, 2023				
	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9) : 10mg	Febr	uary 24, 2023	- February 24	l, 2025	
2(b)(4) -I	Lamps for other general lighting and special purposes (e.g. induction lamps) : 15mg		February	/ 24, 2025		
2(b)(4) -II				/ 24, 2027		
2(b)(4) -III	Emergency lamps: 15 mg	February 24, 2027				
3	Mercury in cold cathode fluorescent lamps and extern special purposes used in EEE placed on the market b					
3(a)	Short length (≤ 500 mm) : 3.5mg	February 24, 2025				
3(b)	Medium length (> 500 mm and \leq 1,500 mm) : 5mg	February 24, 2025				
3(c)	Long length (> 1,500 mm) : 13mg	February 24, 2025				
4(a)	Mercury in other low pressure discharge lamps (per lamp) : 15mg	February 24, 2023				
4(a)-I	Mercury in low pressure non-phosphor coated discharge lamps, where the application requires the main range of the lamp-spectral output to be in the ultraviolet spectrum: up to 15 mg mercury may be used per lamp	February 24, 2027				

· · · · · · ·	cations exempted from the RoHS Directive And	Expiration date ^{(1), (2)}			
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 80: $P \le 105$ W: 16 mg may be used per burne	February 24, 2027			
4(b)-l	P ≦155W: 30 mg		February	24, 2023	
4(b)-ll	$155W < P \leq 405W: 40 \text{ mg}$		February	24, 2023	
4(b)-III	405W < P: 40 mg		February	24, 2023	
4(c)	Mercury in other High Pressure Sodium (vapour) lamp (per burner):	s for general I	ighting purpos	es not exceed	ling
4(c)-l	P ≤ 155 W : 20mg		February	24, 2027	
4(c)-II	155 W < P ≤ 405 W : 25mg		February	24, 2027	
4(c)-III	405 W < P : 25mg			24, 2027	
4(e)	Mercury in metal halide lamps (MH)		February	24, 2027	
4(f)-l	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex		February	24, 2025	
4(f)-II	Mercury in high pressure mercury vapour lamps used in projectors where an output ≥ 2000 lumen ANSI is required	February 24, 2027			
4(f)-111	Mercury in high pressure sodium vapour lamps used for horticulture lighting	February 24, 2027			
4(f)-I∨	Mercury in lamps emitting light in the ultraviolet spectrum	February 24, 2027			
5(a)	Lead in glass of cathode ray tubes	Expired on July 21, 2016	Expired on July 21, 2021	July 21, 2023	July 21, 2024
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	Pending	Expired on July 21, 2021	July 21, 2023	July 21, 2024
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight	June 30, 2019 (Shifted to 6(a)-I)	Pending	Pending	Pending
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Pending			
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	June 30, 2019 (Shifted to 6(b)-I, II)	Pending	Pending	Pending
6(b)-l	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Pending			
6(b)-ll	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Pending			
6(c)	Copper alloy containing up to 4 % lead by weight	Pending	Pending	Pending	Pending
7(a)	Lead in high melting temperature type solders (i.e. lead- based alloys containing 85 % by weight or more lead)	Pending	Pending	Pending	Pending
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	Expired on July 21, 2016	Expired on July 21, 2021	July 21, 2023	July 21, 2024
7(c)- I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Pending	Pending	Pending	Pending

Applications exempted from the RoHS Directive Annex III (continued)

Expiration date (1), (2) Cat.9 Cat.8 Cat.8, 9 (Industrial (In-vitro No. Exemption other than monitorina Cat.1-7,10 diagnostic listed at and control medical instrument right device) s) Lead in dielectric ceramic in capacitors for a rated 7(c)-II Pending Pending Pending Pending voltage of 125 V AC or 250 V DC or higher For spare parts for EEE placed on the market before January 1, 2013, lead in dielectric ceramic in Indefinite 7(c)-Ⅲ capacitors for a rated voltage of less than 125 V AC period or 250 V DC Lead in PZT based dielectric ceramic materials for Expired on Expired on July 21, July 21, 7(c)-IV capacitors which are part of integrated circuits or July 21, July 21, 2023 2024 discrete semiconductors 2021 2021 For spare parts for EEE placed on the market before Indefinite January 1, 2012, cadmium and its compounds in one 8(a) period shot pellet type thermal cut-offs Februarv 29, 2020 8(b) Cadmium and its compounds in electrical contacts Pending Pending Pending (Shifted to 8(b)-l) Cadmium and its compounds in electrical contacts used in: - circuit breakers, - thermal sensing controls, - thermal motor protectors (excluding hermetic thermal motor protectors) 8(b)-l - AC switches rated at: Pending - 6 A and more at 250 V AC and more, or - 12 A and more at 125 V AC and more, - DC switches rated at 20 A and more at 18 V DC and more, and - switches for use at voltage supply frequency ≥ 200 Hz. Hexavalent chromium as an anticorrosion agent of March 5, Expired on the carbon steel cooling system in absorption July 21, July 21, 2020 9 July 21, refrigerators up to 0,75 % by weight in the cooling (Shifted to 2023 2024 2021 . 9(a)-I, Ⅱ) solution Up to 0.75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption Expired on 9(a)refrigerators (including minibars) designed to operate March 5, T fully or partly with electrical heater, having an 2021 average utilised power input < 75 W at constant running conditions Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators: 9(a)- II Pending -designed to operate fully or partly with electrical heater, having an average utilised power input \geq 75 W at constant running conditions, -designed to fully operate with non-electrical heater. Lead in bearing shells and bushes for Expired on refrigerant-containing compressors for heating, July 21, July 21, 9(b) July 21. ventilation, air conditioning and refrigeration 2023 2024 2021 (HVACR) applications For spare parts for EEE placed on the market before Indefinite September 24, 2010, lead used in C-press compliant 11(a) period pin connector systems For spare parts for EEE placed on the market before January 1, 2013, Indefinite 11(b) lead used in other than C-press compliant pin period

Applications exempted from the RoHS Directive Annex III (continued)

connector systems

	cations exempted from the RoHS Directive An	Expiration date ^{(1),(2)}			
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)
12	For spare parts for EEE placed on the market before September 24, 2010, lead as a coating material for the thermal conduction module C-ring	Indefinite period			
13(a)	Lead in white glasses used for optical applications	Pending	Pending	Pending	Pending
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards		Pending	Pending	Pending
13(b)- I	Cadmium and lead in filter glasses and glasses used for reflectance standards	Pending			
13(b)- Ⅱ	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex	Pending			
13(b)- Ⅲ	Cadmium and lead in glazes used for reflectance standards	Pending			
14	For spare parts for EEE placed on the market before January 1, 2011, lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Indefinite period			
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	February 29, 2020 (Shifted to 15(a))	Pending	Pending	Pending
15(a)	Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: - a semiconductor technology node of 90 nm or larger; - a single die of 300 mm2 or larger in any semiconductor technology node; - stacked die packages with die of 300 mm2 or larger, or silicon interposers of 300 mm2 or larger.	Pending			
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications		Expired on July 21, 2021	July 21, 2023	July 21, 2024
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi ₂ O ₅ :Pb)	Pending	Pending	July 21, 2023	July 21, 2024
18(b)-l	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment	(Cat.5) Pending	(Cat. 8) Pending	Expired on July 21, 2021	
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	February 29, 2020 (Shifted to 21(a)-(c))	Expired on July 21, 2021	July 21, 2023	July 21, 2024
21(a)	Cadmium when used in colour printed glass to provide filtering functions, used as a component in lighting applications installed in displays and control panels of EEE	Expired on July 21, 2021			
21(b)	Cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	Expired on July 21, 2021			
21(c)	Lead in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	Expired on July 21, 2021			

Applications exempted from the RoHS Directive Annex III (continued)

Applications exempted from the RoHS	Directive Annex III (continued)	
Applications exempted from the Kons	Directive Annex in (continueu)	

	cations exempted from the RoHS Directive Al	Expiration date ^{(1),(2)}				
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)	
23	For spare parts for EEE placed on the market before September 24, 2010, lead in finishes of fine pitch components other than connectors with a pitch of 0.65 mm and less	Indefinite period				
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	Pending	Pending	Pending	Pending	
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring		Expired on July 21, 2021	July 21, 2023	July 21, 2024	
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC	Pending	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more		Expired on July 21, 2021	July 21, 2023	July 21, 2024	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting)		Expired on July 21, 2021	July 21, 2023	July 21, 2024	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	Pending	Pending	July 21, 2023	Pending	
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers		Expired on July 21, 2021	July 21, 2023	July 21, 2024	
34	Lead in cermet-based trimmer potentiometer elements	Pending	Pending	Pending	Pending	
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	Expired on July 21, 2021	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide		Expired on July 21, 2021	July 21, 2023	July 21, 2024	
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm ² of display screen area)	Pending	Pending	Pending	Pending	
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council	Expired on March 31, 2022	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
42 (Cat.11)	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: — with engine total displacement ≥15 litres; or — with engine total displacement <15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.					

Applic	cations exempted from the RoHS Directive Annex III (continued)				
		Expiration date ^{(1),(2)}			
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)
43 (Cat.11)	 Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a) 30 % by weight of the rubber for (i) gasket coatings; (ii) solid-rubber gaskets; or (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a). For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day. 				
44 (Cat.11)	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council, installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users.				
45 (Cat.11)	Lead diazide, lead styphnate, lead dipicramate, orange lead (lead tetroxide), lead dioxide in electric and electronic initiators of explosives for civil (professional) use and barium chromate in long time pyrotechnic delay charges of electric initiators of explosives for civil (professional) use				

Applications exempted from the RoHS Directive Annex III (continued)

Notes:

- (1) Expiration date in Category 11 is in principle "July 21, 2024", five years after the start of application. And the expiration date in the newly added No.45 is "April 20,2026".
- (2) The expiration date of exemption has already filed, and the European Commission is under the discussion of exemption renewal or will discuss from now on, so it is "Pending".

Annex 2. Applications exempted from the RoHS Directive Annex IV

The following table lists the applications (cat.8: medical device, cat.9: monitoring and control instruments) exempted from the RoHS Directive as of September 1, 2022. As a principle, these applications are exempted from Section I-1, "Prohibited Chemical Substances".

However, the Annex to RoHS Directive is subject to continual revision, and suppliers should be responsible for ensuring that they refer to the latest version when necessary. Please make sure to check the European Commission website for the latest information.

https://environment.ec.europa.eu/topics/waste-and-recycling/rohs-directive/implementation-rohs-directive_en

		E	Expiration date (1)	
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)	
Equipment utilising or detecting ionising radiation					
1	Lead, cadmium and mercury in detectors for ionising radiation	Pending	July 21, 2023	Pending	
2	Lead bearings in X-ray tubes	Pending	July 21, 2023	July 21, 2024	
3	Lead in electromagnetic radiation amplification devices: micro-channel plate and capillary plate	Pending	Pending	Pending	
4	Lead in glass frit of X-ray tubes and image intensifiers and lead in glass frit binder for assembly of gas lasers and for vacuum tubes that convert electromagnetic radiation into electrons	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
5	Lead in shielding for ionising radiation	Pending	July 21, 2023	Pending	
6	Lead in X-ray test objects	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
7	Lead stearate X-ray diffraction crystals	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
8	Radioactive cadmium isotope source for portable X-ray fluorescence spectrometers	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
5	Sensors, detectors and electrodes				
1a	Lead and cadmium in ion selective electrodes including glass of pH electrodes	Pending	Pending	Pending	
1b	Lead anodes in electrochemical oxygen sensors	Pending	July 21, 2023	Pending	
1c	Lead, cadmium and mercury in infra-red light detectors	Pending	Pending	Pending	
1d	Mercury in reference electrodes: low chloride mercury chloride, mercury sulphate and mercury oxide	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
C	Others				
9	Cadmium in helium-cadmium lasers	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
10	Lead and cadmium in atomic absorption spectroscopy lamps	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
11	Lead in alloys as a superconductor and thermal conductor in MRI	Pending	July 21, 2023	July 21, 2024	
12	Lead and cadmium in metallic bonds creating superconducting magnetic circuits in MRI, SQUID, NMR (Nuclear Magnetic Resonance) or FTMS (Fourier Transform Mass Spectrometer) detectors.	Pending	Expired on June 30, 2021	Pending	
13	Lead in counterweights	Pending	July 21, 2023	Pending	
14	Lead in single crystal piezoelectric materials for ultrasonic transducers	Pending	July 21, 2023	July 21, 2024	
15	Lead in solders for bonding to ultrasonic transducers	Pending	July 21, 2023	July 21, 2024	
16	Mercury in very high accuracy capacitance and loss measurement bridges and in high frequency RF switches and relays in monitoring and control instruments not exceeding 20 mg of mercury per switch or relay	Expired on July 21, 2021	July 21, 2023	July 21, 2024	
17	Lead in solders in portable emergency defibrillators	Pending	July 21, 2023	July 21, 2024	
18	Lead in solders of high performance infrared imaging modules to detect in the range 8-14µm	Pending	July 21, 2023	July 21, 2024	

	lications exempted from the ROHS Directive Annex IV (co	· · · · · ·	Expiration date (1)
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)
19	Lead in Liquid crystal on silicon (LCoS) displays	Expired on July 21, 2021	July 21, 2023	July 21, 2024
20	Cadmium in X-ray measurement filters	Pending	July 21, 2023	July 21, 2024
21	For spare parts placed on the EU market before January 1, 2020, Cadmium in <u>spare parts</u> for X-ray systems	Indefinite period	Indefinite period	Indefinite period
22	Lead acetate marker for use in stereotactic head frames for use with CT and MRI and in positioning systems for gamma beam and particle therapy equipment	Expired on June 30, 2021	Expired on June 30, 2021	Expired on June 30, 2021
23	Lead as an alloying element for bearings and wear surfaces in medical equipment exposed to ionising radiation	Expired on June 30, 2021	Expired on June 30, 2021	
25	Lead in the surface coatings of pin connector systems requiring nonmagnetic connectors which are used durably at a temperature below – 20 °C under normal operating and storage conditions	Expired on June 30, 2021	Expired on June 30, 2021	Expired on June 30, 2021
26	Lead in — solders on printed circuit boards, — termination coatings of electrical and electronic components and coatings of printed circuit boards, — solders for connecting wires and cables, — solders connecting transducers and sensors, that are used durably at a temperature below – 20 °C under normal operating and storage conditions	Pending	Expired on June 30, 2021	Pending
27	 Lead in solders, termination coatings of electrical and electronic components and printed circuit boards, connections of electrical wires, shields and enclosed connectors, which are used in (a) magnetic fields within the sphere of 1 m radius around the isocentre of the magnet in medical magnetic resonance imaging equipment, including patient monitors designed to be used within this sphere, or (b) magnetic fields within 1 m distance from the external surfaces of cyclotron magnets, magnets for beam transport and beam direction control applied for particle therapy 	Pending	Pending	Expired on June 30, 2021
29	Lead in alloys, as a superconductor or thermal conductor, used in cryo-cooler cold heads and/or in cryo-cooled cold probes and/or in cryo-cooled equipotential bonding systems, in medical devices (category 8) and/or in industrial monitoring and control instruments	Pending	Expired on June 30, 2021	Expired on June 30, 2021
30	Hexavalent chromium in spare parts for X-ray systems placed on the EU market before January 1, 2020	Indefinite period	Indefinite period	Indefinite period
31a	Lead, cadmium and hexavalent chromium in reused spare parts, recovered from medical devices placed on the market before July 22, 2014 and used in category 8 equipment placed on the market before July 22, 2021, provided that reuse takes place in auditable closed-loop business-to-business return systems, and that the reuse of parts is notified to the consumer	Pending	Pending	July 21, 2024
33	Lead in solders on populated printed circuit boards used in Directive 93/42/EEC class IIa and IIb mobile medical devices other than portable emergency defibrillators			
34	Lead as an activator in the fluorescent powder of discharge lamps when used for extracorporeal photopheresis lamps containing BSP (BaSi ₂ O ₅ : Pb) phosphors	Expired on July 21, 2021	Expired on July 21, 2021	
35	Mercury in cold cathode fluorescent lamps for back-lighting liquid crystal displays, not exceeding 5 mg per lamp, used in industrial monitoring and control instruments placed on the market before 22 July 2017.			July 21, 2024

Applications exempted from the RoHS Directive Annex IV (continued)

Expiration date (1) Cat.8 Cat.9 Cat.8, 9 other (in-vitro (industrial Exemption No than listed at diagnostic monitoring medical right and control device) instruments) Expired on Lead used in other than C-press compliant pin connector December 31, systems for industrial monitoring and control instruments. 2020 36 Lead used in other than C-press compliant pin connector Indefinite systems in spare parts for industrial monitoring and control period instruments placed on the market before January 1, 2021. Lead in platinized platinum electrodes used for conductivity measurements where at least one of the following conditions applies: (a) wide-range measurements with a conductivity range covering more than 1 order of magnitude (e.g. range between 0.1 mS/m and 5 mS/m) in laboratory applications for unknown concentrations; December 31, December 31, December 31, 37 (b) measurements of solutions where an accuracy of +/-1 % of 2025 2025 2025 the sample range and where high corrosion resistance of the electrode are required for any of the following: (i) solutions with an acidity < pH 1; (ii) solutions with an alkalinity > pH 13; (iii) corrosive solutions containing halogen gas; (c) measurements of conductivities above 100 mS/m that must be performed with portable instruments. Lead in solder in one interface of large area stacked die elements with more than 500 interconnects per interface which Indefinite Indefinite Indefinite 38 are used in spare parts for X-ray detectors of computed period period period tomography and X-ray systems. Lead in micro-channel plates (MCPs) used in equipment where at least one of the following properties is present: (a) a compact size of the detector for electrons or ions, where the space for the detector is limited to a maximum of 3 mm/MCP (detector thickness + space for installation of the MCP), a maximum of 6 mm in total, and an alternative design yielding more space for the detector is scientifically and technically impracticable: (b) a two-dimensional spatial resolution for detecting electrons 39 Pending Pending Pending or ions, where at least one of the following applies: (i) a response time shorter than 25 ns: (ii) a sample detection area larger than 149 mm²; (iii) a multiplication factor larger than 1.3×10^3 . (c) a response time shorter than 5 ns for detecting electrons or ions: (d) a sample detection area larger than 314 mm² for detecting electrons or ions; (e) a multiplication factor larger than 4.0×10^7 . Lead in dielectric ceramic in capacitors for a rated voltage of Expired on Expired on less than 125 V AC or 250 V DC for industrial monitoring and December 31, December 31, 2020 2020 control instruments. 40 Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC in spare parts for industrial Indefinite monitoring and control instruments placed on the market period before 1 January 2021 Lead as a thermal stabiliser in polyvinyl chloride (PVC) used as base material in amperometric, potentiometric and Expired on 41 conductometric electrochemical sensors which are used in March 31, in-vitro diagnostic medical devices for the analysis of blood and 2022 other body fluids and body gases.

Applications exempted from the RoHS Directive Annex IV (continued)

Applications exempted from the RoHS Directive Annex IV (continued)

		E	Expiration date (1)
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)
42	Mercury in electric rotating connectors used in intravascular ultrasound imaging systems capable of high operating frequency (> 50 MHz) modes of operation.	July 30, 2026		
43	Cadmium anodes in Hersch cells for oxygen sensors used in industrial monitoring and control instruments, where sensitivity below 10ppm is required.			July 15, 2023
44	Cadmium in radiation tolerant video camera tubes designed for cameras with a centre resolution greater than 450 TV lines which are used in environments with ionising radiation exposure exceeding 100 Gy/hour and a total dose in excess of 100kGy.	March 31, 2027 (Category 9)		March 31, 2027
45	Bis(2-ethylhexyl) phthalate (DEHP) in ion-selective electrodes applied in point of care analysis of ionic substances present in human body fluids and/or in dialysate fluids	July 21, 2028 (Category 8)	July 21, 2028	
46	Bis(2-ethylhexyl) phthalate (DEHP) in plastic components in MRI detector coils.	Pending (Category 8)	Pending	
47	Bis(2-ethylhexyl) phthalate (DEHP), butyl benzyl phthalate (BBP), dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP) in spare parts recovered from and used for the repair or refurbishment of medical devices, including in vitro diagnostic medical devices, and their accessories, provided that the reuse takes place in auditable closed-loop business-to-business return systems and that each reuse of parts is notified to the customer.	July 21, 2028 (Category 8)	July 21, 2028	

Notes:

(1) The expiration date of exemption has already filed, and the European Commission is under the discussion of exemption renewal or will discuss from now on, so it is "Pending".

I-2. Controlled Chemical Substances

Sections I-2-(1) and I-2-(2) show the chemical substances that must be appropriately managed when procured Items (finished products, parts and materials, packaging materials) contain them. For these chemical substances, suppliers are required to maintain a system to provide information on the type and amount used, part of the product where used, etc., immediately upon request of Nikon. Note that the legal and regulatory, thresholds, and others are listed for the purpose of reference in Section I-2-(1).

I-2-(1) Controlled Chemical Substances

	0.1	Key Legal and				
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
1	Candidate substances for authorization of REACH Regulation (SVHC) Refer to the SVHC list	Article 33 of REACH Regulation (EC) No 1907/2006	All	0.1% by weight (1,000 ppm) in a part or material ⁽⁵⁾		
	in I-2-(2).					
2	Beryllium oxide (BeO)	EU WEEE Directive 2002/96/EC	All	0.1% by weight (1,000 ppm) in a part	Ceramics	
		Relevant substance				
		Substance name			CAS No.	
		Beryllium oxide (BeO)			1304-56-9	
3	Brominated flame retardants (other than PBBs, PBDEs, or HBCDD)	JS709	Plastic materials except laminated printed board ⁽¹⁾	0.1% total bromine content by weight (1,000 ppm) in plastic material	Flame retardant for housing, connector, package molding sealing	
		•IPC-4101 •IEC61249-2-21	Laminated printed board ⁽¹⁾	0.09% total bromine content by weight (900 ppm) in a laminated board	Flame retardant	
		Representative examp	les of relevant substa	ance		
		Substance name			CAS No.	
		Brominated flame retain ISO 1043-4 code number compounds]	per FR(14) [Aliphatic/a	alicyclic brominated	_	
		Brominated flame retain ISO 1043-4 code number compounds in combination	per FR(15) [Aliphatic/ation with antimony co	alicyclic brominated pmpounds]	_	
		Brominated flame retardant which comes under notation of ISO 1043-4 code number FR(16) [Aromatic brominated compounds excluding brominated diphenyl ether and biphenyls)]			_	
		Brominated flame retar ISO 1043-4 code numl compounds excluding in combination with an	ber FR(17) [Aromatic brominated diphenyl (timony compounds]	_		
			ominated flame retardant which comes under notation of 0 1043-4 code number FR(22) [Aliphatic/alicyclic chlorinated			
		Brominated flame retain ISO 1043-4 code number phosphorus compound	rdant which comes ur per FR(42) [Brominate Is]		_	
		Poly(2,6-dibromo-pher			69882-11-7	
		Tetra-decabromo-diph			58965-66-5	
		1,2-Bis(2,4,6-tribromo-			37853-59-1	
		3,5,3',5'-Tetrabromo-b	ISPRENOI A (TBBA)		79-94-7	

 Brominated flame	TBBA, unspecified	30496-13-0
retardants	TBBA-epichlorhydrin oligomer	40039-93-8
(other than PBBs,	TBBA-TBBA-diglycidyl-ether oligomer	70682-74-5
PBDEs, or HBCDD)	TBBA carbonate oligomer	28906-13-0
(conitinued)	TBBA carbonate oligomer, phenoxy end capped	94334-64-2
(,	TBBA carbonate oligomer, 2,4,6-tribromo-phenol terminated	71342-77-3
	TBBA carbonate oligomer, 2,4,6-thbromo-phenor terminated	32844-27-2
	Brominated epoxy resin end-capped with tribromophenol	139638-58-7
	Brominated epoxy resin end-capped with tribromophenol	135229-48-0
	TBBA-(2,3-dibromo-propyl-ether)	21850-44-2
	TBBA bis-(2-hydroxy-ethyl-ether)	4162-45-2
	TBBA-bis-(allyl-ether)	25327-89-3
	TBBA-dimethyl-ether	37853-61-5
	Tetrabromo-bisphenol S	39635-79-5
	TBBS-bis-(2,3-dibromo-propyl-ether)	42757-55-1
	2,4-Dibromo-phenol	615-58-7
	2,4,6-tribromo-phenol	118-79-6
	Pentabromo-phenol	608-71-9
	2,4,6-Tribromo-phenyl-allyl-ether	3278-89-5
	Tribromo-phenyl-allyl-ether, unspecified	26762-91-4
	Bis(methyl)tetrabromo-phthalate	55481-60-2
	Bis(2-ethylhexyl)tetrabromo-phthalate	26040-51-7
	2-Hydroxy-propyl-2-(2-hydroxy-ethoxy)-ethyl-TBP	20566-35-2
	TBPA, glycol-and propylene-oxide esters	75790-69-1
	N,N'-Ethylene –bis-(tetrabromo-phthalimide)	32588-76-4
	Ethylene-bis(5,6-dibromo-norbornane-2,3-dicarboximide)	52907-07-0
	2,3-Dibromo-2-butene-1,4-diol	3234-02-4
	Dibromo-neopentyl-glycol	3296-90-0
	Dibromo-propanol	96-13-9
	Tribromo-neopentyl-alcohol	36483-57-5
	Poly tribromo-styrene	57137-10-7
	Tribromo-styrene	61368-34-1
	Dibromo-styrene grafted PP	171091-06-8
	Poly-dibromo-styrene	31780-26-4
	Bromo-/Chloro-paraffins	68955-41-9
	Bromo-/Chloro-alpha-olefin	82600-56-4
	Vinylbromide	593-60-2
	Tris-(2,3-dibromo-propyl)-isocyanurate	52434-90-9
	Tris(2,4-Dibromo-phenyl) phosphate	49690-63-3
	Tris(tribromo-neopentyl) phosphate	19186-97-1
	Chlorinated and brominated phosphate ester	125997-20-8
	Pentabromo-toluene	87-83-2
	Pentabromo-benzyl bromide	38521-51-6
	1,3-Butadiene homopolymer, brominated	68441-46-3
	Pentabromo-benzyl-acrylate, monomer	59447-55-1
	Pentabromo-benzyl-acrylate, polymer	59447-57-3
	Decabromo-diphenyl-ethane	84852-53-9
	Tribromo-bisphenyl-maleinimide	59789-51-4
	Tetrabromo-cyclo-octane	31454-48-5
	1,2-Dibromo-4-(1,2 dibromo-methyl)-cyclo-hexane	3322-93-8
	Tetrabromophthalic acid Na salt	25357-79-3
	Tetrabromo phthalic anhydride	632-79-1
	Octabromo-1,1,3-trimethyl-1-phenylindane (FR-1808)	155613-93-7

	Solid Offer Offerfilled	Substances (continue			•
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
4	Chlorinated flame retardants	JS709	Plastic materials except laminated printed board ⁽¹⁾	0.1% total chlorine content by weight (1,000 ppm) in plastic material	Flame retardant for housing, connector, package molding sealing
		•IPC-4101 •IEC61249-2-21	Laminated printed board ⁽¹⁾	0.09% total chlorine content by weight (900 ppm) in a laminated board	Flame retardant
		Representative examp	les of relevant substa	nce	
		Substance name			CAS No.
		Tetrakis(2-chloroethyl)		osphate	38051-10-4
		Tris(1-chloro-2-propyl)			13674-84-5
		Tris(2,3-dichloro-1-pro	· · · · · · · · · · · · · · · · · · ·		66108-37-0
5	Nickel ⁽⁴⁾ /Nickel compounds	ANNEX XVII Entry 27 of REACH Regulation (EC) No 1907/2006	All, where prolonged skin contact is expected ⁽⁴⁾	Intentionally added ^{(2), (3)}	Stainless steel, plating (Example application for prolonged skin contact: headphone)
			les of relevant substa	nce	
		Substance name			CAS No.
		Nickel	1. /		7440-02-0
		Nickel(II) sulfate hexal Nickel oxide	nydrate		10101-97-0
		Nickel dihydroxide			11099-02-8 12054-48-7
6	Perchlorates	US/ California Perchlorate	All	0.0000006% by weight	Coin cell batteries
		Contamination Prevention Act of 2003		(0.006 ppm) of the product	
				· ·	
		Representative examp	les of relevant substa	nce	
		Substance name			CAS No.
		Lithium perchlorate			7791-03-9
7	Diisodecycl phthalate (DIDP)	ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 U.S. Consumer Product Safety Improvement Act (CPSIA)	Plastic material	0.1% by weight (1,000 ppm) in plasticized material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant
		Polovant aubstances			
		Relevant substances Substance name			CAS No.
		Diisodecycl phthalate	(DIDP)		26761-40-0
8	Diisononyl phthalate (DINP)	ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 U.S. Consumer Product Safety Improvement Act (CPSIA)	Plastic material	0.1% by weight (1,000 ppm) in plasticized material	68515-49-1 Plasticizer, dye, pigment, paint, ink, adhesive, lubricant
		Relevant substances			
		Substance name			CAS No.
	1				28553-12-0

Controlled Chemical Substances (continued)

Category or Industry Standard Data Data Data Data Data Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic material 0.1% by weight of REACH Regulation (EC) No 1907/2006 Plastic materials except applications by becified as psecified as prohibited chemical substances 0.1% total chlorine content is pacefied as prohibited chemical substance 0.1% total chlorine content is pacefied as prohibited chemical substance 11 Perfluorohexanoic acid (PFHXA), its saits and PFIXA-related substances for listing in Annex A (elimination) to the Polysinyl chloride (PVC) 11 Intentionally added ⁽²⁾ Candidate substances for listing in Annex A (elimination) to the POP's Convention (EC) No 1907/2006 30 12 Dechlorane Plus Candidate substances for listing in Annex A (elimination) to the POP's Convention (EC) No 1907/2006 Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Candidate substances for listing in Canada Prohibition o	hemical Substanc				
9 Di-n-octyl phthalate (DNOP) -ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 ·U.S. Consumer Product Safety Improvement Act (CPSIA) Plastic material 0.1% by weight (1.000 ppm) in plasticized material Plastic consumer 10 Polyvinyl chloride (PVC) / PVC compounds Relevant substances Substance name C. Di-n-octyl phthalate (DNOP) 1 Insule canter action prohibited chemical 0.1% botal chlorine canterial Insule canterial 10 Polyvinyl chloride (PVC) / PVC compounds JS709 Plastic materials except applications specified as prohibited chemical 0.1% botal chlorine content by weight (1,000 ppm) in plastic material Insule canterial 11 Perfluorohexanoic caid (PFHxA), its stat and PFHxA-related substances Candidate substances for levant substance Carpital added ⁽²⁾ Carpital canterial 12 Dechlorane Plus - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances All substance name Intentionally added ⁽²⁾ Adhe seals for listing in Canada Prohibition of Certain Toxic Substances Regulations All Intentionally added ⁽²⁾ Adhe seals fame	ostance/	gulatory /	Application(s)	Threshold Level	Examples of Use
Substance name Di-n-octyl phthalate (DNOP) Cr. 11 10 Polyvinyl chloride (PVC) / PVC compounds JS709 Plastic materials except applications specified as prohibited chemical substances 0.1% total chlorine trabular Institute content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material clam- 11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Cardidate textifue plastin electr 12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPS Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances stor listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala farme	tyl phthalate • ANI of R (EC • U.S Pro Imp	XVII Entry 52 Pla H Regulation 1907/2006 hsumer Safety ment Act	astic material	(1,000 ppm) in plasticized	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant
Substance name Di-n-octyl phthalate (DNOP) Cr. 11 10 Polyvinyl chloride (PVC) / PVC compounds JS709 Plastic materials except applications specified as prohibited chemical substances 0.1% total chlorine trabular Institute content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material content by weight (1,000 ppm) in plastic material clam- 11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Cardidate textifue plastin electr 12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPS Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances stor listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala farme	Be	at aubatanaaa			
Di-n-octyl phthalate (DNOP) 11 10 Polyvinyl chloride (PVC) / PVC compounds JS709 Plastic materials except applications specified as prohibited chemical substances 0.1% total chlorine in plastic material Insut cable 11 Perfluorohexanoic acid (PFHXA), its salts and PFHXA-related substances Candidate substances for listing in ANINEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Carpt textil platin electr 12 Dechlorane Plus - Candidate substances for listing in ANINEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Added (2) 12 Dechlorane Plus - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All 12 Dechlorane Plus - Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All					CAS No.
(PVC) / PVC compounds except applications specified as prohibited chemical substances content by weight (1,000 ppm) in plastic material cable film, t tampications specified as prohibited chemical substances 11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Carpit textile platin electric comp 12 Dechlorane Plus - Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Added substance 12 Dechlorane Plus - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in ANNEX XVII of REACH Regulation Representative examples of relevant substance All Intentionally added ⁽²⁾ Added seala fame 12 Dechlorane Plus - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ fame 12 Dechlorane Plus - Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Representative examples of relevant substance			?)		117-84-0
in plastic material clam- in plastic material clam- c		exc spe	cept applications ecified as	content by weight	Insulator, cable coating, film, tube, tamperproof labels,
Representative examples of relevant substance Substance name Polyvinyl chloride (PVC) 90 11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances All Intentionally added (2) textile platin PFHxA-related substances CO NNEX XVII of REACH Regulation (EC) No 1907/2006 Representative examples of relevant substance Composition (EC) No 1907/2006 Representative examples of relevant substance Substance name Composition (C) No 1907/2006 30 Representative examples of relevant substance Substance name Composition (C) No 1907/2006 30 Representative examples of relevant substance Substance name Composition (C) No 1907/2006 30 12 Dechlorane Plus -Candidate substances for listing in Annex A (elimination) to the POPS Convention - Candidate substances for listing in Annex A (elimination) to the POPS convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances Regulations - Candidate substances for listing in Annex A (elimination) to fer Report of listing in Annex A (elimination) to fer Resolution (EC) No 1907/2006 Intentionally added (2) Added (2) Representative examples of relevant substance Substances for listing in Annex A (elimination) to the POPS Convention - Candidate substances for listing in Annex A (elimination) to the POPS Convention - Candidate substances for listing in Anne					clam-shell packs
11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Carpute totility of totility of totility of REACH Regulation (EC) No 1907/2006 12 Dechlorane Plus -Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Annex XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ 12 Dechlorane Plus -Candidate substances for listing in Annex A (elimination) to the POP's Convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Annex XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Representative examples of relevant substance Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Representative examples of relevant substance Substance name Intentionally added ⁽²⁾ Adhe				•	olam onon paolo
11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Carput textile platin electric comp Representative examples of relevant substance Substance name C. Substance name C. Perfluorohexanoic acid (PFHxA) Undecafluorohexanoic acid 30 12 Dechlorane Plus - Candidate substances for listing in Annex A (elimination) to the POPS Convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Canada Prohibition of Certain Toxic Substances for listing in Annex A (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame 12 Dechlorane Plus - Candidate substances for listing in Annex A (elimination) to the POPS Convention - Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala			f relevant substanc	e	
11 Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Carpet fextile platin electric composition of the compositio					CAS No. 9002-86-2
acid (PFHxA), for listing in added ⁽²⁾ textile PFHxA-related ANNEX XVII of REACH Regulation electr substances (EC) No 1907/2006 comp electr Representative examples of relevant substance Comp Substance name Comp Representative examples of relevant substance 30 Sodium perfluorohexanoic acid 30 Sodium perfluorohexanoate 290 Ammonium perfluorohexanoate 291 Ammonium perfluorohexanoate 216 12 Dechlorane Plus •Candidate substances for listing in Annex A (elimination) to the POPs Convention •Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation Candidate substances for listing in ANNEX XVII of REACH Regulation Representative examples of relevant substance Representative examples of relevant substance Representative examples of relevant substance					
Substance name C/ Perfluorohexanoic acid 30 Sodium perfluorohexanoate 29 Armonium perfluorohexanoate 29 Ammonium perfluorohexanoate 216 12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame Representative examples of relevant substance Substance name Interview Interview	FHxA), for lis and ANN related REA	in XII of Regulation		Intentionally added ⁽²⁾	Carpets, leather, textile, paper, plating, electronic components
Perfluorohexanoic acid (PFHxA) 30 Undecafluorohexanoate 29 Ammonium perfluorohexanoate 216 12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame Representative examples of relevant substance Substance Event Event Event			f relevant substanc	e	
12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances Regulations • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame			······		CAS No.
12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances Regulations • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame 12 Dechlorane Plus • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame 12 Dechlorane Plus • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame 13 Dechlorane Plus • Candidate substances for listing in ANNEX and the substances All Intentionally added ⁽²⁾ Adhe seala fame 14 Candidate substances for listing in ANNEX and the substance seamples of relevant substance Substance name					307-24-4
12 Dechlorane Plus • Candidate substances for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances Regulations • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame Image: Convention • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 All Intentionally added ⁽²⁾ Adhe seala fame					2923-26-4
for listing in Annex A (elimination) to the POPs Convention • Candidate substances for listing in Canada Prohibition of Certain Toxic Substances Regulations • Candidate substances for listing in ANNEX XVII of REACH Regulation (EC) No 1907/2006 Representative examples of relevant substance Substance name	An	nium perfluorohexand	oate		21615-47-4
Substance name	for I (elir POI •Car for I Pro Tox Reg •Car for I ANI RE/	g in Annex A ion) to the ponvention te substances g in Canada on of Certain abstances ons te substances g in XVII of Regulation	All		Adhesive, sealant, fame retardant
			f relevant substanc	e	CAS No.
1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene	1,6	9,14,15,16,17,17,18		pentacyclo	13560-89-9
(1S 2S 5S 6S 9R 10R 13R 14R)-1 6 7 8 9 14 15 16 17 17 18 18-Do	(15	5S,6S,9R,10R,13R,	,14R)-1,6,7,8,9,14,1		
(1S 2S 5P 6P 0S 10S 13P 14P)-1 6 7 8 9 14 15 16 17 17 18 18-Do	(15	5R,6R,9S,10S,13R,	,14R)-1,6,7,8,9,14,1	15,16,17,17,18,18-Do	135821-03-3

Controlled Chemical Substances (continued)

	Controlled Chemica	Substances (continue	ea)		
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
13	Long-chain perfluoroalkyl carboxylate (LCPFACs) and perfluoroalkyl sulfonate chemicals	US TSCA Significant New Use Rule (SNUR)	Surface coating of articles	Extinguishing agent, water repellent, surface-active agent, anti-rust, etching solution, antireflection coating, photoresist	
		Relevant substances Substance name			CAS No.
		Perfluorooctyl iodide			
		(Octane, 1,1,1,2,2,3,3,4	4,4,5,5,6,6,7,7,8,8- hep	tadecafluoro-8-iodo-)	507–63–1
		Tetrahydroperfluoro-1- (1-Decanol, 3,3,4,4,5,5		0- heptadecafluoro-)	678–39–7
		Perfluoro-1-dodecanol (1-Dodecanol,3,3,4,4,5 cosafluoro-)	,5,6,6,7,7,8,8,9,9,10,10	,11,11,12,12,12-hene	i 865–86–1
		Perfluorodecyl iodide (Decane, 1,1,1,2,2,3,3,	4,4,5,5,6,6,7,7,8,8-hep	adecafluoro-10-iodo-)	2043–53–0
		1,1,2,2-Tetrahydroperfl (Dodecane,1,1,1,2,2,3, ro-12-iodo-)	uorododecyl lodide 3,4,4,5,5,6,6,7,7,8,8,9,9		
		Perfluorodecylethyl acr (2-Propenoic acid, 3,3, heneicosafluorododecy	4,4,5,5,6,6,7,7,8,8,9,9,1	0,10,11,11,12,12,12-	17741–60–5
		1,1,2,2-Tetrahydroperfl (2-Propenoic acid,3,3,4 heptadecafluorodecyl e	uorodecyl acrylate I,4,5,5,6,6,7,7,8,8,9,9,1	0,10,10-	27905–45–9
		1,1,1,2,2,3,3,4,4,5,5,6,0 Pentacosafluoro -14-io (Tetradecane, 1,1,1,2,2 12,12-pentacosafluoro	dotetradecane 2,3,3,4,4,5,5,6,6,7,7,8,8		30046–31–2
		3,3,4,4,5,5,6,6,7,7,8,8,9 osafluorotetradecan-1 (1-Tetradecanol,3,3,4,4 14,14,14-pentacosafluo	9,9,10,10,11,11,12,12,1 ol 4,5,5,6,6,7,7,8,8,9,9,10,		30230 77 5
		3,3,4,4,5,5,6,6,7,7,8,8, 16,16-Nonacosafluorok (1-Hexadecanol,3,3,4,4 14,14,15,15,16,16,16-r	9,9,10,10,11,11,12,12,1 nexadecan-1-ol 4,5,5,6,6,7,7,8,8,9,9,10,		60699–51–6
		1,1,1,2,2,3,3,4,4,5,5,6, Nonacosafluoro-16-iod (Hexadecane,1,1,1,2,2 ,13,13,14,14-nonacosa	6,7,7,8,8,9,9,10,10,11,1 ohexadecane ,3,3,4,4,5,5,6,6,7,7,8,8,		65510–55–6
		Sodium;2-methylpropa (1-Propanesulfonic acid 16-alkyl)thio]propyl]am	ne-1-sulfonate d, 2-methyl-, 2-[[1-oxo-3 ino] derivs.)		68187–47–3
		1,1,2,2-Tetrahydroperfl (Alcohols, C8-14, γ-ω-		ohol	68391–08–2
		Thiols, C8–20, γ-ω-per	fluoro, telomers with ac		70969–47–0
		Silicic acid (H4SiO4), s chlorotrimethylsilane ar heptadecafluoro-1-deca (Silicic acid (H4SiO4), s chlorotrimethylsilane ar heptadecafluoro-1-deca	nd 3,3,4,4,5,5,6,6,7,7,8 anol sodium salt (1:2), reacti nd 3,3,4,4,5,5,6,6,7,7,8	8,9,9,10,10,10- on products with	125476–71–3
		Thiols, C4–20, γ-ω-per acid, sodium salts		rylamide and acrylic	1078712885
		1-Propanaminium, 3-ar ((γ-ω-perfluoro-C4–20-	alkyl)thio)acetyl) derive		1078715–61–3
		Polyfluoroalkyl betaine (Polyfluoroalkyl betaine			EPA accession number ⁽⁶⁾ 71217

14	C.I.Pigment Violet 29 (PV29) Tetrabromo Bisphenol A (TBBPA)	Evaluation Substances added ⁽²⁾ Relevant substances Substance name C.I. Pigment Violet 29 (PV29) Candidate substances A Candidate substances AII Intentionally for listing in Annex II to the EU RoHS Directive Relevant substances				
		Substance name Tetrabromobisphenol	A(TBBPA)		CAS No. 79-94-7	
16	Medium chain chlorinated paraffins (MCCP) [with carbon chain	Candidate substances for listing in Annex A (elimination) to the POPs Convention	All	Intentionally added ⁽²⁾	Flame retardant resin materials	
	lengths in the range C14–17 and chlorination levels at or exceeding 45 per cent chlorine by weight]	Representative examp Substance name Chloroalkanes(C=14-1		ubstance	CAS No. 85535-85-9	
17	2-(2H-1,2,3-Benzotri azol-2-yl)-4,6-di-tert- pentylphenol (UV-328)	Candidate substances for listing in Annex A (elimination) to the POPs Convention	All	Intentionally added ⁽²⁾	Ultraviolet absorber	
		Representative example Substance name			CAS No. 25973-55-1	
18	Per- and polyfluoroalkyl substances (PFAS)	U.S. Maine LD1503	All	ert-pentylphenol (UV-328) Intentionally added ⁽²⁾	Water repellent, extinguishing agents,surface coating,lubricant	
		Perfluorooctanesulfony 1H,1H,2H-Perfluorocyc Trifluoro(trifluoromethy Perfluoro(N-methylmor 3-(Perfluorohexyl)-1,2-	namide betaine fluoroethane fluoroethane dioxaoct-7-ene): rfluoro-3-oxopro fluoride clopentane l)oxirane pholine) epoxypropane 5,6,6,6-nonafluo rifluoromethyl)pri ovinyl ether oerfluoroethoxy)p col fluorohexane-1-so ntanol xahexanoyl) fluo	sulfonyl fluoride pan-2- yl)oxy]propanoate rohexyl)oxy]methyl]-oxetan opanenitrile propanoyl fluoride sulphonyl chloride	CAS No. 34455-29-3 76-13-1 375-72-4 423-39-2 16090-14-5 69116-72-9 307-35-7 15290-77-4 428-59-1 382-28-5 38565-52-5	

		Perflunafene 2:1 Fluorotelomer al	2:1 Fluorotelomer alcohol				94-5 05-9	
19	Mineral oil saturated hydrocarbons(MOS H) with 16 to 35 carbon atoms	Frenchi Cricular Economy Law The regulation of mir January1,2025.	Packaging, Printed matter neral oil under theFre hanged to a prohibite	1% by weights (1,000ppm) in ink ench Circular Economy Lav ed chemical substance on	Oil u produc w shall	sed tion be ap	for oply f	

Notes:

- (1) A laminated printed wiring board refers to the layered board materials excluding surface finishing and components
- (2) Intentionally added: It means that the corresponding substance or compound including the corresponding substance is intentionally added during manufacturing process, etc., irrespective of quantity. Ordinary impurities do not fall under this category. The substance, for which "Intentionally added" is written in its threshold field, must not be intentionally added.
- (3) Regulatory thresholds for substances in these applications are based on emission or exposure limits rather than on the concentration in the product. The regulatory limits are:
 - •Nickel released from the parts coming into direct and prolonged contact with the skin : 0,5 µg/cm²/week (Based on DIN EN 1811)

Because emission and exposure levels cannot be derived from actual concentrations, a threshold level of "intentionally added" is indicated for reporting. Suppliers may choose to report a default concentration of 0.1% by weight in the product for these substances, in lieu of determining the exact concentrations in their products, to indicate that the substance is known to be present in their product, as the actual concentration in the product is not informative for regulatory compliance assessment.

- (4) Nickel must be reported in certain regulated applications where it is likely to result in prolonged skin exposure (e.g., an outer enclosure for a portable electronic product designed to be carried). Use of nickel or nickel contained in components and parts designed to be located inside the outer enclosure of a product need not be reported.
- (5) According to the judgement of European Court of Justice on September 2015, in principle the denominator of the threshold (control value) would be a part or material constituting the product.
- (6) CAS number of these substances is not disclosed due to CBI (confidential business information).

I-2-(2) SVHCs of REACH Regulation

SVHCs of REACH Regulation are subject to continual addition, and suppliers should be responsible for always ensuring that they refer to the latest version. The following table lists the SVHCs as of September 1, 2022. Refer to the following ECHA website for the latest SVHCs information.

https://echa.europa.eu/candidate-list-table

Besides, some of SVHCs are defined to be the "prohibited chemical substances". Refer to the list of Section I-1. "Prohibited Chemical Substances" for the substances marked as "PCS" in the remarks column of the following list.

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
1	Anthracene	204-371-1	120-12-7	Raw material of carbon black, stabilizer	
2	4,4'-Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	Hardening agent	PCS No.18
3	Dibutyl phthalate	201-557-4	84-74-2	Plasticizer, softening agent	PCS No.26
4	Cobalt dichloride	231-589-4	7646-79-9	Drying agent, pigment, coloring agent	
5	Diarsenic pentaoxide	215-116-9	1303-28-2	addition agent for glass, wood preservative, dye	(7) PCS No.28
6	Diarsenic trioxide	215-481-4	1327-53-3	Decolorant for glass and enamel, wood preservative, material for catalyzer	(7) PCS No.28
7	Sodium dichromate	234-190-3 —	10588-01-9 (anhydrate) 7789-12-0 (dihydrate)	Pigment, dye	PCS No.2
8	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	201-329-4	81-15-2	Perfume	
9	Bis (2-ethylhexyl) phthalate (DEHP)	204-211-0	117-81-7	Plasticizer	PCS No.26
	Hexabromocyclododecane (HBCD)	247-148-4	25637-99-4	_	
	and all major diastereoisomers identified:	221-695-9	3194-55-6		PCS
10		_	134237-50-6	Flame retarder	No.23
	α-HBCD β-HBCD	_	134237-51-7		
	γ-HBCD	-	134237-52-8		
11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCPs)	287-476-5	85535-84-8	Plasticizer, flame retarder	(1) PCS No.10
12	Bis(tributyItin)oxide (TBTO)	200-268-0	56-35-9	Wood preservative, paint, pigment, antistatic agent, foaming agent	PCS No.12
13	Lead hydrogen arsenate	232-064-2	7784-40-9	Wood preservative, addition agent for glass and electronic component	(7) PCS No.3, 28
14	Benzyl butyl phthalate (BBP)	201-622-7	85-68-7	Plasticizer, ink, adhesive	PCS No.26
15	Triethyl arsenate	427-700-2	15606-95-8	Wood preservative, addition agent for glass and electronic component	(7) PCS No.28

16 Anthracene oil 292-602-7 90640-80-5 Component in tar oil (e.g. for production of carbon black, heating oil, anthracene paste, anthracene oil, anthracene paste, anthracene oil, anthracene-low 295-275-9 91995-17-4 Component in tar oil (e.g. for production of carbon black, heating oil, bunker tageni, component in tar paint for special ageni, brief component protection ageni, medicinal preparation 20 Anthracene oil, anthracene paste 292-60-8 90640-82-7 Binding ageni, heavy duty correction protection ageni, medicinal preparation 21 Pitch, coal tar, high temp. 266-028-2 80640-81-6 Binding ageni, heavy duty correction protection ageni, medicinal preparation Intermediate in the production of toluene dileocyanate PC dispersion 23 Disobutyl phthalate 201-553-2 84-69-5 Pigment, dye, antit PC dispersion 24 Lead chromate molydate sulphate red (C.I. Pigment Red 104) 215-693-7 1344-37-2 Pigment, dye, antit PC head subforkmate 29 Trickioroethylene 201-167-4 79-06-1 Acrylic resin, adhesive Acrylic resin, adhesive, flame retardant, targenia gagent Acrylic resin, adhesive, flame retardant, tadition agent for glass and ceramics	No.	ICs of REACH Regulation (continue Substance name	EC No.	CAS No.	Examples of use	Remarks
17 Arthracene oil, anthracene paste, distr. 295-278-5 91995-17-4 te, Droduction dealbon black, heating of carbon black, heating of laborate black, and heating agent, heating duty duty corrosion protection agent, heating duty duty duty corrosion protection agent, heating duty duty duty corrosion protection agent, heating duty duty duty corrosion protection agent, corrosion protection agent, heating duty duty corrosion protection agent, corrosion agent, corrosing agent, difference black, and black, addition agent, corrosion agent, heating agent, hydrate 201-173-7 79-06-1 Addition agent, corrosion agent, corrosion agent, corrosion agent, heating agent, hydrate 201-167-4 79-06-1 Ad						Remarks
Ights Of Carbon Black, anthracene oil, anthracene paste, anthracene oil, anthracene paste, anthracene oil, anthracene paste, 295-275-9 91995-15-2 Neating oil, burker ingent, component in application 19 Anthracene oil, anthracene paste 292-604-8 90640-82-7 ingent, component in application 20 Anthracene oil, anthracene paste 292-603-2 90640-82-7 inding agent, heavy duty corrosion protection agent, medicinal preparation 21 Pitch, coal tar, high temp. 266-028-2 65996-83-2 inding agent, heavy duty corrosion protection agent, medicinal preparation heavy duty corrosion protection agent, medicinal preparation heavy duty corrosion protection agent, medicinal preparation PC 21 Lead chromate 201-553-2 84-69-5 filsicor, dispersion PC 22 Lead chromate molyddate sulphate red (C1. Pigment Red 104) 215-575-9 12656-85-8 Hydre, paint No.2 23 Disobutyl phthalate 201-173-7 79-06-1 Acrylic resin, adnesive Acrylic resin, adnesive 24 Lead chromate willow 215-540-4 1304-37-2 Cleaning agent, degressing agent 25 Lead chromate 201-167-4 79-06-1		Anthracene oil, anthracene paste, distn.			(e.g. for production	
antriacene it anthracene-low 292-604-8 90640-82-7 Itel, impregnation 19 Anthracene oil, anthracene paste 292-603-2 90640-81-6 application 20 Anthracene oil, anthracene paste 292-603-2 90640-81-7 application 21 Pitch, coal tar, high temp. 266-028-2 65996-83-2 finding agent, hearddrift 22 2.4-Dinitrotoluene 201-553-2 84-69-5 finding agent, hearddrift regen, medicinal preparation 23 Diisobutyl phthalate 201-553-2 84-69-5 fistocer, paste on total dispersion No.2 24 Lead chromate molybdate sulphate red (C.I. Pigment Red 104) 235-759-9 12656-85-8 Pigment, dye, composition of logic composition composition of logic composition compos		Anthracene oil, anthracene paste,			heating oil, bunker	
20 Anthracene oil, anthracene paste 292-603-2 90640-81-6 application 21 Pitch, coal tar, high temp. 266-028-2 65996-93-2 Binding agent, medicinal preparation 22 2,4-Dinitrotoluene 204-450-0 121-14-2 Intermediate in the production of toporation (disporanate) 23 Diisobutyl phthalate 201-553-2 84-69-5 Plasticiser, disporato Portono toporation (disporanate) 24 Lead chromate 231-846-0 7758-97-6 Plasticiser, disporato Plasticiser, disporato No.2 26 Lead sulfochromate wolbydate sulphate red (C.L. Pigment Red 10.4) 235-759-9 12656-86-8 Plasticiser, disporato Plasticiser, disporato No.2 27 Tris(2-chloroethyl) phosphate 201-173-7 79-01-6 Cleaning agent, deresive, flame retardant, paint, disinfoctant, degressing agent de					agent, component in	
21 Pitch, coal tar, high temp. 266-028-2 560-00-01 Binding agent, heavy duty duty duty duty duty duty duty dut		Anthracene oil anthracene paste				
22 2,4-Dinitrotoluene 204-450-0 121-14-2 intermediate in the production of toluene disocyanate 23 Disobutyl phthalate 201-553-2 84-69-5 disocyanate PC 24 Lead chromate 231-846-0 7758-97-6 Pigment, dye, Vo.2 PC 25 Lead chromate molybdate sulphate red (C.1. Pigment Red 104) 235-759-9 12656-85-8 Pigment, dye, Vo.2 PC 26 Lead sulfochromate vellow (C.1. Pigment Yellow 34) 215-693-7 1344-37-2 Pigment, adhesive Acrylic resin, adhesive 27 Trick/2-chloroethyl) phosphate 201-173-7 79-01-6 Cleaning agent, degressing agent, adhesive Cleaning agent, adhesive Cleaning agent, adhesive 30 Boric acid 233-139-2 10043-35-3 Adhesive, flame retardant, flame retardant, flame retardant, adhition agent for glaent, addition agent for glaent, addition agent for glaent, addition agent for glaent, addition agent for glaent, flame retardant,					Binding agent, heavy duty corrosion protection agent, medicinal	
23Discoury printalate201-553-284-99-5dispersionNo.324Lead chromate231-86-07758-97-6Pigment, ed 104)235-759-912656-85-8Pigment, ed 104)PC26Lead chromate molybdate sulphate red235-759-912656-85-8Pigment, ed 104)PCNo.327Tris(2-chloroethyl) phosphate204-118-5115-96-8Acrylic resin, adhesiveAcrylic resin, adhesivePC28Acrylamide201-173-779-06-1Raw material of the polyacrylamide compositionCleaning agent, degreasing agentPC29Trichloroethylene201-167-479-01-6Cleaning agent, degreasing agentAchesivePC30Boric acid233-139-210043-35-312179-04-3Achesive, famer teradrant, paint, addition agent forPC31Disodium tetraborate, anhydrous215-540-41303-96-41303-96-4Achesive, famer teradrant, paint, addition agent, of dye and the polyacrylamidePC33Sodium chromate232-140-57778-00-6Clouring agent, of dye and the polyacrylamidePC34Potassium chromate231-906-67778-50-9Metal treatmentNo.35Ammonium dichromate233-334-210124-33-3Cobalt(II) dinitrate203-713-736Cobalt(II) sulphate233-334-210124-33-3Catalyst, pigment, paint, sulface treatment37Cobalt(II) sulphate203-713-7109-86-4Solvent, paint, sulface treatment38Cobalt(II) dinitrate203-713-7<	22	2,4-Dinitrotoluene	204-450-0	121-14-2	the production of toluene	
25Lead chromate molybdate sulphate red (C.I. Pigment, Red 104)235-759-912656-85-8Pigment, dye, paintPC No.226Lead sulfochromate yellow (C.I. Pigment Yellow 34)215-693-71344-37-2PaintPC No.227Tris(2-chloroethyl) phosphate (CEP)204-118-5115-96-8Acrylic resin, adhesiveAcrylic resin, adhesiveAcrylic resin, adhesiveAcrylic resin, adhesive28Acrylamide201-173-779-06-1Raw material of the polyacrylamide compositionPC composition29Trichloroethylene201-167-479-01-6Cleaning agent, degreasing agent, addition agent or glass and ceramicsAdhesive, flame retardant, paint, disinfectant, paint, di	23	Diisobutyl phthalate	201-553-2	84-69-5		PCS No.26
25(C.I. Pigment Red 104)235-759-912656-85-8dye, paintORPC26Lead suffactoriomate yellow (T.C.P) ment Yellow 34)215-693-71344-37-2paintNo.227Tris(2-chloroethyl) phosphate (TCEP)204-118-5115-96-8Acrylic resin, adhesiveAcrylic resin, adhesiveAcrylic resin, adhesiveAcrylic resin, adhesive28Acrylamide201-173-779-01-6Cleaning agent, dograzylamide compositionCleaning agent, dargerasing agentAcrylamide30Boric acid233-139-210043-35-3Acrylargerasing agentAcrylargerasing agentAcrylargerasing agent31Disodium tetraborate, anhydrous215-540-41303-04-4Hame retardant, paint, disinfectant, adition agent for glass and ceramicsFR33Sodium chromate231-889-57775-11-3Wood preservative, pigment, inkPC34Potassium chromate232-140-57789-00-6Coloring agent, pigment, inkPC35Ammonium dichromate231-906-67778-50-9Metal treatmentPC37Cobalt(II) chintrate233-342-110124-43-3Catalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, surface treatmentNo.39Cobalt(II) dinitrate203-713-7109-86-4Solvent, brake fluidSolvent, brake fluidCatalyst, pigment, paint, surface treatmentAcrylae treatmentNo.44Chromium trioxide215-607-87738-94-5 13530-68-2 	24	Lead chromate	231-846-0	7758-97-6		
26Lead suffochromate yellow (T.CEP)215-693-71344-37-2Paint27Tris(2-chloroethyl) phosphate (TCEP)204-118-5115-96-8Acrylic resin, adhesiveAcrylic resin, adhesive28Acrylamide201-173-779-06-1Raw material of the polyacrylamide compositionRaw material of the polyacrylamide composition29Trichloroethylene201-167-479-01-6Cleaning agent, degressing agentCleaning agent, adhesive,30Boric acid233-139-210043-35-3 11113-50-1Adhesive, flame retardant, paint, disinfectant, addition agent for glass and ceramicsAdhesive, flame retardant, paint, disinfectant, addition agent for glass and ceramics(7,31Disodium tetraborate, anhydrous215-540-41303-96-4 1303-96-4Menser (Souring agent, addition agent for glass and ceramicsPC No.33Sodium chromate231-889-57775-11-3Wood preservative, pigment, inkPC No.34Potassium chromate232-140-57789-00-6Colouring agent, pigment, inkPC No.35Ammonium dichromate233-334-210124-43-3Catalyst, pigment, paint, surface treatmentPC No.37Cobalt(II) dinitrate233-342-110141-05-6 133-82-0Solvent, brake fluidSolvent, paint, surface treatment38Cobalt(II) diacetate200-75-871-48-7Solvent, assignedSolvent, assignedSolvent, brake fluid412-Methoxyethanol203-713	25	(C.I. Pigment Red 104)	235-759-9	12656-85-8	dye,	PCS No.2, 3
27(TCEP)41.1204-118-5115-96-8adhesive Raw material of the polycrylamide28Acrylamide201-173-779-06-1Raw material of the polycrylamideRaw material of the 	26	(C.I. Pigment Yellow 34)	215-693-7	1344-37-2		- , -
28Acrylamide201-173-779-06-1polyacrylamide composition29Trichloroethylene201-167-479-01-6Cleaning agent, degreasing agent30Boric acid233-139-210043-35-331Disodium tetraborate, anhydrous215-540-41330-43-431Disodium tetraborate, anhydrous215-540-41330-43-432Tetraboron disodium heptaoxide, hydrate235-541-312267-73-133Sodium chromate231-889-57775-11-3Wood preservative, dyesPC Colouring agent, ing agent, ink34Potassium chromate232-140-57789-00-6Colouring agent, ing agent, inkPC No.35Ammonium dichromate231-906-67778-09-5Oxidising agent, ing agent, inkPC No.36Potassium dichromate231-906-67778-50-9Metal treatmentPC No.37Cobalt(II) sulphate233-713-710124-43-3Catalyst, pigment, paint, surface treatmentPC No.39Cobalt(II) diacetate200-755-871-48-7Catalyst, pigment, paint, surface treatmentSolvent, brake fluid412-Methoxyethanol203-713-7109-86-4Solvent, brake fluidSolvent, brake fluid44Acids generated from chromium trioxide and their oligomers oroup containing: -Chromic acid231-801-5 236-881-5 not yet assignedSolvent, brake fluid44Ocolat(II) diacetate203-713-7 236-881-5 not yet assigned7738-94-5 13530-682- <td>27</td> <td></td> <td>204-118-5</td> <td>115-96-8</td> <td>adhesive</td> <td></td>	27		204-118-5	115-96-8	adhesive	
29Includentylene201-16/-479-06degreasing agent30Boric acid233-139-210043-35-311113-50-1Adhesive,31Disodium tetraborate, anhydrous215-540-41303-96-4flame retardant, paint, disinfectant, addition agent for glass and ceramics(7)32Tetraboron disodium heptaoxide, 	28	Acrylamide	201-173-7	79-06-1	polyacrylamide composition	
30Boric acid233-139-2 234-343-410043-35-3 11113-50-1 1303-96-4Adhesive, 	29	Trichloroethylene	201-167-4	79-01-6		
31Disodium tetraborate, anhydrous215-540-41330-43-4 12179-04-3paint, disinfectant, addition agent for glass and ceramics(7)32Tetraboron disodium heptaoxide, 	30	Boric acid				
32hydrate235-341-312267-75-133Sodium chromate231-889-57775-11-3Wood preservative, dyePC No.34Potassium chromate232-140-57789-00-6Colouring agent, pigment, inkPC No.35Ammonium dichromate232-143-17789-09-5Oxidising agent, No.PC No.36Potassium dichromate231-906-67778-50-9Metal treatmentPC No.37Cobalt(II) sulphate233-334-210124-43-3 10141-05-6Catalyst, pigment, paint, surface treatmentNo.39Cobalt(II) daitrate208-169-4513-79-1Solvent, brake fluidSolvent, brake fluid40Cobalt(II) diacetate200-755-871-48-7Solvent, brake fluidSolvent, brake fluid412-Methoxyethanol203-713-7109-86-4 110-80-5Solvent, brake fluidSolvent, brake fluid43Chromium trioxide215-607-81333-82-0Acids generated from chromium trioxide and their oligomers Group containing: - Chromic acid - Dichromic acid231-801-5 not yet assigned7738-94-5 assignedChrome plating, pigment, paint, oxidising agentPC No.	31	Disodium tetraborate, anhydrous	215-540-4	1330-43-4	paint, disinfectant,	(7)
33Sodium chromate231-889-57775-11-3dyeNo.34Potassium chromate232-140-57789-00-6Colouring agent, pigment, inkPC No.35Ammonium dichromate232-143-17789-09-5Oxidising agent, No.PC No.36Potassium dichromate231-906-67778-50-9Metal treatmentPC No.37Cobalt(II) sulphate233-334-210124-43-3 10141-05-6Catalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, surface treatment40Cobalt(II) diacetate200-755-871-48-7Catalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, surface treatment412-Methoxyethanol203-713-7109-86-4Solvent, brake fluidSolvent, brake fluid43Chromium trioxide215-607-81333-82-0Chrome plating, pigment, paint, oxidising agentPC No.44-Chromic acid - Oligomers of chromic acid and dichromic acid231-801-5 not yet assigned7738-94-5 not yet assignedChrome plating, pigment, paint, oxidising agentPC No.	32		235-541-3	12267-73-1	glass and ceramics	
34Potassium chromate232-140-57789-00-6pigment, inkNo.35Ammonium dichromate232-143-17789-09-5Oxidising agent,PC36Potassium dichromate231-906-67778-50-9Metal treatmentPC37Cobalt(II) sulphate233-334-210124-43-3Catalyst, pigment, inkNo.38Cobalt(II) dinitrate233-402-110141-05-6Catalyst, pigment, paint, surface treatmentPC39Cobalt(II) carbonate208-169-4513-79-1Catalyst, pigment, paint, surface treatmentSolvent, brake fluid40Cobalt(II) diacetate200-755-871-48-7Solvent, brake fluidSolvent, brake fluid412-Methoxyethanol203-713-7109-86-4Solvent, brake fluidSolvent, brake fluid43Chromium trioxide215-607-81333-82-0Acids generated from chromium trioxide231-801-57738-94-5Solvent, brake fluid44-Chromic acid-Chromic acid-Oi yet assigned70 yet assignedPCNo.44-Oigomers of chromic acid and dichromic acid-Oi yet assignedassignedassignedPC	33	Sodium chromate	231-889-5	7775-11-3	dye	PCS No.2
35Ammonium dichromate232-143-1778-09-5Oxidising agent,No.36Potassium dichromate231-906-67778-50-9Metal treatmentPC37Cobalt(II) sulphate233-334-210124-43-3Catalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, 	34	Potassium chromate	232-140-5	7789-00-6		PCS No.2
36Potassium dichromate231-906-67778-50-9Metal treatmentNo.37Cobalt(II) sulphate233-334-210124-43-3Catalyst, pigment, paint, surface treatmentCatalyst, pigment, paint, 	35	Ammonium dichromate	232-143-1	7789-09-5	Oxidising agent,	PCS No.2
38Cobalt(II) dinitrate233-402-110141-05-6Catalyst, pigment, paint, surface treatment39Cobalt(II) carbonate208-169-4513-79-1Surface treatment40Cobalt(II) diacetate200-755-871-48-7109-86-4412-Methoxyethanol203-713-7109-86-4Solvent, brake fluid422-Ethoxyethanol203-804-1110-80-5Solvent, 	36	Potassium dichromate	231-906-6	7778-50-9	Metal treatment	PCS No.2
39Cobalt(II) carbonate208-169-4513-79-1paint, surface treatment40Cobalt(II) diacetate200-755-871-48-7autor for the surface treatment412-Methoxyethanol203-713-7109-86-4Solvent, brake fluid422-Ethoxyethanol203-804-1110-80-5Solvent, brake fluid43Chromium trioxide215-607-81333-82-044Acids generated from chromium trioxide 	37	Cobalt(II) sulphate	233-334-2	10124-43-3		
39Cobalt(II) carbonate208-169-4513-79-1surface treatment40Cobalt(II) diacetate200-755-871-48-7109-86-4Solvent,412-Methoxyethanol203-713-7109-86-4Solvent,brake fluid422-Ethoxyethanol203-804-1110-80-5Solvent,brake fluid43Chromium trioxide215-607-81333-82-0Acids generated from chromium trioxide and their oligomers Group containing:231-801-5 236-881-5 not yet assigned7738-94-5 13530-68-2 not yet assignedChrome plating, pigment, paint, oxidising agentPC No.	38	Cobalt(II) dinitrate	233-402-1	10141-05-6		
412-Methoxyethanol203-713-7109-86-4Solvent, brake fluid422-Ethoxyethanol203-804-1110-80-5Solvent, brake fluid43Chromium trioxide215-607-81333-82-0Acids generated from chromium trioxide and their oligomers Group containing: • Chromic acid • Dichromic acid • Oligomers of chromic acid and dichromic acid231-801-5 236-881-5 not yet assigned7738-94-5 13530-68-2 not yet assignedChrome plating, pigment, paint, oxidising agentPC No.	39	Cobalt(II) carbonate	208-169-4	513-79-1		
422-Ethoxyethanol203-804-1110-80-5brake fluid43Chromium trioxide215-607-81333-82-044Acids generated from chromium trioxide and their oligomers Group containing:231-801-5 236-881-57738-94-5 13530-68-2 not yet assigned7738-94-5 13530-68-2 not yet assignedChrome plating, pigment, paint, oxidising agentPC No.	40	Cobalt(II) diacetate	200-755-8	71-48-7		
43Chromium trioxide215-607-81333-82-043Acids generated from chromium trioxide and their oligomers Group containing:231-801-5 236-881-5 not yet assigned7738-94-5 13530-68-2 not yet assignedChrome plating, pigment, paint, oxidising agentPC No.	41	2-Methoxyethanol	203-713-7	109-86-4	Solvent,	
Acids generated from chromium trioxide and their oligomers231-801-57738-94-5Chrome plating, pigment, paint, oxidising agentPC44• Chromic acidnot yetnot yetnot yetssignedSignedNo.• Oligomers of chromic acid• Oligomers of chromic acid and dichromic acid• Oligomers of chromic acid and dichromic acid• Oligomers of chromic acid and dichromic acid• Oligomers of chromic acid• Oligomers of chromic acid and oligomers of chromic acid• Oligomers of chromic acid and oligomers• Oligomers of chromic acid and oligomers• Oligomers of chromic acid and oligomers• Oligomers• Ol	42	2-Ethoxyethanol	203-804-1	110-80-5	brake fluid	
and their oligomers231-801-57738-94-5Chrome plating, pigment, paint, oxidising agentPC44•Chromic acidnot yetnot yetnot yetssignedSignedPC•Oligomers of chromic acid•Oligomers of chromic acidassignedssignedssignedSignedPC	43		215-607-8	1333-82-0		
	44	and their oligomers Group containing: • Chromic acid • Dichromic acid • Oligomers of chromic acid and	236-881-5 not yet	13530-68-2 not yet	pigment, paint,	PCS No.2
45 2-ethoxvethyl acetate 203-839-2 111-15-9 Paint solvent	45	2-ethoxyethyl acetate	203-839-2	111-15-9	Paint solvent	

Substance name EC No. CAS No. Examples of use Remarks No. PCS 46 Strontium chromate 232-142-6 7789-06-2 anti-rust No.2 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl Plasticiser, foam, 47 271-084-6 68515-42-4 esters adhesive, paint (DHNUP) 302-01-2 Reducing agent, 48 Hydrazine 206-114-9 7803-57-8 rocket fuel PCS 49 1-methyl-2-pyrrolidone 212-828-1 872-50-4 Solvent, detergent No.30 50 1,2,3-trichloropropane 202-486-1 96-18-4 Solvent, paint 1,2-Benzenedicarboxylic acid PCS Plasticiser, sealant, 51 276-158-1 71888-89-6 di-C6-8-branched alkyl esters, C7-rich paint, ink No.30 Initiator or booster in Lead styphnate 239-290-0 15245-44-0 52 PCS detonators for both 53 Lead azide Lead diazide 236-542-1 13424-46-9 civilian and military No.3 54 Lead dipicrate 229-335-2 6477-64-1 uses 55 Phenolphthalein 201-004-7 77-09-8 PH indicator Curing agent in 2,2'-dichloro-4,4'-methylenedianiline resins and in the PCS 56 202-918-9 101-14-4 (MOCA) production of No.18 polymer article N,N-dimethylacetamide Solvent, thin film, 57 204-826-4 127-19-5 (DMAC) ink remover Trioxide arsenic PCS 58 Trilead diarsenate 222-979-5 3687-31-8 production No.3, 28 intermediate Trioxide arsenic PCS 59 Calcium arsenate 231-904-5 7778-44-1 production No.28 Glass and ceramic (7) additive, copper foil 231-901-9 PCS 60 Arsenic acid 7778-39-4 of the printed circuit No.28 board Solvent for battery 61 Bis(2-methoxyethyl) ether 203-924-4 111-96-6 electrolytes, adhesive Solvent for the chemical and 62 1,2-Dichloroethane 203-458-1 107-06-2 pharmaceutical industry 4-(1.1.3.3-tetramethylbutyl) phenol. Adhesive, coating, 63 205-426-2 140-66-9 ink, rubber article (4-tert-Octylphenol) PCS 90-04-0 64 2-Methoxyaniline; o-Anisidine 201-963-1 Dye No.18 Polymeric material, PCS Bis(2-methoxyethyl) phthalate 204-212-6 117-82-8 65 paint, plasticiser No.30 Formaldehyde, oligomeric reaction Hardener for epoxy 66 500-036-1 25214-70-4 products with aniline (technical MDA) resin Zirconia Aluminosilicate. **Refractory Ceramic Fibres** 67 (2) Heat shield, (Zr-RCF) auto parts. Aluminosilicate Refractory Ceramic aerospace products Fibres 68 (3) (RCF) Pentazinc chromate octahydroxide Coating for auto 69 256-418-0 49663-84-5 PCS parts / aerospace Potassium hydroxyoctaoxodizincatedi-No.2 70 234-329-8 11103-86-9 products chromate Mixtures for metal surface treatment in PCS Dichromium tris(chromate) 71 246-356-2 24613-89-6 the steel and No.2 aluminium 1,2-bis(2-methoxyethoxy) ethane Solvent, refrigerant, 72 203-977-3 112-49-2 (Triglyme) absorbent

SVHCs of REACH regula	ation (continued)

No.	Cs of REACH regulation (continued Substance name	EC No.	CAS No.	Examples of use	Remarks
	1,2-dimethoxyethane;			Solvent, ectrolyte of	
73	Ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	lithium battery, refrigerant	
74	Diboron trioxide	215-125-8	1303-86-2	Glass, ceramic, flame retardant, catalyst, adhesive	(7)
75	Formamide	200-842-0	75-12-7	Solvent, reagent, plasticizer	
76	Lead (II) bis(methanesulfonate)	401-750-5	17570-76-2	Plating process for the printed circuit board	PCS No.3
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine -2,4,6(1H,3H,5H)-trione)	219-514-3	2451-62-9	Hardener for resin and paint, Electrical insulation material,	
78	β-TGIC (1,3,5-tris[(2S and 2R)- 2,3-epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	423-400-0	59653-74-6	adhesive, plastic stabilizer	
79	4,4'-bis(dimethylamino)benzophenone (Michler's Ketone)	202-027-5	90-94-8	Photoresponsive additive for dye and pigment	
80	N, N, N', N'- tetramethyl -4, 4' - methylenedianiline (Michler's Base)	202-959-2	101-61-1	Intermediate in production such as the dye	
81	[4-[[4-anilino-1-naphthyl][4-(dimethylami no)phenyl]methylene]cyclohexa-2,5-die n-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26)	219-943-6	2580-56-5	Dye, paint, ink	(4)
82	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3)	208-953-6	548-62-9	Dye, paint, ink	(4) PCS No.30
83	4,4'-bis(dimethylamino)-4"-(methylamin o)trityl alcohol	209-218-2	561-41-1	Dye, paint, ink	(4)
84	α, α-Bis[4-(dimethylamino)phenyl]- 4(phenylamino)naphthalene-1-methano I (C.I. Solvent Blue 4)	229-851-8	6786-83-0	Ink	(4)
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	214-604-9	1163-19-5	Flame retardant	PCS No.6
86	Pentacosafluorotridecanoic acid	276-745-2	72629-94-8		
87	Tricosafluorododecanoic acid	206-203-2	307-55-1	Fluorochemical	PCS
88	Henicosafluoroundecanoic acid	218-165-4	2058-94-8	surfactant	No.35
89	Heptacosafluorotetradecanoic acid	206-803-4	376-06-7		
90	Diazene-1,2-dicarboxamide (C, C'-azodi(formamide))	204-650-8	123-77-3	Foaming agent for rubber and synthetic resin	
	Cyclohexane-1,2-dicarboxylic anhydride	201-604-9	85-42-7		
91	Cis-cyclohexane-1,2-dicarboxylic anhydride	236-086-3	13149-00-3	Plasticizer, resin reforming agent	
	Trans-cyclohexane-1,2-dicarboxylic anhydride	238-009-9	14166-21-3		
	Hexahydromethylphthalic anhydride	247-094-1	25550-51-0		
92	Hexahydro-4-methylphthalic anhydride	243-072-0	19438-60-9	Epoxy resin curing	
52	Hexahydro-1-methylphthalic anhydride	256-356-4	48122-14-1	agent, paint	
	Hexahydro-3-methylphthalic anhydride	260-566-1	57110-29-9		
93	4-Nonylphenol, branched and linear	-	-	Surfactant, ink, paint	
94	4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated	—	_	Surfactant	

No.	ICs of REACH regulation (continued Substance name	EC No.	CAS No.	Examples of use	Remarks
95	Methoxyacetic acid	210-894-6	625-45-6	Synthetic intermediate	
96	N, N-dimethylformamide	200-679-5	68-12-2	Synthetic leather, solvent	PCS No.30
97	Dibutyltin dichloride (DBTC)	211-670-0	683-18-1	Intermediate of vinyl chloride stabilizer, catalyst	PCS No.13
98	Lead monoxide (Lead oxide)	215-267-0	1317-36-8	Pigment,	(
99	Orange lead (Lead tetroxide)	215-235-6	1314-41-6	vinyl chloride stabilizer, synthetic rubber accelerator Glass raw material	(7) PCS No.3
100	Lead bis(tetrafluoroborate)	237-486-0	13814-96-5	Plating agent	PCS No.3
101	Trilead bis(carbonate)dihydroxide	215-290-6	1319-46-6		(7)
102	Lead titanium trioxide	235-038-9	12060-00-3	Electroceramic materials	PCS
103	Lead titanium zirconium oxide	235-727-4	12626-81-2	materiale	No.3
104	Silicic acid, lead salt	234-363-3	11120-22-2	Material of glass, pigment, paint, drying agent	(7) PCS No.3
105	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	272-271-5	68784-75-8	Fluorescent material of lamp	(5) PCS No.3
106	1-bromopropane (n-propyl bromide)	203-445-0	106-94-5	Medicine, agricultural chemicals, washing solvent	PCS No.15
107	Methyloxirane (Propylene oxide)	200-879-2	75-56-9	Resin material, solvent	
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	Plasticizer	
109	Diisopentylphthalate (DIPP)	210-088-4	605-50-5	Plasticizer	PCS No.30
110	N-pentyl-isopentylphthalate		776297-69-9		
111	1,2-diethoxyethane	211-076-1	629-14-1	Ink, solvent for paint	
112	Acetic acid, lead salt, basic	257-175-3	51404-69-4	Synthetic intermediate, rust preventive pigment	PCS No.3
113	Lead oxide sulfate	234-853-7	12036-76-9	Electrode material for battery	PCS No.3
114	[Phthalato (2-)] dioxotrilead	273-688-5	69011-06-9		DOO
115	Dioxobis(stearato)trilead	235-702-8	12578-12-0	Stabilizer for PVC	PCS No.3
116	Fatty acids, C16-18, lead salts	292-966-7	91031-62-8		
117	Lead cynamidate	244-073-9	20837-86-9	Rust preventive pigment	PCS No.3
118	Lead dinitrate	233-245-9	10099-74-8	Synthetic material, material of optical glass	(7) PCS No.3
119	Pentalead tetraoxide sulphate	Electrode material		PCS No.3	
120	Pyrochlore, antimony lead yellow 232-38		8012-00-8	Pigment	PCS No.3
121	Sulfurous acid, lead salt, dibasic	d salt, dibasic 263-467-1 62229-08-7 Stabilizer for PVC		PCS No.3	
122	Tetraethyllead	201-075-4	78-00-2	Gasoline additive	PCS No.3
123	Tetralead trioxide sulphate	235-380-9	12202-17-4	Stabilizer for PVC	PCS No.3

SVHCs of REACH regulation (continued)

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
124	Trilead dioxide phosphonate	235-252-2	12141-20-7	Stabilizer for PVC	PCS No.3
125	Furan	203-727-3	110-00-9	Raw material of synthetic resin, solvent, cleaning agent	110.0
126	Diethyl sulphate	200-589-6	64-67-5	Ethylating agent, lenitive dehydrating agent	
127	Dimethyl sulphate	201-058-1	77-78-1	Methylation agent, medicine	
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3- oxazolidine	421-150-7	143860-04-2		
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	201-861-7	88-85-7	Polymer raw material	
130	4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	Curing agent for resin, synthetic resin intermediate	PCS No.18
131	4,4'-oxydianiline and its salts	202-977-0	101-80-4	Raw material of polyimide resin	PCS No.18
132	4-aminoazobenzene	200-453-6	60-09-3		
133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	202-453-1	95-80-7		
134	6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8		PCS
135	Biphenyl-4-ylamine	202-177-1	92-67-1	Dye	No.18
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	202-591-2	97-56-3		
137	o-toluidine	202-429-0	95-53-4		
138	N-methylacetamide	201-182-6	79-16-3	solvent	
139	Cadmium	231-152-8	7440-43-9	Pigment, battery, alloy, plating	PCS No.1
140	Cadmium oxide	215-146-2	1306-19-0	Pigment, catalyst, battery	PCS No.1
141	Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	Surface treatment agent, surfactant, water repellent	
142	Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	Water repellent, Surface treatment agent,	PCS No.24
143	Dipentyl phthalate (DPP)	205-017-9	131-18-0	Plasticizer	PCS No.30
144	4-Nonylphenol, branched and linear, ethoxylated	_	_	Surfactant	(6)
145	Cadmium sulphide	215-147-8	1306-23-6	Pigment	PCS No.1
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	209-358-4	573-58-0	Dye	PCS No.18
147	Disodium 4-amino-3- [[4'-[(2,4-d iaminophenyl)azo] [1,1'-biphenyl]-4-yl] azo] -5-hydroxy-6-(phenylazo) naphthalene-2,7-disulphonate (C.I. Direct Black 38)	217-710-3	1937-37-7	Dye	PCS No.18
148	Dihexyl phthalate (DHP)	201-559-5	84-75-3	Plasticizer	PCS No.30
149	Imidazolidine-2-thione(2-imidazoline-2-t hiol)	202-506-9	96-45-7	Vulcanisation accelerator	
150	Lead di(acetate)	206-104-4	301-04-2	Waterproofing agent, reagent	PCS No.3
151	Trixylyl phosphate	246-677-8	25155-23-1	Plasticizer	

No.	HCs of REACH regulation (continued Substance name	EC No.	CAS No.	Examples of use	Remarks
152	Cadmium chloride	233-296-7	10108-64-2	Plasticizer	PCS
153	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (DIHP)	271-093-5	68515-50-4	Plating, catalyst	No.1
154	Sodium peroxometaborate	231-556-4	7632-04-4		
155	Sodium perborate; perboric acid, sodium salt	239-172-9; 234-390-0	_	Antiseptic, bleach, disinfectant	
156	Cadmium fluoride	232-222-0	7790-79-6	Manufacture of alloy	PCS No.1
157	Cadmium sulphate	233-331-6	10124-36-4; 31119-53-6	Reagent, battery	PCS No.1
158	2-benzotriazol-2-yl-4,6-di-tert-butylphen ol (UV-320)	223-346-6	3846-71-7	Ultraviolet absorber	PCS No.22
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentyl phenol (UV-328)	247-384-8	25973-55-1		
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dit hia-4-stannatetradecanoate	239-622-4	15571-58-1		
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dit hia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxo ethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia -4-stannatetradecanoate (reaction mass of DOTE and MOTE)	_	_	Stabilizer for PVC	PCS No.14
162	 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) 	271-094-0 272-013-1	68515-51-5 68648-93-1	Plasticizer, lubricating oil	
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-e n-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-e n-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	_	_	Perfume	
164	Nitrobenzene	202-716-0	98-95-3	Raw material of aniline, solvent	
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol- 2-yl) phenol (UV-327)	223-383-8	3864-99-1	UV-protection agent	
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6- (sec-butyl) phenol (UV-350)	253-037-1	36437-37-3	UV-protection agent	
167	1,3-propanesultone	214-317-9	1120-71-4	Electrolyte fluid of lithium ion battery	
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	206-801-3	375-95-1 21049-39-8 4149-60-4	Processing aid for fluoropolymer manufacture, lubricating oil additive, cleaning agent	PCS No.35
169	Benzo[def]chrysene (Benzo[a]pyrene)	200-028-5	50-32-8	Adhesive, paint, waterproofing agent	PCS No.25
170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8	80-05-7	Raw material of polycarbonate and epoxy resin, plasticizer, antioxidant	
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	206-400-3 - 221-470-5	335-76-2 3830-45-3 3108-42-7	Lubricant, wetting agent, plasticizer, preservative	PCS No.35

No.	ICs of REACH regulation (continued Substance name	EC No.	CAS No.	Examples of use	Remarks
172	p-(1,1-dimethylpropyl) phenol	201-280-9	80-46-6	Dye intermediate, Rubber chemical, surfactant, photographic film	
173	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	_	_	Lubricant additive	
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	-	-	Carpet, leather, Textile, paper, plating, electronic parts	PCS No.36
175	Chrysene	205-923-4	218-01-9 1719-03-5	Component of coal	PCS
176	Benz[a]anthracene	200-280-6	56-55-3 1718-53-2	tar, paint, fuel	No.25
177	Cadmium nitrate	233-710-6	10325-94-7 10022-68-1 (tetrahydrate)	Colorant for ceramics, battery, synthetic intermediate, emulsion for photograph, adhesive	PCS No.1
178	Cadmium hydroxide	244-168-5	21041-95-2	Material of battery	PCS No.1
179	Cadmium carbonate	208-168-9	513-78-0	Stabilizer for PVC, additive of glass	PCS No.1
180	Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15 -diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	_	_	Adhesive, sealant flame retardant	
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≧ 0.1% w/w 4-heptylphenol, branched and linear]	_	_	Lubricant additive, mold release agent, grease	
182	Octamethylcyclotetrasiloxane (D4)	209-136-7	556-67-2	Cleaning agent, wax, cosmetics, personal care product	
183	Decamethylcyclopentasiloxane (D5)	208-764-9	541-02-6	Cleaning agent, wax, cosmetics, personal care product, fiber treatment agent,dye	
184	Dodecamethylcyclohexasiloxane (D6)	208-762-8	540-97-6	Cleaning agent, wax, cosmetics, personal care product	
185	Lead	231-100-4	7439-92-1	Metal, solder, plating, paint, resin additive	PCS No.3
186	Disodium octaborate	234-541-0	12008-41-2	Anti-freezing agent, lubricating oil, grease, cleaning agent	

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
187	Benzo[ghi]perylene	205-883-8	191-24-2	Color pigment of rubber and plastic	
188	Terphenyl hydrogenated	262-967-7	61788-32-7	Heating medium, solvent, adhesive, sealing material, resin additive	
189	Ethylenediamine (EDA)	203-468-6	107-15-3	Adhesives, sealing agent, filler, putty, plaster	
190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	209-008-0	552-30-7	Production of esters and polymers	
191	Dicyclohexyl phthalate (DCHP)	201-545-9	84-61-7	Plasticizer	
192	2,2-bis(4'-hydroxyphenyl)-4-methylpent ane	401-720-1	6807-17-6	Synthetic resin additives, Liquid crystal material, photosensitizer, polycarbonate resin raw material	
193	Benzo[k]fluoranthene	205-916-6	207-08-9	Petroleum fuel such	PCS No.25
194	Fluoranthene	205-912-4	206-44-0	as kerosene and light oil,	
195	Phenanthrene	201-581-5	85-01-8	color pigments of	
196	Pyrene	204-927-3	129-00-0	rubber and plastic	
197	1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	239-139-9	15087-24-8	Cosmetics, sunscreen	
198	2-methoxyethyl acetate	203-772-9	110-49-6	Solvent for cleaning electronic materials, for printing ink/ paint and for adhesive	
199	Tris (4-nonylphenyl, branched and linear) phosphite (TNPP) with ? 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	_	_	Antioxidant to stabilize polymers	
200	2,3,3,3-tetrafluoro-2-(heptafluoropropox y)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	_	_	Processing aid in the production of fluorinated polymers	
201	4-tert-butylphenol	202-679-0	98-54-4	Paint product, polymer, adhesive, encapsulant	
202	2-benzyl-2-dimethylamino-4'-morpholin obutyrophenone	404-360-3	119313-12-1	Photopolymerizing	
203	2-methyl-1-(4-methylthiophenyl)-2-morp holinopropan-1-one	400-600-6	71868-10-5	agent, UV curing agent	
204	Diisohexyl phthalate	276-090-2	71850-09-4	Plasticizer	
205	Perfluorobutane sulfonic acid (PFBS) and its salts	_	_	Water repellent, surface treatment agent, antifouling agent, fire extinguisher, coating agent	
206	1-vinylimidazole	214-012-0	1072-63-5	Curing agent for epoxy resin, industrial fungicide,	
207	2-methylimidazole	211-765-7	693-98-1	anti-rust, pharmaceutical raw material	
208	Dibutylbis (pentane-2,4-dionato-O, O') tin	245-152-0	22673-19-4	Plastic stabilizers, resin synthesis catalyst	PCS No.13

No.	HCs of REACH regulation (continued Substance name	EC No.	CAS No.	Examples of use	Remarks
110.		20110.	OAC NO.	Preservative,	Remarks
	Butyl 4-hydroxybenzoate			preservatives for	
209	(Butylparaben)	202-318-7	94-26-8	cosmetics and	
				pharmaceuticals	
210	Bis(2-(2-methoxyethoxy) ethyl) ether	205-594-7	143-24-8	Solvent, extractant	
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	_	The single component form of this substance (dioctyltin dilaurate) is used as an additive in the	PCS No.14
	Stannane, dioctyl-, bis(coco acyloxy) derivs	293-901-5	91648-39-4	production of plastic	
	Dioctyltin dilaurate	222-883-3	3648-18-8	and rubber tires.	
	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	_	_	Preparation of	
212	Phenol, 4-dodecyl, branched	_	210555-94-5	lubricant additive	
	4-isododecyl phenol	-	27459-10-5	materials and fuel	
	Phenol, 4-iso dodecyl	_	27147-75-7	system cleaners	
	Phenol, dodecyl-, branched	_	121158-58-5		
	Phenol, (tetrapropenyl) derivative	310-154-3	74499-35-7		
	Phenol, tetrapropylene-	_	57427-55-1		
	Orthoboric acid, sodium salt	-	_		
	boric acid (H3BO3), sodium salt, hydrate	-	25747-83-5		
	Boric acid (H3BO3), disodium salt	_	22454-04-2	Solvent,	
213	Trisodium orthoborate	238-253-6	14312-40-4	corrosion inhibitor	
	Boric acid, sodium salt	215-604-1	1333-73-9		
	Orthoboric acid, sodium salt	237-560-2	13840-56-7		
214	Boric acid (H3BO3), sodium salt (1:1) Medium-chain chlorinated paraffins (MCCP) UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14to C17		14890-53-0 —	Chlorinated flame retardants, flame retardant plasticizers, sealant,	
	Alkanes, C14-16, chloro	_	1372804-76-6	rubber, textile,	
	Alkanes, C14-17, chloro	287-477-0	85535-85-9	thermoplastic, paint,	
	di-, tri- and tetrachlorotetradecane	950-299-5	950-299-5	varnish	
	Tetradecane, chloro derivs	_	198840-65-2		
215	Glutaral	203-856-5	111-30-8	Biocide, leather tanning, X-ray film developing process, cosmetic	
216	4,4'-(1-methyl propylidene) bisphenol; (bisphenol B)	201-025-1	77-40-7	Production of phenolic and polycarbonate resins	
	2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers	—	-	Use in detergents,	
217	(2R)-3-(4-tert-butylphenyl)-2-methylpropanal	_	75166-31-3	cosmetics,	
	(ZR)-3-(4-tert-butyiphenyi)-Z-methyiphopanai		10100 01 0	norfumeral and	
217	2-(4-tert- butylbenzyl) propionaldehyde	201-289-8	80-54-6	perfumed articles, abrasives and wax	

SVHCs of REACH regula	tion (continued)	

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
	2,2-bis(bromomethyl)propane1,3-diol (BMP)	221-967-7	3296-90-0		
218	2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethy I)-1-propanol (TBNPA)	253-057-0 —	36483-57-51 522-92-5	Manufacture of plastic products and chemicals	
	2,3-dibromo-1-propanol (2,3-DBPA)	202-480-9	96-13-9		
219	1,4-dioxane	204-661-8	123-91-1	Solvent	
220	6,6'-di-tert-butyl-2,2'-methylenedi-p-cres ol (DBMC)	204-327-1	119-47-1	Rubber, lubricating oil, adhesives, ink, fuel	
221	tris(2-methoxyethoxy)vinylsilane	213-934-0	1067-53-4	Rubber, plastics, sealant	
222	N-(hydroxymethyl)acrylamide	213-103-2	924-42-5	As a monomer for polymerisation, as a fluoroalkyl acrylate copolymer, and in paints and coatings	
	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)m ethylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	_		
	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methyl ene]bicyclo[2.2.1]heptan-2-one	253-242-6	36861-47-9	-	
	(3E)-1,7,7-trimethyl-3-(4-methylbenzylidene) bicyclo[2.2.1]heptan-2-one	_	1782069-81- 1		
223	(1R,3E,4S)-1,7,7-trimethyl-3-(4-methylbenzyl idene)bicyclo[2.2.1]heptan-2-one	_	95342-41-9	Cosmetics	
	(1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzyl idene)bicyclo[2.2.1]heptan-2-one	-	852541-30-1		
	(1R,3Z,4S)-1,7,7-trimethyl-3-(4-methylbenzyl idene)bicyclo[2.2.1]heptan-2-one	-	852541-21-0		
	(1R,4S)-1,7,7-trimethyl-3-(4-methylbenzylide ne)bicyclo[2.2.1]heptan-2-one	-	741687-98-9		
	(1S,3Z,4R)-1,7,7-trimethyl-3-(4-methylbenzyl idene)bicyclo[2.2.1]heptan-2-one	-	852541-25-4		
224	S-(tricyclo [5.2.1.0'2,6] deca-3- en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	401-850-9	255881-94-8	Lubricating oil, grease	

Notes:

- (1) Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) is abbreviated to SCCPs. Here, the short chain corresponds to carbon number 10 to 13 (as the medium chain and long chain correspond to carbon number 14 to 19 and 20 to 30, respectively). SCCPs are a persistent and high-bioaccumulative substance used for various purposes because it has flame retardant properties, plasticity, lubricating properties in metallic processing, and hydrophobicity.
- (2) Refractory Ceramic Fibers, Zirconia Aluminiumsilicate are fibers covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions:
 - a) oxides of aluminium and silicon are the main components present (in the fibers) within variable concentration ranges
 - b) fibers have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm)
 - c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight

- (3) Refractory Ceramic Fibers, Aluminosilicate are fibers covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions:
 - a) oxides of aluminium, silicon and zirconium are the main components present (in the fibers) within variable concentration ranges
 - b) fibers have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm)
 - c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight
- (4) Those substances are identified as SVHCs in case [with ≥0.1% of Michler's ketone (EC No.202-027-5) or Michler's base (EC No.202-959-2)].
- (5) This substance is identified as a SVHC in the following case:
 with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008
- (6) Those substances are substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof
- (7) According to the REACH regulation, glass and ceramics are one substance, not a mixture of several substances. Even if SVHCs are used as raw materials, the individual raw materials and the glass as a melt reaction product are different substances, so there is no need to communicate information on individual raw materials (SVHCs).

II. Manufacturing Processes

II-1. Prohibited Chemical Substances in Manufacturing Processes

Sections II-1-(1) to II-1-(5) list the chemical substances that are prohibited to be used in manufacturing processes of suppliers.

II-1-(1) Ozone Depleting Substances

(Substances specified in "Law concerning the Protection of the Ozone Layer through the Control of specified Substances and Other Measures")

Ozone depleting substances regulated by the Montreal Protocol are targeted.

Protocol Annex	Group	Substance	Use
Annex A	Group I	Chlorofluorocarbon CFC-11, 12, 113, 114, 115	Refrigerants for automobile air-conditioning, refrigerators, etc. Forming agents for insulator materials etc. Detergents for electronic components, metal components, etc.
	Group II	Halons Halon-1211, 1301, 2402	Extinguishing agents
	Group I	Other CFCs CFC-13, 111, 112, 211, 212, 213, 214	Refrigerants
Annex B	Group II	Carbon tetrachloride	Raw material and solvents such as CFC
	Group III	Trichloroethane 1,1,1-Trichloroethane (Methyl chloroform)	Detergents for electronic components, metal components, etc.
Annex C	Group I	HCFC (hydrochlorofluorocarbons) HFC-21, 22, 31, 121, 122, 123, 124, 131, 132, 133, 141, 141b, 142, 142b, 151, 221, 222, 223, 224, 225, 225ca, 225cb, 226, 231, 232, 233, 234, 235, 241, 242, 243, 244, 251, 252, 253, 261, 262, 271	Refrigerants, solvents
	Group II	HBFC (hydrobromofluorocarbons)	Extinguishing agents (Halon alternative)
	Group III	Bromochloromethane	Intermediate compound materials for medical application
Annex E	_	Methyl bromide	Soil fumigants for upland field, etc. Quarantine fumigants at import/export of woods, grains, etc.

II-1-(2) Dusts specified under the Air Pollution Control Law

No.	CAS No.	Substance name	Example of use
1	1332-21-4	Asbesuto	Insulator, filler

No.	CAS No.	Substance name	Example of use
1	1336-36-3	Polychlorinated Biphenyls(PCB)	Insulating oil (old transformers), copy paper
2	_	Polychlorinated Naphthalenes (with more than 2 chlorine atoms)	Solvent, plasticizer, lubricant
3	118-74-1	Hexachlorobenzene	Organically synthesized materials
4	309-00-2	Aldrin	Agrichemical
5	60-57-1	Dieldrin	Agrichemical
6	72-20-8	Endrin	Agrichemical
7	50-29-3	DDT	Pesticide
8	57-74-9	Chlordane	Agrichemical, termite insecticide
9	56-35-9	Bistributyltin oxide	Antifoulant for fishing nets, ship bottom paint
10	_	N,N'-ditolyl-p-phenylenediamine, N-tolyl-N'-xylyl-p-phenylene diamine and N,N'-dixylyl-p-phenylenediamine	Rubber antioxidant, styrene butadiene rubber
11	732-26-3	2,4,6-tri-tert-butylphenol	Anti-oxidant
12	8001-35-2	Polychloro-2,2-dimethyl-3- Methylidenbicyclo [2.2.1] heptane (synonym: toxaphene)	Pesticide
13	2385-85-5	Dodecachloropentacyclo [5.3.0.0(2.6).0(3.9).0(4.8)] decane (synonym: mirex)	Flame retardant, pesticide
14	115-32-2	2,2,2-trichloro-1,1-bis(4-chlorophenyl) ethanol (also know as kelthane or dicofol)	Mitcide
15	87-68-3	Hexachlorobutane-1,3-diene	Solvent
16	3846-71-7	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl) benzotriazole	Adhesive, bulking agent, inks and paint, plastics
17	_	Perfluoro (octane-1-sulfonic acid)	Plating agent, semiconductor/LSI film-forming material, extinguishing agent, water repellent, paper surface-treating agent, plastic modifier
18	307-35-7	Perfluorooctane-1-sulfonyl fluoride	Water and oil repellent, surfactant
19	608-93-5	Pentachlorobenzene	Agrichemical
20	319-84-6	(1alpha,2alpha,3beta,4alpha,5beta,6beta)-1,2,3,4,5,6- hexachlorocyclohexane	By-product of lindane
21	319-85-7	Beta-HCH	By-product of lindane
22	58-89-9	Lindane	Agrichemical
23	143-50-0	Chlordecone	Agrichemical
24	—	Hexabromobiphenyl	Flame retardant
25	—	Diphenyl ether, tetrabromo derivative	Flame retardant
26	—	Benzene, 1,1'-oxybis-, pentabromo derivative	Flame retardant
27	—	Diphenyl ether, hexabromo derivative	Flame retardant
28	_	Diphenyl ether, heptabromo derivative	Flame retardant
29	115-29-7	6,7,8,9,10,10-Hexachloro-1,5,5a,6,9,9a-hexahydro-6,9-methan o-2,4,3-benzodioxathiepine 3-oxide (synonym: Endosulfan or Benzoepin)	Pesticide (insecticide)
30	25637-99-4	Hexabromocyclododecan (HBCD)	Flame retardant
31	-	Pentachlorophenol and its salts and esters	fungicide
32	85535-84-8	Chloroalkanes C10-13	Lubricating oil, plasticizer, paint, adhesive
33	1163-19-5	1,1'-oxybis (2,3,4,5,6-pentabromo-benzen (Decabromodiphenyl oxide)	Flame retardant
34	10606-46-9	2,2,2-trichloro-1-(2-chlorophenyl)-1-(4-chlorophenyl) ethanol -	Pesticide, insecticide

II-1-(3) Class I specified Chemical Substances under the Chemical Substances Control Law (Law concerning the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.)

Class I specified Chemical Substances under the Chemical Substances Control Law (continued)

No.	CAS No.	Substance name	Example of use
35	335-67-1 3825-26-1 335-95-5 2395-00-8	Perfluorooctanoic acid, its salts	Extinguishing agent, water repellent, surface-active agent, anti-rust, etching solution, antireflection coating, photoresist

II-1-(4) Hazardous Substances prohibited from Manufacture under the Industrial Safety and Health Act

No.	CAS No.	Substance name	Example of use
1	—	Yellow phosphor	
2	92-87-5	Benzidine	Dyes, synthetic rubber hardener
3	92-67-1	4-aminobiphenyl	Dye intermediates
4		Asbestos	Building materials, asbestos fabrics
5	92-93-3	4-nitrodiphenyl	Dye intermediates
6	542-88-1	Bis(chloromethyl)ether	Dye, pigment, methylating agent
7	91-59-8	β-Naphthylamine; 2-Naphthylamine	Dye intermediates
8	_	Rubber cement containing solvent (including diluents) of more than 5% benzene.	
9	_	Drugs and other formulations containing more than 1% by weight of item Nos. 2, 3, and 5–7; or more than 0.1% by weight of No. 4.	

II-1-(5) Other

No.	CAS No.	Substance name
1	-	Perfluorohexane-1-sulphonicacid (PFHxS), its salts and PFHxS-related substances

II-2 Controlled Chemical Substances in Manufacturing Processes

Section II-2-(1) to II-2-(3) list the chemical substances that must be appropriately controlled in manufacturing processes of suppliers.

II-2-(1) Class I designated Chemical Substances under the PRTR Law (Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof)

The following list is as of September 1, 2022. The regulated substances will change as of April 1, 2023. The latest list of regulated substances can be found on the Ministry of Economy, Trade and Industry's website.

https://www.meti.go.jp/policy/chemical_management/law/prtr/seirei4.html

No.	CAS No.	Substance name	abbreviaion
1	-	zinc compounds(water-soluble)	
2	79-06-1	acrylamide	
3	140-88-5	ethyl acrylate	
4	-	acrylic acid and its water-soluble salts	
5	2439-35-2	2-(dimethylamino)ethyl acrylate	
6	818-61-1	2-hydroxyethyl acrylate	
7	141-32-2	n-butyl acrylate	
8	96-33-3	methyl acrylate	
9	107-13-1	acrylonitrile	
10	107-02-8	acrolein	
11	26628-22-8	sodium azide	
12	75-07-0	acetaldehyde	
13	75-05-8	acetonitrile	
14	75-86-5	acetone cyanohydrin	
15	83-32-9	acenaphthene	
16	78-67-1	2,2'-azobisisobutyronitrile	
17	90-04-0	o-anisidine	
18	62-53-3	aniline	
19	82-45-1	1-amino-9,10-anthraquinone	
20	141-43-5	2-aminoethanol	
21	1698-60-8	5-amino-4-chloro-2-phenylpyridazin-3(2H)-one	chloridazon
22	120068-37-3	5-amino-1- [2,6-dichloro-4- (trifluoromethyl)phenyl]-3-cyano-4- [(trifluoromethyl) sulfinyl] pyrazole	fipronil
23	123-30-8	p-aminophenol	
24	591-27-5	m-aminophenol	
25	21087-64-9	4-amino-6-tert-butyl-3-methylthio-1,2,4-triazin-5(4H)-one	metribuzin
26	107-11-9	3-amino-1-propene	
27	41394-05-2	4-amino-3-methyl-6-phenyl-1,2,4-triazin-5(4H)-one	metamitron
28	107-18-6	allyl alcohol	
29	106-92-3	1-allyloxy-2,3-epoxypropane	
30	-	n-alkylbenzenesulfonic acid and its salts (alkyl C=10-14)	
31	-	antimony and its compounds	
32	120-12-7	anthracene	
33	1332-21-4	asbestos	
34	4098-71-9	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate	
35	78-84-2	isobutyraldehyde	

No.	CAS No.	ted Chemical Substances under the PRTR Law (continued) Substance name	abbreviaion
36	78-79-5	isoprene	
37	80-05-7	4,4'-isopropylidenediphenol	bisphenol A
38	4162-45-2	2,2'-{isopropylidenebis[(2,6-dibromo-4,1-phenylene) oxy]} diethanol	
39	22224-92-6	O-ethyl-O-(3-methyl-4-methylthiophenyl) N-isopropylaminophosphonate	fenamiphos
40	149877-41-8	isopropyl 2-(4-methoxybiphenyl-3-yl) hydrazinoformate	bifenazate
41	66332-96-5	3'-isopropoxy-2-trifluoromethylbenzanilide	flutolanil
42	96-45-7	2-imidazolidinethione	
43	13516-27-3	1,1'-[iminodi(octamethylene)] diguanidine	iminoctadine
44	-	indium and its compounds	
45	75-08-1	ethanethiol	
46	76578-14-8	ethyl 2-[4-(6-chloro-2-quinoxalinyloxy) phenoxy] propionate	quizalofop-ethyl
47	36335-67-8	O-ethyl O-(6-nitro-m-tolyl) sec-butylphosphoramidothioate	butamifos
48	2104-64-5	O-ethyl O-4-nitrophenyl phenylphosphonothioate	EPN
49	40487-42-1	N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine	pendimethalin
50	2212-67-1	S-ethyl hexahydro-1H-azepine-1-carbothioate	molinate
51	149-57-5	2-ethylhexanoic acid	
52	83130-01-2	ethyl (Z)-3-[N-benzyl-N-[[methyl(1-methylthioethylideneaminooxycarbonyl) amino] thio] amino] propionate	alanycarb
53	100-41-4	ethylbenzene	
54	98886-44-3	O-ethyl S-1-methylpropyl (2-oxo-3-thiazolidinyl) phosphonothioate	fosthiazate
55	151-56-4	ethyleneimine	
56	75-21-8	ethylene oxide	
57	110-80-5	ethylene glycol monoethyl ether	
58	109-86-4	ethylene glycol monomethyl ether	
59	107-15-3	ethylenediamine	
60	60-00-4	ethylenediaminetetraacetic acid	
61	12427-38-2	manganese N,N'-ethylenebis(dithiocarbamate)	maneb
62	8018-01-7	complex compounds of manganese N, N'-ethylenebis(dithiocarbamate)and zinc N, N'- ethylenebis(dithiocarbamate)	mancozeb or manzeb
63	85-00-7	1,1'-ethylene-2,2'-bipyridinium dibromide	diquat dibromide or diquat
64	80844-07-1	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether	etofenprox
65	106-89-8	epichlorohydrin	
66	106-88-7	1,2-epoxybutane	
67	556-52-5	2,3-epoxy-1-propanol	
68	75-56-9	1,2-epoxypropane	propylene oxide
69	122-60-1	2,3-epoxypropyl phenyl ether	
70	155569-91-8	emamectin benzoate	mixture of emamectinB1a benzoate and emamectinB1b benzoate
71	7705-08-0	ferric chloride	
72	85535-84-8	chlorinated paraffin (C=10-13)	
73	111-87-5	1-octanol	
74	1806-26-4	p-octylphenol	
75	-	cadmium and its compounds	
76	105-60-2	ε-caprolactam	
77	156-62-7	calcium cyanamide	
78	105-67-9	2,4-xylenol	

No.	CAS No.	ted Chemical Substances under the PRTR Law (continued) Substance name	abbreviaion
79	576-26-1	2,6-xylenol	
80	1330-20-7	xylene	
81	91-22-5	quinoline	
82	-	silver and its water-soluble compounds	
83	98-82-8	cumene	
84	107-22-2	glyoxal	
85	111-30-8	glutaraldehyde	
86	1319-77-3	cresol	
87	-	chromium and chromium (III) compounds	
88		Chromium (VI) compounds	
89	95-51-2 106-47-8 108-42-9	chloroaniline	
90	1912-24-9	2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine	atrazine
91	21725-46-2	2-(4-chloro-6-ethylamino-1,3,5-triazin-2-yl)amino-2-methylpropiononitrile	cyanazine
92	129558-76-5	4-chloro-3-ethyl-1-methyl-N-[4-(p-tolyloxy) benzyl] pyrazole-5-carboxamide	tolfenpyrad
93	51218-45-2	2-chloro-2'-ethyl-N-(2-methoxy-1-methylethyl)-6'-methylacetanilide	metolachlor
94	75-01-4	chloroethylene	vinyl chloride
95	79622-59-6	3-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)-α, α, α -trifluoro-2,6-dinitro-p-toluidine	fluazinam
96	119446-68-3	1-({2-[2-chloro-4-(4-chlorophenoxy) phenyl]-4-methyl-1,3-dioxolan-2-yl} methyl)-1H-1,2,4-triazole	difenoconazole
97	611-19-8	1-chloro-2-(chloromethyl)benzene	
98	79-11-8	chloroacetic acid	
99	105-39-5	ethyl chloroacetate	
100	51218-49-6	2-chloro-2',6'-diethyl-N-(2-propoxyethyl)acetanilide	pretilachlor
101	15972-60-8	2-chloro-2',6'-diethy-N-(methoxymethyl)acetanilide	alachlor
102	97-00-7	1-chloro-2,4-dinitrobenzene	
103	75-68-3	1-chloro-1,1-difluoroethane	HCFC-142b
104	75-45-6	chlorodifluoromethane	HCFC-22
105	2837-89-0	2-chloro-1,1,1,2-tetrafluoroethane	HCFC-124
106	-	chlorotrifluoroethane	HCFC-133
107	75-72-9	chlorotrifluoromethane	CFC-13
108	7085-19-0 93-65-2	(RS)-2-(4-chloro-o-tolyloxy) propionic acid	mecoprop
109	95-49-8	o-chlorotoluene	
110	106-43-4	p-chlorotoluene	
111	121-87-9	2-chloro-4-nitroaniline	
112	88-73-3	2-chloronitrobenzene	
113	122-34-9	2-chloro-4,6-bis(ethylamino)-1,3,5-triazine	simazine or CAT
114	133220-30-1	(RS)-2-[2-(3-chlorophenyl)-2,3-epoxypropyl]-2-ethylindane-1,3-dione	indanofan
115	158237-07-1	4-(2-chlorophenyl)-N-cyclohexyl-N-ethyl-4,5-dihydro-5-oxo-1H-tetrazole- 1-carboxamide	fentrazamide
116	78587-05-0	(4RS,5RS)-5-(4-chlorophenyl)-N-cyclohexyl-4-methyl-2-oxo-1,3- thiazolidine-3-carboxamide	hexythiazox
117	107534-96-3	(RS)-1-p-chlorophenyl-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl) pentan-3-ol	tebuconazole
118	88671-89-0	2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl) hexanenitrile	myclobutanil
119	114369-43-6	(RS)-4-(4-chlorophenyl)-2-phenyl-2-(1H-1,2,4-triazol-1-ylmethyl) butyronitrile	fenbuconazole
120	95-57-8	o-chlorophenol	

No.	CAS No.	Substance name	abbreviaion
121	106-48-9	p-chlorophenol	
122	598-78-7	2-chloropropionic acid	
123	107-05-1	3-chloropropene	allyl chloride
124	99485-76-4	1-(2-chlorobenzyl)-3-(1-methyl-1-phenylethyl) urea	cumyluron
125	108-90-7	chlorobenzene	
126	76-15-3	chloropentafluoroethane	CFC-115
127	67-66-3	chloroform	
128	74-87-3	chloromethane	methyl chloride
129	59-50-7	4-chloro-3-methylphenol	
130	94-74-6	(4-chloro-2-methylphenoxy) acetic acid	MCP or MCPA
131	563-47-3	3-chloro-2-methyl-1-propene	
132	-	cobalt and its compounds	
133	111-15-9	2-ethoxyethyl acetate	ethylene glycol monoethyl ether acetate
134	108-05-4	vinyl acetate	
135	110-49-6	2-methoxyethyl acetate	ethylene glycol monomethyl ether acetate
136	90-02-8	salicylaldehyde	
137	420-04-2	cyanamide	
138	139920-32-4	(RS)-2-cyano-N-[(R)-1-(2,4-dichlorophenyl) ethyl]-3,3-dimethylbutyramide	diclocymet
139	66841-25-6	(S)-alpha-cyano-3-phenoxybenzyl (1R,3S)-2,2-dimethyl-3-(1,2,2,2-tetrabromoethyl) cyclopropanecarboxylate	tralomethrin
140	39515-41-8	(RS)-alpha-cyano-3-phenoxybenzyl 2,2,3,3-tetramethylcyclopropanecarboxylate	fenpropathrin
141	57966-95-7	trans-1-(2-cyano-2-methoxyiminoacetyl)-3-ethylurea	cymoxanil
142	615-05-4	2,4-diaminoanisole	
143	101-80-4	4,4'-diaminodiphenyl ether	
144	-	inorganic cyanide compounds (except complex salts and cyanates)	
145	100-37-8	2-(diethylamino)ethanol	
146	29232-93-7	O-2-diethylamino-6-methylpyrimidin-4-yl O,O-dimethyl phosphorothioate	pirimiphos- methyl
147	28249-77-6	S-4-chlorobenzyl N, N-diethylthiocarbamate	thiobencarb or benthiocarb
148	125306-83-4	N, N-diethyl-3-(2,4,6-trimethylphenylsulfonyl)-1H-1,2,4-triazole-1- carboxamide	cafenstrole
149	56-23-5	tetrachloromethane	
150	123-91-1	1,4-dioxane	
151	646-06-0	1,3-dioxolane	
152	15263-53-3	1,3-dicarbamoylthio-2-(N,N-dimethylamino)-propane	cartap
153	7696-12-0	cyclohex-1-ene-1,2-dicarboximidomethyl(1RS)-cis-trans-2,2- dimethyl-3-(2-methylprop-1- enyl) cyclopropanecarboxylate	tetramethrin
154	108-91-8	cyclohexylamine	
155	17796-82-6	N-(cyclohexylthio)phthalimide	
156	27134-27-6	dichloroaniline	
157	107-06-2	1,2-dichloroethane	
158	75-35-4	1,1-Dichloroethylene	vinylydene dichloride
159	156-59-2	cis-1,2-dichloroethylene	
160	101-14-4	3,3'-dichloro-4,4'-diaminodiphenylmethane	
161	75-71-8	dichlorodifluoromethane	CFC-12

No.	CAS No.	ted Chemical Substances under the PRTR Law (continued) Substance name	abbreviaion
162	23950-58-5	3,5-dichloro-N-(1,1-dimethyl-2-propynyl)benzamide	propyzamide
163	-	dichlorotetrafluoroethane	CFC-114
164	306-83-2	2,2-dichloro-1,1,1-trifluoroethane	HCFC-123
165	95-73-8	2,4-dichlorotoluene	
166	99-54-7	1,2-dichloro-4-nitrobenzene	
167	89-61-2	1,4-dichloro-2-nitrobenzene	
168	36734-19-7	3-(3,5-dichlorophenyl)-N-isopropyl-2,4-dioxoimidazolidine-1-carboxamide	iprodione
169	330-54-1	3-(3,4-dichlorophenyl)-1,1-dimethylurea	diuron or DCMU
170	112281-77-3	(RS)-2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl) propyl 1,1,2,2-tetrafluoroethyl ether	tetraconazole
171	60207-90-1	mixture of (2RS,4RS)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1, 2,4-triazole and (2RS,4SR)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1, 2,4-triazole	propiconazole
172	153197-14-9	3-[1-(3,5-dichlorophenyl)-1-methylethyl]-3,4-dihydro-6-methyl-5-phenyl- 2H-1,3-oxazin-4-one	oxaziclomefone
173	50471-44-8	(RS)-3-(3,5-dichlorophenyl)-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione	vinclozolin
174	330-55-2	3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea	linuron
175	94-75-7	2,4-dichlorophenoxyacetic acid	2,4-D or 2,4-PA
176	1717-00-6	1,1-dichloro-1-fluoroethane	HCFC-141b
177	75-43-4	dichlorofluoromethane	HCFC-21
178	78-87-5	1,2-dichloropropane	
179	542-75-6	1,3-dichloropropene	D-D
180	91-94-1	3,3'-dichlorobenzidine	
181	95-50-1 106-46-7	dichlorobenzene	
182	71561-11-0	2-[4-(2,4-dichlorobenzoyl)-1,3-dimethyl-5-pyrazolyloxy] acetophenone	pyrazoxyfen
183	58011-68-0	4-(2,4-dichlorobenzoyl)-1,3-dimethyl-5-pyrazolyl 4-toluenesulfonate	pyrazolynate
184	1194-65-6	2,6-dichlorobenzonitrile	dichlobenil or DBN
185	-	dichloropentafluoropropane	HCFC-225
186	75-09-2	dichloromethane	methylene dichloride
187	3347-22-6	2,3-dicyano-1,4-dithiaanthraquinone	dithianon
188	101-83-7	N,N-dicyclohexylamine	
189	4979-32-2	N,N-dicyclohexyl-2-benzothiazolesulfenamide	
190	77-73-6	dicyclopentadiene	
191	50512-35-1	diisopropyl 1,3-dithiolan-2-ylidenemalonate	isoprothiolane
192	17109-49-8	O-ethyl S, S-diphenyl phosphorodithioate	edifenphos or EDDP
193	298-04-4	O, O-diethyl S-2-(ethylthio)ethyl phosphorodithioate	ethylthiometon or disulfoton
194	2310-17-0	O, O-diethyl S-(6-chloro-2,3-dihydro-2-oxobenzoxazolinyl) methyl phosphorodithioate	phosalone
195	34643-46-4	O-2,4-dichlorophenyl O-ethyl S-propyl phosphorodithioate	prothiofos
196	950-37-8	S-(2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-yl) methyl O, O- dimethylphosphorodithioate	methidathion or DMTP
197	121-75-5	O, O-dimethyl S-1,2-bis(ethoxycarbonyl)ethyl phosphorodithioate	malathon or malathion
198	60-51-5	O, O-dimethyl S-(N-methylcarbamoyl) methyl phosphorodithioate	dimethoate
199	16090-02-1	disodium2,2'-vinylenebis[5-(4-morpholino-6-anilino-1,3,5-triazin-2- ylamino)benzenesulfonate]	C.I. Fluorescent 260
200	25321-14-6	dinitrotoluene	

No.	CAS No.	Substance name	abbreviaion
201	51-28-5	2,4-dinitrophenol	
202	1321-74-0	divinylbenzene	
203	122-39-4	diphenylamine	
204	101-84-8	diphenyl ether	
205	102-06-7	1,3-diphenylguanidine	
206	55285-14-8	2,3-dihydro-2,2-dimethyl-7-benzo[b]furyl N-(dibutylamino)thio-N-methylcarbamate	carbosulfan
207	128-37-0	2,6-di-tert-butyl-4-cresol	(BHT)
208	96-76-4	2,4-di-tert-butylphenol	
209	124-48-1	dibromochloromethane	
210	10222-01-2	2,2-dibromo-2-cyanoacetamide	(DBNPA)
211	-	dibromotetrafluoroethane	halone-2402
212	30560-19-1	(RS)-O, S-dimethyl acetylphosphoramidothioate	acephate
213	127-19-5	N, N-dimethylacetamide	
214	95-68-1	2,4-dimethylaniline	
215	87-62-7	2,6-dimethylaniline	
216	121-69-7	N, N-dimethylaniline	
217	31895-21-3	5-dimethylamino-1,2,3-trithiane	thiocyclam
218	124-40-3	dimethylamine	
219	624-92-0	dimethyl disulfide	
220	-	water-soluble salts of dimethyldithiocarbamic acid	
221	82560-54-1	2,2-dimethyl-2,3-dihydro-1-benzofuran-7-yl N-[N-(2-ethoxycarbonylethyl)-N-isopropylsulfenamoyl]-N-methylcarbamate	benfuracarb
222	62850-32-2	S-4-phenoxybutyl N, N-dimethylthiocarbamate	phenothiocarb
223	112-18-5	N, N-dimethyldodecylamine	
224	1643-20-5	N, N-dimethyldodecylamine N-oxide	
225	52-68-6	dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate	trichlorfon or DEP
226	57-14-7	1,1-dimethylhydrazine	
227	1910-42-5	1,1'-dimethyl-4,4'-bipyridinium dichloride	paraquat or paraquat dichloride
228	91-97-4	3,3'-dimethylbiphenyl-4,4'-diyl diisocyanate	
229	23564-05-8	dimethyl 4,4'-(o-phenylene) bis(3-thioallophanate)	thiophanate-met hyl
230	793-24-8	N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine	
231	119-93-7	3,3'-dimethylbenzidine	o-tolidine
232	68-12-2	N,N-dimethylformamide	
233	2597-03-7	ethyl 2-[(dimethoxyphosphinothioyl)thio]-2-phenylacetate	phenthoate or PAP
234	7726-95-6	bromine	
235	-	water-soluble salts of bromic acid	
236	3861-47-0	3,5-diiodo-4-octanoyloxybenzonitrile	ioxynil octanoate
237	-	mercury and its compounds	
238	61788-32-7	hydrogenated terphenyl	
239	-	organic tin compounds	
240	100-42-5	styrene	
241	4016-24-4	sodium salt of 2-sulfohexadecanoic acid 1-methylester	
242	-	selenium and its compounds	
243	-	dioxins	

No.	CAS No.	Substance name	abbreviaion
244	533-74-4	2-thioxo-3,5-dimethyltetrahydro-2H-1,3,5-thiadiazine	dazomet
245	62-56-6	thiourea	
246	108-98-5	thiophenol	
247	77458-01-6	O-1-(4-chlorophenyl)-4-pyrazolyl O-ethyl S-propyl phosphorothioate	pyraclofos
248	333-41-5	O, O-diethyl O-2-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate	diazinon
249	2921-88-2	O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	chlorpyrifos
250	18854-01-8	O,O-diethyl O-5-phenyl-3-isoxazolyl phosphorothioate	isoxathion
251	122-14-5	O,O-dimethyl O-3-methyl-4-nitrophenyl phosphorothioate	fenitrothion or MEP
252	55-38-9	O,O-dimethyl O-3-methyl-4-(methylthio)phenyl phosphorothioate	fenthion or MPP
253	41198-08-7	O-4-bromo-2-chlorophenyl O-ethyl S-propyl phosphorothioate	profenofos
254	26087-47-8	S-benzyl O, O-diisopropyl phosphorothioate	iprobenfos or IBP
255	1163-19-5	decabromodiphenyl ether	
256	334-48-5	decanoic acid	
257	112-30-1 25339-17-7	decyl alcohol	decanol
258	100-97-0	1,3,5,7-tetraazatricyclo [3.3.1.13.7] decane	hexamethylenet etramine
259	97-77-8	tetraethylthiuram disulfide	disulfiram
260	1897-45-6	tetrachloroisophthalonitrile	chlorothalonil or TPN
261	27355-22-2	4,5,6,7-tetrachloroisobenzofuran-1(3H)-one	phthalide
262	127-18-4	tetrachloroethylene	
263	-	tetrachlorodifluoroethane	CFC-112
264	118-75-2	2,3,5,6-tetrachloro-p-benzoquinone	
265	11070-44-3	tetrahydromethylphthalic anhydride	
266	79538-32-2	2,3,5,6-tetrafluoro-4-methylbenzyl(Z)-3-(2-chloro-3,3,3-trifluoro-1- propenyl)-2,2-dimethylcyclopropanecarboxylate	tefluthrin
267	59669-26-0	3,7,9,13-tetramethyl-5,11-dioxa-2,8,14-trithia-4,7,9,12- tetraazapentadeca-3,12-diene-6,10-dione	thiodicarb
268	137-26-8	tetramethylthiuram disulfide	thiram
269	505-32-8	3,7,11,15-tetramethylhexadec-1-en-3-ol	isophytol
270	100-21-0	terephthalic acid	
271	120-61-6	dimethyl terephthalate	
272	-	copper salts (water-soluble, except complex salts)	
273	112-53-8	1-dodecanol	n-dodecyl alcohol
274	25103-58-6	tert-dodecanethiol	
275	151-21-3	sodium dodecyl sulfate	
276	112-57-2	3,6,9-triazaundecane-1,11-diamine	tetraethylenepe ntamine
277	121-44-8	triethylamine	
278	112-24-3	triethylenetetramine	
279	71-55-6	1,1,1-trichloroethane	
280	79-00-5	1,1,2-trichloroethane	
281	79-01-6	trichloroethylene	
282	76-03-9	trichloroacetic acid	
283	108-77-0	2,4,6-trichloro-1,3,5-triazine	
284	-	trichlorotrifluoroethane	CFC-113
285	76-06-2	trichloronitromethane	chloropicrin
286	55335-06-3	(3,5,6-trichloro-2-pyridyl) oxyacetic acid	triclopyr

No.	CAS No.	Substances under the PRTR Law (continued)	abbreviaion
287	88-06-2	2,4,6-trichlorophenol	
288	75-69-4	trichlorofluoromethane	CFC-11
289	96-18-4	1,2,3-trichloropropane	
290	12002-48-1	trichlorobenzene	
291	2451-62-9	1,3,5-tris(2,3-epoxypropyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	
292	102-82-9	tributylamine	
293	1582-09-8	α, α, α -trifluoro-2,6-dinitro-N, N-dipropyl-p-toluidine	Trifluralin
294	118-79-6	2,4,6-tribromophenol	
295	3452-97-9	3,5,5-trimethyl-1-hexanol	
296	95-63-6	1,2,4-trimethylbenzene	
297	108-67-8	1,3,5-trimethylbenzene	
298	26471-62-5	tolylene diisocyanate	
299	95-53-4	toluidine	
300	<u>106-49-0</u> 108-88-3	toluene	
300	25376-45-8	toluenediamine	
301	91-20-3		
302	3173-72-6	naphthalene 1,5-naphthalenediyl diisocyanate	
303	7439-92-1		
304	7439-92-1		
305	- 13048-33-4	lead compounds hexamethylene diacrylate	
			(HDDA)
307	7699-43-6	zirconium dichloride oxide	
308	7440-02-0		
309	-	nickel compounds	
310	139-13-9	nitrilotriacetic acid	
311	91-23-6	o-nitroanisole	
312	88-74-4	o-nitroaniline	
313	55-63-0	nitroglycerin	
314	100-00-5	p-nitrochlorobenzene	
315	88-72-2	o-nitrotoluene	
316	98-95-3		
317	75-52-5	nitromethane	
318	75-15-0	carbon disulfide	
319	143-08-8	1-nonanol	n-nonyl alcohol
320	25154-52-3	nonylphenol	
321	-	vanadium compounds 5'- [N, N-bis(2-acetyloxyethyl)	
322	3618-72-2	amino]-2'-(2-bromo-4,6-dinitrophenylazo)-4'-methoxyacetanilide	
323	1014-70-6	2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine	simetryn
324	101-90-6	1,3-bis[(2,3-epoxypropyl) oxy] benzene	
325	10380-28-6	bis(8-quinolinolato) copper	oxine-copper
326	74115-24-5	3,6-bis(2-chlorophenyl)-1,2,4,5-tetrazine	clofentezine
327	782-74-1	1,2-bis(2-chlorophenyl) hydrazine	
328	137-30-4	zinc bis (N, N'-dimethyldithiocarbamate)	ziram
329	64440-88-6	N, N'-ethylenebis(thiocarbamoylthiozinc)bis(N, N-dimethyldithiocarbamate)	polycarbamate
330	80-43-3	bis(1-methyl-1-phenylethyl) peroxide	
331	95465-99-9	S, S-bis(1-methylpropyl) O-ethyl phosphorodithioate	cadusafos

No.	CAS No.	Substance name	abbreviaion		
332	-	arsenic and its inorganic compounds			
333	302-01-2	hydrazine			
334	99-76-3	methyl 4-hydroxybenzoate			
335	103-90-2	N-(4-hydroxyphenyl) acetamide			
336	123-31-9	hydroquinone			
337	100-40-3	4-vinyl-1-cyclohexene			
338	100-69-6	2-vinylpyridine			
339	88-12-0	N-vinyl-2-pyrrolidone			
340	92-52-4	biphenyl			
341	110-85-0	piperazine			
342	110-86-1	pyridine			
343	120-80-9	pyrocatechol	catechol		
344	96-09-3	phenyloxirane			
345	100-63-0	phenylhydrazine			
346	90-43-7	2-phenylphenol			
347	941-69-5	N-phenylmaleimide			
	95-54-5				
348	106-50-3 108-45-2	phenylenediamine			
349	108-95-2	phenol			
350	52645-53-1	3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-	permethrin		
		dimethylcyclopropanecarboxylate	penneunn		
351	106-99-0	1,3-butadiene			
352	131-17-9	diallyl phthalate			
353	84-66-2	diethyl phthalate	DEP		
354	84-74-2	di-n-butyl phthalate	DBP		
355	117-81-7	bis(2-ethylhexyl)phthalate	DEHP		
356	85-68-7	n-butyl benzyl phthalate	BBP		
357	69327-76-0	2-tert-butylimino-3-isopropyl-5-phenyltetrahydro-4H-1,3,5- thiadiazin-4-one	buprofezin		
358	112410-23-8	N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	tebufenozide		
359	2426-08-6	n-butyl-2,3-epoxypropyl ether			
360	17804-35-2	methyl N-[1-(N-n-butylcarbamoyl)-1H-2-benzimidazolyl] carbamate	benomyl		
361	122008-85-9	butyl(R)-2-[4-(4-cyano-2-fluorophenoxy) phenoxy] propionate	cyhalofop-butyl		
362	80060-09-9	1-tert-Butyl-3-(2,6-diisopropyl-4-phenoxyphenyl) thiourea	diafenthiuron		
363	19666-30-9	5-tert-butyl-3-(2,4-dichloro-5-isopropoxyphenyl)-1,3,4-oxadiazol- 2(3H)-one	oxadiazon		
364	134098-61-6	tert-butyl 4-({[(1,3-dimethyl-5-phenoxy-4-pyrazolyl) methylidene] aminooxy} methyl) benzoate	fenpyroximate		
365	25013-16-5	butylhydroxyanisole	BHA		
366	75-91-2	tert-butyl hydroperoxide	1		
367	89-72-5	o-sec-butylphenol	1		
368	98-54-4	4-tert-butylphenol			
369	2312-35-8	2-(4-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite propa BPPS			
370	96489-71-3	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloro-3(2H)-pyridazinone pyridaben			
371	119168-77-3	N-(4-tert-butylbenzyl)-4-chloro-3-ethyl-1-methylpyrazole-5-carboxamide	tebufenpyrad		
372	95-31-8	N-(tert-butyl)-2-benzothiazolesulfenamide			
373	88-60-8	2-tert-butyl-5-methylphenol			
374	_	hydrogen fluoride and its water-soluble salts			

No.	CAS No.	Substance name	abbreviaion		
375	4170-30-3	2-butenal			
376	23184-66-9	N-butoxymethyl-2-chloro-2',6'-diethylacetanilide butacl			
377	110-00-9	furan			
378	12071-83-9	polymer of N,N'-propylenebis(dithiocarbamic acid)and zinc propineb			
379	107-19-7	2-propyn-1-ol			
380	353-59-3	bromochlorodifluoromethane	halone-1211		
381	75-27-4	bromodichloromethane			
382	75-63-8	bromotrifluoromethane	halone-1301		
383	314-40-9	5-bromo-3-sec-butyl-6-methyl-1,2,3,4-tetrahydropyrimidine-2,4-dione	bromacil		
384	106-94-5	1-bromopropane			
385	75-26-3	2-bromopropane			
386	74-83-9	bromomethane	methyl bromide		
387	13356-08-6	hexakis(2-methyl-2-phenylpropyl) distannoxane	fenbutatin oxide		
388	115-29-7	6,7,8,9,10,10-hexachloro-1,5,5a,6,9,9a-hexahydro-6,9-methano- 2,4,3-benzodioxathiepine 3-oxide	endosulfan or benzoepin		
389	112-02-7	hexadecyltrimethylammonium chloride			
390	124-09-4	hexamethylenediamine			
391	822-06-0	hexamethylene diisocyanate			
392	110-54-3	n-hexane			
393	135-19-3	betanaphthol			
394	-	beryllium and its compounds			
395	-	water-soluble salts of peroxodisulfuric acid			
396	1763-23-1	perfluoro(octane-1-sulfonic acid)	PFOS		
397	98-07-7	benzylidyne trichloride			
398	100-44-7	benzyl chloride	benzyl chloride		
399	100-52-7	benzaldehyde			
400	71-43-2	benzene			
401	552-30-7	1,2,4-benzenetricarboxylic1,2-anhydride			
402	73250-68-7	2-(2-benzothiazolyloxy)-N-methylacetanilide	mefenacet		
403	119-61-9	benzophenone			
404	87-86-5	pentachlorophenol			
405	-	boron compounds			
406	1336-36-3	polychlorinated biphenyls	PCBs		
407	-	poly(oxyethylene)alkyl ether(alkyl C=12-15)			
408	9036-19-5	poly(oxyethylene)octylphenyl ether			
409	9004-82-4	sodium poly(oxyethylene) dodecyl ether sulfate			
410	9016-45-9	poly(oxyethylene)nonylphenyl ether			
411	50-00-0	formaldehyde			
412	-	manganese and its compounds			
413	85-44-9	phthalic anhydride			
414	108-31-6	maleic anhydride			
415	79-41-4	methacrylic acid			
416	688-84-6	2-ethylhexyl methacrylate			
417	106-91-2	2,3-epoxypropyl methacrylate			
418	2867-47-2	2-(dimethylamino)ethyl methacrylate			
419	97-88-1	n-butyl methacrylate			
420	80-62-6	methyl methacrylate			

No.	CAS No.	Substance name	abbreviaion
421	674-82-8	4-methylideneoxetan-2-one	(diketene)
422	89269-64-7	(Z)-2'-methylacetophenone 4,6-dimethyl-2-pyrimidinylhydrazone	ferimzone
423	74-89-5	methylamine	
424	556-61-6	methyl isothiocyanate	
425	2631-40-5	2-isopropylphenyl N-methylcarbamate	isoprocarb or MIPC
426	1563-66-2	2,3-dihydro-2,2-dimethyl-7-benzo[b]furanyl N-methylcarbamate	carbofuran
427	63-25-2	1-naphthyl N-methylcarbamate	carbaryl or NAC
428	3766-81-2	2-sec-butylphenyl N-methylcarbamate	fenobucarb or BPMC
429	100784-20-1	methyl 3-chloro-5-(4,6-dimethoxy-2-pyrimidinylcarbamoylsulfamoyl)-1- methylpyrazole-4-carboxylate	halosulfuron-me thyl
430	173584-44-6	methyl (S)-7-chloro-2,3,4a,5-tetrahydro-2-[methoxycarbonyl(4-trifluoromethoxyphen yl) carbamoyl] indeno [1,2- e][1,3,4]oxadiazine-4a-carboxylate	indoxacarb
431	131860-33-8	methyl (E)-2-[2-[6-(2-cyanophenoxy) pyrimidin-4-yloxy] phenyl]-3-methoxyacrylate	azoxystrobin
432	33089-61-1	3-methyl-1,5-di(2,4-xylyl)-1,3,5-triazapenta-1,4-diene	amitraz
433	144-54-7	N-methyldithiocarbamic acid	carbam
434	23135-22-0	methyl-N', N'-dimethyl-N-[(methylcarbamoyl)oxy]-1-thiooxamimidate	oxamyl
435	136191-64-5	methyl 2-(4,6-dimethoxy-2-pyrimizinyloxy)-6-[1-(methoxyimino)ethyl] benzoate	pyriminobac-met hyl
436	98-83-9	α -methylstyrene	
437	3268-49-3	3-methylthiopropanal	
438	1321-94-4	methylnaphthalene	
439	108-99-6	3-methylpyridine	
440	80-15-9	1-methyl-1-phenylethyl hydroperoxide	
441	88-85-7	2-(1-methylpropyl)-4,6-dinitrophenol	
442	55814-41-0	2-methyl-N-[3-(1-methylethoxy) phenyl] benzamide	mepronil
443	16752-77-5	S-methyl-N-(methylcarbamoyloxy)thioacetimidate	methomyl
444	141517-21-7	methyl (E)-methoxyimino-[2-[[[(E)-1-[3-(trifluoromethyl)phenyl] ethylidene] amino] oxy] methyl] phenyl] acetate	trifloxystrobin
445	143390-89-0	methyl (E)-methoxyimino[2-(o-tolyloxymethyl) phenyl] acetate	kresoxim-methyl
446	101-77-9	4,4'-methylenedianiline	
447	5124-30-1	methylenebis(4,1-cyclohexylene) diisocyanate	
448	101-68-8	methylenebis(4,1-phenylene) diisocyanate	(MDI)
449	13684-63-4	3-methoxycarbonylaminophenyl 3'-methylcarbanilate	phenmedipham
450	88678-67-5	O-3-tert-butylphenyl N-(6-methoxy-2-pyridyl)-N-methylthiocarbamate	pyributicarb
451	120-71-8	2-methoxy-5-methylaniline	
452	149-30-4	2-mercaptobenzothiazole	
453	-	molybdenum and its compounds	
454	95-32-9	2-(morpholinodithio)benzothiazole	
455	110-91-8	morpholine	
456	20859-73-8	aluminium phosphide	
457	62-73-7	dimethyl 2,2-dichlorovinyl phosphate	
458	78-42-2	tris(2-ethylhexyl) phosphate	
459	115-96-8	tris(2-chloroethyl) phosphate	
460	1330-78-5	tritolyl phosphate	
461	115-86-6	triphenyl phosphate	
462	126-73-8	tri-n-butyl phosphate	

II-2-(2) Class I designated Hazardous Substances under the Soil Contamination Countermeasures Law

No	CAS No.	Substance name
1	56-23-5	Carbon tetrachloride
2	107-06-2	1,2-dichloroethane
3	75-35-4	1,1-dichloroethane
4	156-59-2	Cis-1,2-dichloroethane
5	542-75-6	1,3-dichloropropene
6	75-09-2	Dichloromethane
7	127-18-4	Tetrachloroethylene
8	71-55-6	1,1,1-trichloroethane
9	79-00-5	1,1,2-trichloroethane
10	79-01-6	Trichloroethylene
11	71-43-2	Benzene
12	75-01-4	Chloroethylene

II-2-(3) Others

No	CAS No.	Substance name
2	-	Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances

	Revision History			
Date	Edition	Description		
April 1, 2014	1.0 (first edition)	These chemical substance lists are separated from "Nikon Green Procurement Standards (3.4 edition)". From "Nikon Green Procurement Standards (4.0 edition)", this document shall be used as a separate volume of chemical substance lists.		
		 (Major changes from Nikon Green Procurement Standards, 3.4 edition) For the Prohibited Chemical Substances in Products, divide tri-substituted organotin compounds into tri-substituted organotin compounds and tributyltin oxide (TBTOs). Changed threshold amounts for some of the Prohibited Chemical Substances in Products. Added two substances (HBCD and PFOA) as the Prohibited Chemical Substances in Products. Removed Antimony, Bismuth, Selenium, and their compounds from the Controlled Chemical Substances in Products. Added 35 substances as the Controlled Chemical Substances in Products. Added 15 substances as the Prohibited Chemical Substances in Packaging Materials. Added a section for the Controlled Chemical Substances in Packaging Materials and specified 147 substances. 		
April 1, 2014	1.1	Based on the revision of the Japan Law concerning the evaluation of chemical substances of March 19, 2014, Endosulfan and HBCD are specified as Class I specified Chemical Substances, and some modifications are made as follows.		
		 some changes to the items mentioned in No.23 HBCD of I -1-(1) Prohibited Chemical Substances in Products some changes to the items mentioned in No.15 HBCD of II -1 Prohibited Chemical Substances in Packaging Materials Endosulfan and HBCD are added, as No.29 and No.30, into the list of III-1-(2) Class I specified Chemical Substances under "Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances" 		
October 1, 2014	1.2	 Changed descriptions of the following items of I -1- (1) Prohibited Chemical Substances in Products. No.3 Lead/lead compounds ··· Threshold Level and Exempted applications ·No.19 Polyvinyl chloride (PVC) & PVC Copolymers ··· Exempted applications ·No.24 Pentadecafluorooctanoic acid (PFOA) ··· Threshold Level Added No.4(g) and 41 to I -1- (1) Annex 1 "Applications exempted from the RoHS Directive Annex III". Added No.35,36,37,38,39,40 to I -1- (1) Annex 2 "Applications exempted from the RoHS Directive Annex IV", and also corrected No.1d in the same Annex 2. Changed descriptions of the following item of I -2- (1) Controlled Chemical Substances in Products. ·No.16 Fluorinated greenhouse gases (HFC, PFC, SF₆) ··· Key Legal and Regulatory or Industry Standard/Agreement Citation, and, gas and products to be prohibited Added No.36 Polycyclic-aromatic hydrocarbons (PAH) to I -2- (1) Controlled Chemical Substances in Products. ·Added four substances to I -2-(2) and II -2-(2) of "SVHCs in REACH" respectively. ·Changed descriptions of the following item of II -1 Prohibited Chemical Substances in Products. ·No.12 Polyvinyl chloride (PVC) ··· Substance/Category, Key Legal and Regulatory or Industry Standard/Agreement Citation, and parkaging Materials. ·No.12 Polyvinyl chloride (PVC) ··· Substance/Category, Key Legal and Regulatory or Industry Standard/Agreement Citation, Application(s), Threshold Level, and Exempted applications 		

April 1, 2015 May 15, 2015	1.3	 Changed descriptions in I -1- (1) Prohibited Chemical Substances in Products as follows. No.2 Chromium VI compounds ··· Added a new regulation No.25 Polycyclic-aromatic hydrocarbons (PAH) ··· Added as a new item (transferred from I -2- (1)) Deleted No.36 Polycyclic-aromatic hydrocarbons (PAH) in I -2- (1) Controlled Chemical Substances in Products. Added six substances to I -2-(2) and II -2-(2) of "SVHCs in REACH" respectively. Changed opening descriptions of I -1, I -2, I -2-(2), II -1, II -2, II -2-(2) respectively. Added the following item to I -1- (1) Prohibited Chemical Substances in Products. No.26 Benzenamine, <i>N</i>-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)
October 1, 2015	1.5	 Added No.27 Selected four Phthalates to I -1- (1) Prohibited Chemical Substances in Products. Deleted the following five items in I -2- (1) Controlled Chemical Substances in Products. No.24 Bis (2-ethylhexyl) phthalate (DEHP) No.25 Dibutyl phthalate (DBP) No.26 Benzyl butyl phthalate (BBP) No.27 Diisobutyl phthalate (DIBP) No.28 Selected Phthalates Group 1 (BBP, DBP, DEHP) Deleted No.4(d) in I -1- (1) Annex 1 "Applications exempted from the RoHS Directive Annex II". Added No.41,42 to I -1- (1) Annex 2 "Applications exempted from the RoHS Directive Annex IV". Added two substances to I -2-(2) and II -2-(2) of "SVHCs in REACH" respectively.
December 1, 2015	1.6	 Changed descriptions in I -1- (1) Prohibited Chemical Substances in Products as follows. No.3 Lead/lead compounds ··· Added a new regulation
December 15, 2016	1.7	 Changed descriptions in I -1- (1) Prohibited Chemical Substances in Products as follows No.9 Polychlorinated naphthalenes(Changed 3 chlorine atoms to 2) No.10 Shortchain chlorinated paraffins No.12 Tributyl tin oxide No.23 Hexabromocyclododecane No.24 Pentadecafluorooctanoic acid No.25 Polycyclic-aromatic hydrocarbons No.27 Selected four Phthalates Changed and added the dates of applicability in I -1- (1) Annex 1" Applications exempted from the RoHS Directive Annex III" Changed and added the dates of applicability in I -1- (1) Annex 2 "Applications exempted from the RoHS Directive Annex IV" Added note No.8 in some of threshold level and deleted the following items in I-2-(1) Controlled Chemical Substances in Products No.19 Lead chromate No.20 Lead sulfochromate yellow No.22 Pentazinc chromate octahydroxide No.28 Strontium chromate Added six substances to I -2-(2) and II-2-(2) of "SVHCs in REACH" respectively and changed some explaination and added the remarks column. Changed descriptions in II-1- (1) Prohibited Chemical Substances in Packaging Materials as follows No.4 Polychlorinated naphthalenes(Changed 3 chlorine atoms to 2) No.5 Shortchain chlorinated paraffins No.7 Tributyl tin oxide No.7 Tributyl tin oxide No.15 Hexabromocyclododecane

	•No.16 Pentadecafluorooctanoic acid	
	-Deleted No.28 Trilead diarsenate in II -2-(1) Controlled	Chemical Substances in Packaging
	Materials - Added No.31 Pentachlorophenol and its salts and esters	
	Examination and Regulation of Manufacture, etc. of Che	
April 1, 2018	1.8 -Integration of " I .Products" and " II .Packaging Materials	n .
	-Changed "Prohibited Chemical Substances in products"	
	-Changed "Controlled Chemical Substances in products"	
	-Changed descriptions in I -1- (1) Prohibited Chemical S	
	 Changed contents of No.10 "Shortchain chlorinate Deleted No.26 "Benzenamine, N-phenyl-,reaction 	•
	and 2,4,4-trimethylpentene (BNST)" because it w	
	Prohibition of Certain Toxic Substances Regulatio	
	 Added No.27 "Formaldehyde" (changed from "0 	-
	in Packaging Materials" to "Prohibited Chemical S	
	 Added No.28 "Arsenic Compounds" (changed from 	m "Controlled Chemical Substances in
	Packaging Materials" to "Prohibited Chemical Sub	stances")
	-Revised the expiration dates and notes in I -1- (1) Anne	ex 1" Applications exempted from the
	RoHS Directive Annex III"	
	-Deleted I -1- (3) Prohibited Chemical Substances in Op	
	-Changed descriptions in I -2- (1) Controlled Chemical S	
	Deleted substances listed in I-2- (2) SVHC of REA No.1 "Candidate substances for authorization of R	• •
	Changed denominator of threshold and its notes in	
	-Added four substances of 16th SVHC, one substance of	
	18th SVHC to I -2- (2) SVHCs of REACH Regulation	
	-Added examples of use and changed some contents of	remarks column in I -2- (2) SVHCs of
	REACH Regulation	
	-Added No.12 "Chloroethylene" to II -2-(2) "Class I desig	nated Hazardous Substances in the
	Soil Contamination Countermeasures Law"	
April 1, 2019	1.9 -Changed descriptions in I -1- (1) Prohibited Chemical SL	ubstances as follows
	Changed contents of No.1 "Cadmium/cadmium co	
	Changed contents of No.2 "Chromium VI compour	nds"
	 Changed contents of No.3 "Lead/lead compounds" 	"
	 Changed contents of No.19 "Polyvinyl chloride (P\ 	
	Changed contents of No.20 "Perfluorooctane sulfo	
	Changed contents of No.23 "Hexabromocyclodod diastereoisomers"	ecane (HBCD) and all major
	Changed contents of No.24 "Pentadecafluorooctar	poic poid (PEOA)"
	·Changed contents of No.24 "Selected four Phthala	, , , , , , , , , , , , , , , , , , ,
	·Changed contents of No.28 "Arsenic Compounds"	
	Added No.29 "Fluorinated greenhouse gases (HFC)	
	(changed from "Controlled Chemical Substances in	Packaging Materials" to "Prohibited
	Chemical Substances")	
	-Updated the expiration dates and notes in I -1- (1) Annex	x 1" Applications exempted from the
	RoHS Directive Annex III"	
	-Changed descriptions in I -2- (1) Controlled Chemical Su	
	Deleted No.8 "Selected Phthalates Group 2 (DIDP Added No.7 "Disedeevel phthalate (DIDP)"	, DINP, DNOP)"
	 Added No.7 "Diisodecycl phthalate (DIDP)" Added No.8 "Diisononyl phthalate (DINP)" 	
	•Added No.9 "Disonony phinalate (DNV) "	
	•Added No.10 "Polyvinyl chloride (PVC) / PVC	compounds"
	-Added 8 substances of 19th SVHC (Separately 2 substa	
	to "I -2- (2) SVHCs of REACH Regulation"	
	Added the following two substances to π 1 (2) "Class	
	-Added the following two substances to II -1-(2) "Class the Chemical Substances Control Law "	i specified Chemical Substances under

		•No.32 "Chloroalkanes C10-13"
		•No.33 "1,1'-oxybis(2,3,4,5,6-pentabromo-benzen (Decabromodiphenyl oxide)
		-Added II-2-(3) "Others"
		 No.1 "Pentadecafluorooctanoic acid (PFOA), Its salts and PFOA-related substances"
		 No.2 "Perfluorohexane-1-sulphonicacid (PFHxS), its salts and PFHxS-related substances"
April 1, 2020	2.0	-Changed contents of I -1- (1) Prohibited Chemical Substances (No.11,13,14,20,21,24).
		-Updated the expiration dates in I -1- (1) Annex 1" Applications exempted from the RoHS Directive
		Annex III" and added No.42-44.
		-Updated the expiration dates in I -1- (1) Annex 2" Applications exempted from the RoHS Directive
		Annex IV ".
		-Added I -2- (1) Controlled Chemical Substances No.11 "Perfluorohexane-1-sulphonicacid
		(PFHxS), its salts and PFHxS-related substances".
		-Added 4 substances of 21th SVHC and 4 substances of 22th SVHC to "I -2- (2) SVHCs of REACH
		Regulation".
		-Deleted "III. Others" and "III-1. Chemical Substances in Equipment and Tools (either General
		Purpose or Exclusive)".
November 1, 2020	2.1	-Changed contents of I -1- (1) Prohibited Chemical Substances (No.6,24,25,27,29).
		-Added I -1- (1) Prohibited Chemical Substances No30 "CMR substances listed in Annex XVII of
		REACH Regulation (Excluding substances already listed as prohibited chemical substances)".
		-Updated the expiration dates in I -1- (1) Annex 1" Applications exempted from the RoHS Directive
		Annex III".
		-Updated the expiration dates in I -1- (1) Annex 2" Applications exempted from the RoHS Directive
		Annex IV " and added No43-44.
		-Added Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances" to I -2- (1) Controlled Chemical Substances No.12 and II -2-(3) "Others" No.3.
November 1, 2021	2.2	-Added 4 substances of 23th SVHC to "I -2- (2) SVHCs of REACH Regulation"
	2.2	-Revised and added contents of I -1.Prohibited Chemical Substances (No.1-4,6,24).
		-Added No31-35 of I -1.Prohibited Chemical Substances.
		-Updated the expiration dates in I -1. Annex 1" Applications exempted from the RoHS Directive
		Annex III".
		-Updated the expiration dates in I -1. Annex 2" Applications exempted from the RoHS Directive
		Annex IV "
		-Deleted I-1-(2) Prohibited Chemical Substances in Batteries.
		-Added No.13-15 of I -2- (1) Controlled Chemical Substances.
		-Added 2 substances of 24th SVHC and 8 substances of 25th SVHC in "I -2- (2) SVHCs of REACH
		Regulation".
		-Added No.34 and 35 in II-1-(2) Class I specified Chemical Substances under the Chemical
		Substances Control Law.
		-Deleted No.1"Pentadecafluorooctanoic acid (PFOA), Its salts and PFOA-related substances" of
		II -2-(3) "Others".
November 1,2022	2.3	-Revised and added contents of I -1. Prohibited Chemical Substances (No.3, 24-27, 31).
		-Added No36-37 of I -1. Prohibited Chemical Substances.
		-Updated the expiration dates in I -1. Annex 1" Applications exempted from the RoHS Directive
		Annex III".
		-Updated the expiration dates in I -1. Annex 2" Applications exempted from the RoHS Directive
		Annex IV "
		-Deleted No.11 of I -2- (1) Controlled Chemical Substances.
		-Added No.15-19 of I -2- (1) Controlled Chemical Substances.
		-Added 4 substances of 26th SVHC and 1 substance of 27th SVHC in "I -2- (2) SVHCs of REACH
		Regulation".
		-Added "PFHxS" of II-1-(5) "Others".
		-Deleted "PFHxS" of II-2-(3) "Others".
		-Added explanation of changes after April 2023 for II-2-(1) regulated substances.
		reases explanation of onaligoe alterriphi zozo for in z (1) regulated substations.